

ature

OS

Y

59.82:01
ev

FOR THE PEOPLE
FOR EDVCATION
FOR SCIENCE

LIBRARY
OF
THE AMERICAN MUSEUM
OF
NATURAL HISTORY

Bound at
A. M. N. H.
1930

N O M E N C L A T U R E

of

B I R D S

59.82.01

c✓

by

George Robert Gray

(Unpublished book
about 1851)

Nomenclature of Birds pp. 1-324.

G. R. Gray is no doubt the author as J. G.
Gray had long ceased to publish anything on
birds when this must have been printed
probably in 1851 the latest date quoted
in it [see pp. 289, 318 & 319.]

There is ref. to General B. Birds 2^d ed. i - say this is later
(this 2^d ed. is from 1845)

say a copy is in that library

a very rare work
unpublished.

collected to 16
20/29msa

NOMENCLATURE OF BIRDS.

29-115926-Dec-26
C

KINGDOM, ANIMALIA.

SUBKINGDOM, VERTEBRATA.

CLASS II. AVES.

ORDER I. ACCIPITRES.

Accipitres, *Linn.* 1735; *Mæhr.* 1752; *Lath.* 1790; *Cuv.* 1795—1796.

Dermatopodes, *Mæhr.* 1752.

Plumipedes, p. *Schæff.* 1774.

Fissipedes anisodactyles, aduncirostres, *Schæff.* 1774.

Retipedes, p. *Scop.* 1777.

Rapaces, *Scop.* 1777; *Temm.* 1815; *Ranz.* 1823.

Raptatores, *Illig.* 1811.

Raptores, *Vigors.* 1826.

Raptrices, *Macgill.* 1840.

Gressores, p. *G. accipitres, Sundev.* 1835.

SUBORDER I. ACCIPITRES DIURNI.

Accipitres diurni, *Vieill.* 1816; *Cuv.* 1817.

Nudicolles—Plumicolles—Grallæ, p.—Brevirostres, *Cuv.* 1799—1800.

Vulturini—Accipitrini, *Illig.* 1811.

Grallatores, p.—Uncirostres, p. *Vieill.* 1816.

Diurni, *Ranz.* 1823.

I. GYPAETIDÆ.

Gypaëtidæ, *Gr.* 1842. *Pr. B.* 1850.

Vulturidæ, p. *Sw.* 1837. *G. R. Gr.* 1840—41—44. *Pr. B.* 1849—50.

i. GYPAETINÆ.

Gypaëtinae, *Pr. B.* 1831—38—49. *G. R. Gr.* 1840—41—44. *Bl.* 1849. *Cass.* 1849.

1. GYPAETUS.

Gypaëtus, *Storr.* 1784.

Phene, *Sav.* 1809.

Gyptus, *Dum.* 1806.

1. GYPAETUS BARBATUS.

B. M.

Vultur barbatus, *L. Edw. B.* pl. 106. V. barbarus et V. niger, *Gm.* V. aureus, *Briss.* Falco magnus, *S. G. Gm.* Gypaëtus grandis, *Storr.* G. alpinus, G. castaneus et G. aureus, *Daud.* G. leucocephalus et G. melanocephalus, *Mey.* G. barbatus, *Cuv.* G. barbatus occidentalis, *Schl.* G. nudipes et G. subalpinus, *Brehm.* G. meridionalis, *Schl.* G. altaicus, *Gebl.* Phene ossifraga, *Sav.* Gypaëtus barbatus, et G. hemachalanus, *Hutt.* Pl. col. 431. *Rüpp. Syst. Uebers. Vog. N. Ost. Afr. t. 1.* Gould, *B. of Eur.* pl. 4.

Mountains of Europe, Asia, N. E. Africa.

II. VULTURIDÆ.

Vulturidæ. *Vig.* 1825. *Pr. B.* 1831—38—49—50; *Sw.* 1831—37; *G. R. Gr.* 1840—41—44. *Bl.* 1849; *Cass.* 1849.

Vulturides, *Sundev.* 1835.

Sarcoramphidæ, *Gr.* 1848.

Falconidæ, p. *Pr. B.* 1831.

Cathartidæ, *Gr.* 1842.

Gypohieracidæ, *Pr. B.* 1850.

i. SARCORAMPHINÆ.

Sarcoramphinae, *G. R. Gr.* 1844. *Bl.* 1849. *Cass.* 1849.

Vulturinae, p. *Pr. B.* 1838.

Cathartinae, *G. R. Gr.* 1840—41. *Pr. B.* 1849—50.

1. SARCORAMPHUS.

- a. Sarcoramphus, *Dum.* 1806.
Gypagus, *Vieill.* 1816.
Cathartes, p. *Ill.* 1811.
Zopilotes, *Flem.* 1822.

2. SARCORAMPHUS GRYPHUS. B. M.
Vultur gryphus, *L. Pl. col.* 133, 408, 494. V. magellanicus,
Shaw, Lev. Mus. pl. 1. V. condor, *Shaw.* Sarcoramphus gry-
phus, *Goldf.* S. cuntur, *Dum.* S. condor, *Less.* Gypagus
gryphus, *Vieill. Voy. de la Bonite, Ois. t. 2. Pr. B. Amer.*
Orn. iv. pl. 22. Humb. Obs. de Zool. t. 13.
S. America, (Andes), and S. W. of N. America.

3. SARCORAMPHUS PAPA. B. M.
Vultur papa, *L. Pl. enl.* 428. Cathartes papa, *Ill.* Sarco-
ramphus papa, *Dum.* Gypagus papa, *Vieill. Levaill. Ois.*
de l'Afr. t. 13. Spix, Av. Bras. t. 1. Edw. B. pl. 2.
S. America, (Mexico, Guiana, Brazil); S. of N. America.

- b. Catharista, *Vieill.* 1816.
Cathartes, p. *Ill.* 1811.

4. SARCORAMPHUS CALIFORNIANUS. B. M.
Vultur californianus, *Shaw, Nat. Misc.* pl. 301. Cathartes
californianus, *Ranz.* C. vulturinus, *Temm. Pl. col.* 51. Gy-
pagus californianus, *Vieill.* Catharista californianus, *G. R.*
Gr. Sarcoramphus californianus, *Vig. Licht. F. von Calif.*
t. 1. Berl. Trans. 1838.
S. W. of N. America, (California.)

5. SARCORAMPHUS ATRATUS. B. M.
Vultur urubu, *Vieill.* V. iota, *Wils. Amer. Orn.* pl. 75, f. 2.
V. atrata, *Bartr.* V. brasiliensis, *Ray.* Cathartes fœtens, *Ill.*
C. atratus, *Rich. et Sw.* C. brasiliensis, *Pr. B. C. urubu,*
Less. Catharista urubu, *Vieill.* C. iota, *Pr. B. Percnopte-*
rus uruba, Steph. Ois. de l'Amer. Sept. t. 2.
S. of N. America.

6. SARCORAMPHUS IOTA.

B. M.

Vultur iota, *Mol.* *V. aura*, *L. Wils. Amer. Orn.* pl. 75, f. 1.
Pl. enl. 187.? *Cathartes aura*, *Ill.* *C. septentrionalis*, *Pr.*
Max. *C. ruficollis*, *Spix.* *C. jota*, *Pr. B.* *Catharista aura*,
Vieill. *Pernopterus aura*, *Steph. Ois. de l'Amer. Sept.* t. 2,
bis. *C. Burrovianus*, *Cass.*

N. and S. America.

ii. VULTURINÆ.

Vulturinæ, *Pr. B.* 1838—49—50; *G. R. Gr.* 1840—41—44; *Bl.*
 1849; *Cass.* 1849.

Gypinæ, *Bl.* 1849; *Cass.* 1849.

1. VULTUR.

a. *Vultur*, *Mæhr.* 1752; *Linn.* 1756.

Ægyptius, *Sav.* 1809.

Polypteryx, *Hodgs.* 1844.

7. VULTUR MONACHUS.

B. M.

Vultur monachus, *L. Edw. B.* pl. 290. *V. cinereus* et *V. cristatus*, *Gm.* *V. vulgaris*, *Daud.* *V. arrianus*, *Lapeyr.* *V. niger*,
Vieill. *Ægyptius niger*, *Sav.* *V. imperialis*, *Temm. Pl. col.*
 426. *Polypteryx cupido* v. *cinereus*, *Hodgs. Pl. enl.* 425.
Gould, B. of Eur. pl. 2. *Disc. de l'Egypte*, *Ois.* t. 11. *Naum.*
Vog. t. 1.

S. Europe, Asia, N. E. Africa.

8. VULTUR OCCIPITALIS.

B.M.

Vultur occipitalis *Burch.* *V. galericulatus*, *Temm. Pl. col.* 13.
Levaill. Ois. de l'Afr. t. 12. *V. eulophus*, *Ehrenb. Rüpp. Atlas*,
 t. 22.

N. E. and S. Africa.

b. *Otogyps*, *G. R. Gr.* 1841.

Hemigyps *Hodgs.* 1844.

Vultur, p. *Pr. B.* 1850.

9. VULTUR AURICULARIS.

B.M.

Vultur auricularis, *Daud.* *Levaill. Ois. de l'Afr.* t. 9. *V. ægyptius*, *Temm. Pl. col.* 407. *V. nubicus*, *H. Smith.* *Otogyps auricularis*, *G. R. Gr. Griff. An. Kingd.* 1, pl. p. 64.

Greece, N. E. and S. Africa.

10. VULTUR CALVUS.

B. M.

Vultur calvus, *Scop. Sonn. Voy.* t. 104. V. Ponticerianus, *Daud.* Hemigyps ponticerianus, *Hodgs.* Otogyps calvus, *G. R. Gr. Ann. du. Mus.* 1, t. 20. *Shaw, Nat. Misc.* pl. 941. *Pl. col.* 2. *Gr. Ill. Ind. Zool.* pl. 15, f. 2.

India.

c. Gyps, *Sav.* 1809.

11. VULTUR FULVUS.

B. M.

Vultur fulvus, *Gm. Pl. enl.* 426. V. leucocephalus, *Mey.* V. perenopterus et V. vulgaris, *Daud.* V. castaneus, *Shaw.* V. trincalos, *Bechst.* V. persicus, *Pall.* V. albicollis, *Linderm.* V. fulvus occidentalis et V. fulvus Ruppelii, *Schl. Rupp. Zool. Atl.* t. 32. Gyps vulgaris, *Sav.* G. fulvus, *G. R. Gr.* G. indicus, G. occidentalis et G. Kolbii, *Pr. B.* Vultur indicus, *Temm. Pl. col.* 26. V. Kolbii, *Daud. Levaill. Ois. de l'Afr.* t. 10. V. Ruppelii, *Natt. Gould, B. of Eur.* pl. 1. *Shaw, Nat. Misc.* pl. 141. *Yarr. Brit. B.* 2 edit. i. fig. p. 1. *Naum. Vog.* t. 2.

Ireland! S. and W. Europe, India, Africa.

12. VULTUR BENGALENSIS.

B. M.

Vultur bengalensis, *Gm. Lath. Gen. Syn.* pl. 1. F. chaulgoun, *Daud. Levaill. Ois. de l'Afr.* t. 11. V. leuconotus, *Gr. Ill. Ind. Zool.* pl. 14. V. indicus, *Scop.?* *Sonn. Voy.* t. 105. Gyps bengalensis, *G. R. Gr. Gr. Ill. Ind. Zool.* pl. 15.

India and Senaar (?)

13.? VULTUR TENUIROSTRIS.

B. M.

Vultur tenuirostris et V. tenuiceps, *Hodgs.* V. indicus, *Jerd.* Gyps tenuirostris, *G. R. Gr. and Mitch. Gen. of B.* pl. 3. G. bengalensis, *jun. Pr. B.* G. indicus, *Bl.*

India.

iii. NEOPHRONINÆ.

Neophroninæ, *G. R. Gr.* 1848.

Neophrinæ, *Cass.* 1849.

Cathartinæ, p. *G. R. Gr.* 1840.

Racaminæ, *G. R. Gr.* 1840—41.

Gypohieracinæ, *G. R. Gr.* 1844. *Pr. B.* 1849—50.

1. NEOPHRON.

- a. Neophron, *Sav.* 1809.
 Percnopterus, *Cuv.* 1817.

14. NEOPHRON PERCNOPTERUS.

B. M.

Vultur percnopterus, *L. Pl. enl.* 427, 429. *V. stercorarius*, *Lapeyr.* *V. leucocephala*, *Briss.* *V. fuscus*, *Bodd. Gm.* *V. albus* et *V. gingianus*, *Daud.* *V. meleagris*, *Pall.* *Cathartes percnopterus*, *Temm.* *Percnopterus ægyptiacus*, *Steph.* *Neophron percnopterus*, *Sav. Levaill. Ois. de l'Afr.* t. 14. *Lath. H. of B.* pl. 5. *Gould, B. of Eur.* pl. 3. *Jard. & Selby's Ill. of Orn.* pl. 33. *Naum. Vög.* t. 3. *Yarr. Brit. B.* 2 edit. i. fig. pp. 6, 10.

England! S. Europe, Africa, India.

- b. Caprornis, *Kaup*, 1849.

15. NEOPHRON PILEATUS.

B. M.

Vultur pileatus, *Burch.* *Cathartes monachus*, *Temm. Pl. col.* 222. *Neophron carunculatus*, *A. Smith.* *N. pileatus*, *G. R. Gr.* *Percnopterus niger*, *Less.* *P. monachus*, *Steph.*

S., W. and N.-E. Africa.

2. GYPOHIERAX.

Gypohierax, *Rüpp.* 1835.
Racama, *Gr.* 1840.

16. GYPOHIERAX ANGOLENSIS.

B. M.

Falco angolensis, *Gm. Shaw, Lev. Mus.* pl. p. 153. *Penn. Tour in Wales*, i. pl. 19. *Vultur angolensis*, *Lath.* *Gypaëtus angolensis*, *Daud.* *Polyborus? hypoleucus*, *Benn. Jard & Selby's Ill. of Orn. n. s.* pl. 13. *Racama angolensis*, *Gr.* *Gypohierax angolensis*, *Rüpp.* *Cathartes (Gypohierax) angolensis*, *Kaup.*

W. Africa.

III. FALCONIDÆ.

Falconidæ, *Leach. Vig.* 1825. *Pr. B.* 1831—38—49—50. *Sw.* 1831.
—37. *G. R. Gr.* 1840—41—44. *Bl.* 1849.
Falconides, *Sundev.* 1835.

i. POLYBORINÆ.

Polyborinæ, *G. R. Gr.* 1840—41—44. *Pr. B.* 1849—50. *Bl.* 1849.
Aquilina, *Vig.* 1825.
Falconinæ, p. *Pr. B.* 1831.
Cymindinæ, p. *Sw.* 1837.
Buteoninæ, p. *Kaup.* 1847.

1. IBYCTER.

a. *Ibycter*, *Vieill.* 1816.
Gymnops, *Spix.* 1824.

17. IBYCTER AMERICANUS.

B. M.

Falco americanus, *Bodd. Pl. enl.* 417. *F. aquilinus*, *Gm.*
F. nudicollis, *Daud.* *F. formosus*, *Lath.* *Caracara aquilina*,
Cuv. *Gymnops aquilinus*, *Spix.* *Ibycter leucogaster*, *Vieill.*
I. americanus, *G. R. Gr.* *I. aquilinus*, *Steph.* *Polyborus*
(*Daptrius*) *nudicollis*, *Kaup.* *Gal. des Ois.* t. 6. *Shaw, Nat.*
Misc. pl. 485.

S. America, (Cayenne, Brazil.)

18. IBYCTER GYMNOCEPHALUS.

Ibycter gymnocephalus, *D'Orb. & Lafr.*

S. America, (Bolivia).

b. *Daptrius*, *Vieill.* 1816.

19. IBYCTER ATER.

B. M.

Daptrius ater, *Vieill. Gal. des Ois.* t. 5. *Shaw, Gen. Zool.* xiii.
pl. 32. *Falco aterrimus*, *Temm. Pl. col.* 37, 342. *Caracara*
aterrimus, *Cuv.* *Gymnops aterrimus*, *Spix.* *Ibycter* (*Dap-*
trius) *aterrimus*, *Kaup.* *Ibycter ater*, *Sw.*

S. America, (Guiana, Brazil.)

20? *IBYCTER FASCIATUS.*

Gymnops fasciatus, *Spix*, *Av. Bras.* t. 4. *Caracara fasciatus*, *Cuv.*

S. America, (Brazil.)

2. *MILVAGO.*

a. *Milvago*, *Spix*, 1824.

Parasifalco, *Less.* 1837.

21. *MILVAGO CHIMACHIMA.*

B. M.

Polyborus chimachima, *Vieill.* *P. crotophagus*, *Pr. Max.* *P. degener*, *Steph.* *Milvago ochrocephalus*, *Spix*, *Av. Bras.* t. 5. *M. chimachima*, *G. R. Gr.* *Falco degener*, *Ill.* *Parasifalco*, *chimachima*, *Less.* *Gymnops strigilatus*, *Spix*, *Av. Bras.* t. 4. *Haliaëtus ochrocephalus*, *Cuv.* *H. chimachima*, *Less.* *Polyborus* (*Milvago*) *degener* et *Ibycter* (*Milvago*) *chimachima*, *Kaup.* *Jard. & Selby's Ill. of Orn.* pl. 2.

America, (Brazil).

22. *MILVAGO CHIMANGO.*

B. M.

Aquila pezoporus, *Meyen*, *Nova Acta*, (1834) t. 6. *Polyborus* (*Milvago*) *pezoporus* et *Ibycter* (*Milvago*) *chimango*, *Kaup.* *Haliaëtus chimango* et *Parasifalco chimango*, *Less.* *Milvago chimango*, *G. R. Gr.*

S. America, (Brazil, Chili).

b. *Senex*, *Gr.* 1839.

Aëtotriorchis, *Kaup*, 1844.

Polyborus, p. *Pr. B.* 1850.

23. *MILVAGO AUSTRALIS.*

B. M.

Falco australis et *F. ambustus*, *Gm.* *F. leucurus*, *Forst.* *F. novæ zealandiæ*, *Temm.* *Vultur planus* ♀, *Forst.* *Circaëtus novæ zealandiæ*, *Cuv.* *C. antarcticus*, *Less.* *Ibycter* (*Aëtotriorchis*) *australis*, *Kaup.* *Milvago leucurus*, et *M. australis*, *G. R. Gr.* *Polyborus australis*, *Pr. B.* *P. novæ zealandiæ*, *Steph.* *Jard. & Selby, Ill. of Orn. n. s.* pl. 5.

S. America and Falkland Islands.

c. *Phalcobænus*, *D'Orb. & Lafr.* 1837.

24. *MILVAGO MEGALOPTERUS*. B. M.
Aquila megaloptera, *Meyen*, *Nov. Acta*, (1834) t. 8. *Phalcobænus montanus*, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 2, f. 1, 2. *P. megalopterus*, *Pr. B.* Ibycter (*Phalcobænus*) *montanus*, *Kaup.* *Milvago megalopterus*, *G. R. Gr.* *M. albigularis*, *Gould, Voy. of Beagle, Birds*, pl. 1. *M. montana*, *Bl.*
S. America, (*Chili*).

3. *POLYBORUS*.

Polyborus, *Vieill.* 1816.
Caracara, *Cuv.* 1817.

25. *POLYBORUS BRASILIENSIS*. B. M.
Falco brasiliensis, *Gm.* *F. plancus*, *Mill. Illustr.* pl. 17. *F. cheriway*, *Jacq.* *F. tharus*, *Mol.* *Vultur plancus*, *Forst.* *Polyborus vulgaris* et *P. cheriway*, *Vieill.* *Caracara brasiliensis*, *Cuv.* *C. vulgaris*, *Less.* *Polyborus brasiliensis*, *Sw. Zool. Ill. n. s.* pl. 2. *Gal. des Ois.* t. 7. *Spix, Av. Bras.* t. 1a.
S. America, *S. of N. America*, and *Hermite Island*.

ii. *BUTEONINÆ*.

- Buteoninæ*, *Sw.* 1837. *Pr. B.* 1838—49—50. *G. R. Gr.* 1840—41—49. *Bl.* 1849.
Falconinæ, p. *Pr. B.* 1831.
Thrasaëtinæ, p. *Bl.* 1849.

1. *BUTEO*.

a. *Buteo*, *Cuv.* 1799—1800.

26. *BUTEO VULGARIS*. B. M.
Falco buteo, *L.* *Pl. enl.* 419. *F. glaucopsis*, *Merr.* *F. versicolor*, *Gm.* *F. pogana*, *Savi.* *Accipiter buteo*, *Pall.* *Buteo vulgaris*, *Bechst.* *B. communis*, *Less.* *B. mutans* et *B. fasciatus*, *Vieill.* *B. albus*, *Daud.* *B. septentrionalis*, *B. medium* et *B. murum*, *Brehm.* *B. vulgaris japonicus*, *Temm. & Schl.* *B. fuscus*, *Macgill.* *Fauna Jap.* t. 6, *B. Gould, B. of Eur.* pl. 14. *Naum. Vog.* t. 32, 33. *Yarr. Brit. B.* 2 edit. i. fig. p. 82.
Great Britain, *Europe*, *Asia minor*, *Japan*, *N. Africa*.

- 27? *BUTEO PYGMÆUS*.
Buteo pygmæus, *Bl.*
Tanesserim.

28. BUTEO RUFINUS. B. M.
Circus rufinus, Rüpp. *Zool. Atlas*, t. 27. *Buteo canescens*,
Hodgs. *B. longipes* et *B. rufiventer*, *Jerd.* *B. rufinus*, *Kaup.*
B. vulgaris, *Bl.* *B. circentis*, *Levaill.*
 India and N.-E. Africa.
29. BUTEO JACKAL. B. M.
Falco jackal, *Daud.* *Levaill. Ois. de l'Afr.* t. 16. *Buteo jackal*,
Cuv.
 S. Africa.
30. BUTEO AUGUR. B. M.
Falco augur et *F. hydrophilus*, Rüpp. *Abyss.* t. 16, 17. *Buteo*
augur, Rüpp.
 N.-E. Africa, (Abyssinia).
31. BUTEO PLUMIPES. B. M.
Circus plumipes et *Buteo plumipes*, *Hodgs.*
 India, (Nepaul).
32. BUTEO? DESERTORUM.
Falco desertorum, *Daud.* *Levaill. Ois. de l'Afr.* t. 17. *Buteo*
desertorum, *Vieill.* *B. capensis*, p. *Temm. et Schl.* *Tinnun-*
culus desertorum, *G. R. Gr.*
 S. Africa.
 b. *Pœcilopternis*, *Kaup*, 1847.
 Craxirex, *Gould*, 1838?
 Buteo, p. *Pr. B.* 1849.
33. BUTEO BOREALIS. B. M.
Falco borealis, *F. leverianus*, *F. variegatus*, *F. cinereus*, *F.*
jamaicensis et *F. obsoletus*, *Gm.* *F. ferrugineocauda*, *Vieill.*
F. Harlani, *Audub. B. of Amer.* pl. 86. *Buteo borealis*, *B.*
ferrugineocaudus, *B. cinereus*, *B. obsoletus*, *B. americanus*, *B.*
fulvus, *Vieill.* *B. vulgaris*, *Rich. & Sw. Fauna Bor.-Amer.*
 pl. 27. *B. Swainsoni*, *Pr. B.* *B. montana*, *Nutt.* *B. ventra-*
lis, *Gould.* *B. ferrugineocaudus*, *Cuv.* *Astur borealis* et *A.*
leverianus, *Cuv.* *Accipiter ruficaudus*, *Vieill. Ois. de l'Amer.*
Sept. t. 14. *Buteo* (*Pœcilopternis*) *borealis*, *Kaup.* *Circus*
variegatus, *Vieill. Edw. B.* pl. 53. *Wils. Amer. Orn.* pl. 52,
 f. 1, 2. *Vieill. Ois. de l'Amer. Sept.* t. 6. *Audub. B. of Amer.*
 pl. 372. *Gosse, B. of Jam.* pl. 2.
 N. and S. America and W. Indies.

34. BUTEO LINEATUS. B. M.
Falco lineatus, *Gm.* *Wils. Amer. Orn.* pl. 53, f. 3. *F. hyemalis*, *Wils. Amer. Orn.* pl. 35, f. 1. *F. buteoïdes*, *Nutt.* *Buteo lineatus* et *B. fuscus*, *Vieill.* *B. hyemalis*, *Less.* *Nisus lineatus* et *N. hyemalis*, *Cuv.* *Circus hyemalis*, *Pr. B.* *Astur?* *hyemalis*, *Jard.* *Buteo (Pœcilopternis) lineatus*, *Kaup.* *Vieill. Ois. de l'Amer. Sept. t. 5.* *Audub. B. of Amer.* pl. 56.

N. America & California.

35. BUTEO PENNSYLVANICUS. B. M.
Falco pennsylvanicus, *Wils. Amer. Orn.* pl. 54, f. 1. *F. latissimus*, *Ord.* *F. Wilsoni*, *Pr. B.* *Astur pennsylvanicus*, *Cuv.* *A.?* *latissimus*, *Jard.* *Buteo pennsylvanicus*, *Pr. B.* *Sparvius platypterus*, *Vieill.* *Buteo (Pœcilopternis) Wilsonii*, *Kaup.* *Audub. B. of Amer.* pl. 91.

N. and S. America.

36. BUTEO GALAPAGOENSIS.
Craxirex galapagoensis, *Gould, Voy. of Beagle*, pl. 2.
Buteo galapagoensis, *G. R. Gr.*

Islands of Galapagos.

c. *Tachytriorchis*, *Kaup*, 1844.

37. BUTEO ERYTHRONOTUS. B. M.
Haliaëtus erythronotus, *King.* *Falco polysoma*, *Quoy & Gaim.* *Voy. de l'Ukraine*, *Ois. t. 14.* *Aquila braccata*, *Meyen, Nova Acta*, (1833) t. 8. *Buteo tricolor* et *B. unicolor*, *D'Orb. & Lafr. Voy. dans l'Amer. Ois. t. 3, f. 1, 2.* *B. varius*, *Gould.* *B. braccata*, *Cab.* *B. erythronotus*, *G. R. Gr.* *B. polysoma*, *Less.* *Astur polysomus*, *Cuv.* *Buteo (Tachytriorchis) pterocles*, p. et *Buteo (Pœcilopternis) erythronotus*, *Kaup.* *Tachytriorchis erythronotus*, *Pr. B.*

S. America, (Chili, Str. of Magellan, Caraccas), Falkland Islands.

38. BUTEO PTEROCLES. B. M.
Falco pterocles, *Temm. Pl. col.* 56, 139. *Buteo pterocles*, *Cuv.* *B. albicaudatus* et *B. nigricollis*, *Vieill.* *B. albicauda*, *Less. Tr. d'Orn.* t. 15, f. 2. *Spizaëtus leucurus*, *Vieill.* *Buteo (Tachytriorchis) pterocles*, *Kaup.* *Tachytriorchis pterocles*, *Pr. B.*

S. America, (Brazil).

39. BUTEO ALBONOTATUS. B. M.
Buteo albonotatus, *G. R. Gr.* *B. (Tachytiorchis) albonotatus*,
Kaup. *Tachytiorchis albinotatus*, *Pr. B.*

Mexico.

40. BUTEO LEUCOPS. B. M.
Buteo leucops, *G. R. Gr.* *B. (Pœcilopternis) infulatus*, *Kaup.*
Tachytiorchis leucops, *Pr. B.*

Islands of Galapagos.

d. *Gypoictinia*, *Kaup*, 1845.

41. BUTEO MELANOSTERNUM.
Buteo melanosternum, *Gould*, *B. of Austr.* pl. 20. *Milvus*
(Gypoictinia) melanosternum, *Kaup.* *Gypoictinia melanos-*
sternum, *Pr. B.*

New South Wales, S. and W. Australia.

e. *Buteogallus*, *Less.* 1831.
Ichthyoborus, *Kaup*, 1845.

42. BUTEO ÆQUINOCTIALIS. B. M.
Falco æquinoctialis, *Gm.* *F. buson*, *Daud.* *Levaill. Ois. de*
l'Afr. t. 21. *Polyborus buson*, *Vieill.* *Aquila urubitinga*,
Spix, *Av.* t. 1? *Buteogallus cathartoides* et *B. buson*, *Less*,
Pr. B. *Circaëtus solitarius*, *Tschudi*? *Pr. B.* *Buteo (Buteo-*
gallus) buson et *Buteo (Ichthyoborus) æquinoctialis*, p. *Kaup.*

S. America, (Brazil, Guiana).

43. BUTEO NIGRICOLLIS. B. M.
Falco nigrigollis, *Lath.* *F. busarellus*, *Daud.* *Levaill. Ois.*
de l'Afr. t. 20. *F. melanobronchos*, *Shaw.* *Aquila milvöides*,
Spix, *Av.* t. 1, d. *Buteo busarellus*, *Cuv.* *B. nigrigollis*, *G.*
R. Gr. *Morphnus milvöides*, *Cuv.* *Circus busarellus* et *B.*
leucocephalus, *Vieill.* *Buteo (Ichthyoborus) busarellus* et *Buteo*
(Ichthyoborus) æquinoctialis, p. *Kaup.* *Buteogallus busarellus*,
Pr. B.

S. America, (Brazil).

f. *Leucopternis*, *Kaup*, 1847.
Pseudastur, *Bl.* 1848.

44. BUTEO MELANOPS. B. M.
Falco melanops, *Lath. Pl. col.* 105. *Buteo melanops*, *G. R. Gr.* *Sparvius melanops*, *Vieill.* *Asturina* (*Leucopternis*) *melanops*, *Kaup.* *Leucopternis melanops*, *Pr. B.*

S. America, (Guiana).

45. BUTEO KUHLLI. B. M.
Leucopternis Kuhli, *Pr. B. Consp.* p. 19.

S. America.

46. BUTEO ALBICOLLIS. B. M.
Falco albicollis, *Lath. F. picatus*, *Shaw.* *Buteo albicollis*, *G. R. Gr.* *Asturina* (*Leucopternis*) *albicollis*, *Kaup.* *Leucopternis albicollis*, *Pr. B.*

S. America, (Cayenne).

47. BUTEO SCOTOPTERUS. B. M.
Falco scotopterus, *Pr. Max.* *F. lacernulatus*, *Temm. Pl. col.* 437. *Buteo lacernulatus*, *Cuv.* *Asturina* (*Spizageranus*) *scotoptera* et *A.* (*Leucopternis*) *scotopterus*, *Kaup.* *Leucopternis lacernulatus*, *Pr. B.*

S. America, (Brazil).

48. BUTEO POLIONOTUS. B. M.
Buteo polionotus, *G. R. Gr.* *Buteo melanotus*, *Vieill.?*
Leucopternis polionotus, *Pr. B.*

S. America, (Guiana).

49. BUTEO PÆCILONOTUS.
Buteo pæcilonotus, *Cur.* *B. brachyurus*, *Vieill.?* *B. Ghiesbreghtii*, *Dubus, Esquis. Orn. t. 1.* *Falco pæcilonotus*, *Temm. Pl. col.* 9. *Pseudastur pæcilonotus*, *Bl.* *Asturina pæcilonotus* et *A.* (*Leucopternis*) *pæcilonotus*, *Kaup.* *Leucopternis pæcilonotus*, *Pr. B.*

S. America, (Guiana).

- 50.? BUTEO ABBREVIATUS.
Buteo abbreviatus, *Licht. R. Schomb. Reis. iii.* p. 739.

S. America, (British Guiana).

g. Butaquila, *Hodgs.* 1844.
Hemiaëtus, *Hodgs.* 1844.

51. BUTEO STROPHIATUS. B. M.
Hemiaëtus strophiatu, *Hodgs.* Buteo leucocephalus et B. aquilinus, *Hodgs.* B. hemilasiu, *Temm. & Schl. Fauna Jap.* t. 7. ? Butaquila leucocephala, *Hodgs.* Archibuteo strophiatu, *G. R. Gr.* "Falco asiaticu, *Lath.*" Bl. Buteo (Archibuteo) strophiatu, *Kaup.*

Nepal and Japan.

52. BUTEO HEMIPTILOPUS.
Archibuteo hemiptilopus, *Bl.* A. cryptogenys, *Hodgs.* A. griseogenys, *Bl.* ? *Calc. Journ. of Nat. Hist.* 1847, pl. 3, f. 1.
Tibet, Sikim ?

h. Archibuteo, *Brehm*, 1828.
Triorchis, *Kaup*, 1829.
Butaëtes, *Less.* 1831.

53. BUTEO LAGOPUS. B. M.
Falco lagopus, *Brün.* F. plumipes, *Daud.* F. sclavonicu, *Lath.* F. pennatu, *Cuv.* Accipiter lagopus, *Pall.* Archibuteo lagopus, *G. R. Gr.* A. planiceps et A. alticeps, *Brehm.* Butaëtes buteo et B. lagopus, *Less.* B. Lessonii, *A. Smith.* B. lagopus, *Pr. B.* Buteo lagopus, *Leach.* Triorchis lagopus, *Kaup.* *Naum. Vög.* t. 34. *Gould, B. of Eur.* 1, pl. 15. *Yarr. Brit.* 2 edit. i. fig. p. 87.

Great Britain, Europe and S. Africa.

54. BUTEO SANCTI JOHANNIS. B. M.
Falco Sancti Johannis et F. novæ terræ, *Gm.* F. niger et F. lagopus, *Wils. Amer. Orn.* pl. 53, f. 1, 2, and pl. 33, f. 1. F. spadaceu, *Forst.* Buteo ater et B. Sancti Johannis, *Vieill.* B. niger, *Cuv.* Butaëtes Sancti Johannis, *Less.* Archibuteo Sancti Johannis, *G. R. Gr.* *Rich. & Sw. Fauna Bor.-Amer.* pl. 28. *Audub. B. of Amer.* pl. 166, 422.

N. America.

55. BUTEO FERRUGINEUS. B. M.
Falco (Buteo) ferrugineu, *Licht.* Archibuteo regali, *G. R. Gr. & Mitch. Gen. of Birds*, pl. 6. Lagopus ferrugineu, *Fras.* Buteo (Archibuteo) Sancti Johannis, p. *Kaup.*

Mexico.

Examine, *Buteo solitarius*, *Peale, U. S. Expl. Exped.* viii. p. 62, pl. 16.

Island of Hawii.

iii. AQUILINÆ.

Aquilinæ, *Sw.* 1837; *Pr. B.* 1838—49—50; *G. R.-Gr.* 1841—45; *Kaup*, 1847; *Bl.* 1849.

Aquilina, *Vig.* 1824.

Falconinæ, *Pr. B.* 1831.

Buteoninæ, p. et *Accipitrinæ*, p. *Sw.* 1837.

Aquilæ et *Astures*, p. *Kaup*, 1843.

Accipitres, p. *Kaup*, 1847.

Circaëtinæ, *Thrasaëtinæ* et *Haliaëtinæ*, *Bl.* 1849.

1. AQUILA.

a. *Aquila*, *Mæhr*, 1752.

Ætos, *Nitzsch*, 1840.

56. AQUILA CHRYSÆTOS.

B. M.

Falco chrysaëtos, *F. melanaëtos*, *F. fulvus*, et *F. canadensis*, *L. Pl. enl.* 409, 410. *F. niger* et *F. americanus*, *Gm.* *F. melanonotus*, *Lath.* *F. regalis*, *Temm.* *Aquila chrysaëtos* et *A. nobilis*, *Pall.* *A. fulva*, *Meyer.* *A. regia*, *Less.* *A. melanaëtos*, *Brehm.* *A. daphænia*, *Hodgs. Wils. Amer. Orn.* pl. 55, f. 1. *Gould, B. of Eur.* pl. 6. *Naum. Vög.* t. 8, 9. *Yarr. Brit. B.* 2 edit. i. fig. p. 11.

Great Britain, Europe, N. Asia and N. America.

57. AQUILA MOGILNIK.

B. M.

Falco mogilnik, *S. G. Gm.* *A. imperialis*, *Cuv.* *A. heliaca*, *Sav.* *A. chrysaëtos*, *Leisler.* *A. bifasciata*, *Gr.* *A. nipalensis* et *A. crassipes* v. *nævia*, *Hodgs.* *Falco imperialis*, *Bechst. Pl. col.* 151, 152. *Disc. de l'Egypte*, t. 12. *Gould, B. of Eur.* pl. 5. *Gr. Ill. Ind. Zool.* i. pl. 17, pl. 28. *As. Res.* ii. pl. *Naum. Vög.* t. 6, 7.

E. Europe, Central Asia and N. Africa.

58. AQUILA NÆVIA.

B. M.

Falco nævius et *F. maculatus*, *Gm.* *Aquila nævia*, *Meyer.* *A. pomarina*, *Brehm.* *A. planga*, *Vieill.* *A. bifasciata*, *Hornsch.* *A. melanaëtos*, *Sav.* *A. clanga*, *Pall.* *A. vittata*, *Hodgs.* *Spizaëtus fuscus*, *Vieill.* *Disc. de l'Egypte*, t. 1, t. 2, f. 1. *Gould, B. of Eur.* pl. 8. *Naum. Vög.* t. 10, 11. *Yarr. Brit. B.* 2 edit. i. fig. p. 10.*

Ireland! E. Europe, Central and N. Asia and N. Africa.

59. *AQUILA HASTATA.*

Morphnus hastatus, *Less.* *Spizaëtus punctatus*, *Jerd.* *Limnaëtus unicolor* et *Aquila hastata*, *Bl.*

India.

60. *AQUILA NÆVIOIDES.*

B. M.

Falco nævioides, *Cuv.* *F. rapax*, *Temm. Pl. col.* 455. *F. albicans*, *Rüpp.* *F. senegallus*, *Cuv.* *F. belisarius*, *Levaill. Expl. Sci. de l'Algir. t. 2.* *F. obsoletus*, *Licht.* *Aquila nævioides* et *A. senegallus*, *Cuv.* *A. choka*, *A. Smith.* *A. fulvescens*, *A. fusca* et *A. punctata*, *Gr.* *A. vindhiana*, *Frankl.* *A. rapax*, *Less. Gr. Ill. Ind. Zool. pl.* 29, 27, 16.

S. and N. Africa, India.

b. *Pseudaëtus*, *Hodgs.* 1844.

Tolmaëtus, *Bl.* 1845.

Eutolmaëtus, *Bl.* 1848.

61. *AQUILA BONELLII.*

B. M.

Falco Bonellii, *Temm. Pl. col.* 288. *F. ducalis*, *Licht.* *Aquila Bonellii*, *Pr. B.* *A. intermedia*, *Bonelli.* *A. bifasciata*, *Vieill.* *A. nipalensis* v. *rubriventer*, *Hodgs.* *A. minima*, *Cetti.* *Tolmaëtus Bonellii* et *Eutolmaëtus Bonellii*, *Bl.* *Nisaëtus grandis*, *Hodgs.* *N. niveus*, *Jerd.* *Aquila (Hieraëtus) Bonellii*, *Kaup. Gould, B. of Eur. pl.* 7.

Middle of Europe, N. Africa and Nepal.

c. *Hieraaëtus*, *Kaup*, 1844.

Hieraëtus, *Kaup*, 1847.

62. *AQUILA PENNATA.*

B. M.

Falco pennatus, *Gm. Pl. col.* 33. *Gould, B. of Eur. pl.* 9. *Aquila pennata*, *Cuv.* *A. minuta*, *Brehm.* *Spizaëtus milvöides*, *Jerd.* *Aquila (Hieraëtus) pennata*, *Kaup.* *Hieraëtus pennatus*, *Bl.*

Europe, Africa and India.

63. *AQUILA MORPHNOIDES.*

Aquila morphnoides, *Gould, B. of Austr. pl.* 2. *Aquila (Hieraëtus) morphnoides*, *Kaup.*

New South Wales and S. Australia.

d. Pteroaëtus, *Kaup*, 1844.

64. AQUILA VULTURINA. B. M.
Falco vulturinus, *Daud. Levaill. Ois. de l'Afr.* pl. 6. *F. niger*,
James. Aquila vulturina et A. Verreauxii, Less. Cent. Zool. t.
 38. *Gypaëtos cafer et G. vulturina, Temm. Haliaëtus vultu-*
rinus, Cuv. Aquila (Pteroaëtus) vulturina, Kaup.
 S. and N.-E. Africa.

- e. *Heteropus, Hodgs.* 1842.
Neopus, Hodgs. 1847.
Onichaaëtus, Kaup, 1844.
Onychaëtus, Kaup, 1847.
Ictinaëtus, Jerd. 1844.

65. AQUILA MALAYENSIS. B. M.
Falco malayensis, Reinw. Pl. col. 117. *Aquila malayensis*,
Cuv. A. malayana, Less. A. (Heteropus) pernigra et Neopus
pernigra, Hodgs. Nisaëtus? ovivorus et Ictinaëtus malayensis,
Jerd. Aquila (Onychaëtus) malayensis, Kaup.
 Malacca and Nepal.

- f. *Uroaëtus, Kaup*, 1844.
Uraëtus, Kaup, 1845.

66. AQUILA AUDAX. B. M.
Vultur audax, Lath. Gould, B. of Austr. 1, pl. 1. *Falco*
fucosus, Cuv. Pl. col. 32. *Aquila audax, Lath. A. fucosa,*
Cuv. A. albirostris, Vieill. A. cuneicaudata, Brehm. Aquila
(Uroaëtus) audax, Kaup.
 Australia (except the North).

2. SPIZAETUS.

- a. *Spizaëtus, Vieill.* 1816.
Plumipeda, Flem. 1822.
Harpyia, Spix, 1824.

67. SPIZAETUS ORNATUS. B. M.
Falco ornatus et F. manduyti, Daud. F. superbus, F. coro-
natus et F. fastuosus, Shaw. Spizaëtus ornatus, Vieill. Gal.
des Ois. t. 21. *Morphnus ornatus, Cuv. Plumipeda super-*
bus, Flem. Harpyia braccata, Spix. H. ornata, Sw. Aquila
urutaurana, Dum. Levaill. Ois. de l'Afr. t. 26. *Spix. Ar.*
Bras. t. 3.

S. America (Brazil).

68. **SPIZAETUS BELLICOSUS.** B. M.
Falco bellicosus, Daud. *Levaill. Ois. de l'Afr.* t. 1. *F. armiger*,
Shaw. *Aquila bellicosa*, Dum. *A. armigera*, Cuv. *Spizaetus*
bellicosus, Kaup. *A. Smith, Ill. S. Afr. Zool.* pl. 42.
 S. Africa.

69. **SPIZAETUS CORONATUS.** B. M.
Falco coronatus, L. *Edw. Birds*, pl. 224. *F. albescens*,
Daud. Levaill. Ois. de l'Afr. t. 3. *Aquila coronata*, *A. Smith.*
Morphnus albescens, Cuv. *Spizaetus coronatus* et *S. albescens*,
Vieill. A. Smith, Ill. S. Afr. Zool. pl. 41.
 S. Africa.

b. *Pternura*, Kaup, 1845.
Pterura, G. R. Gr. 1848.

70. **SPIZAETUS TYRANNUS.** B. M.
Falco tyrannus, Pr. Max. *Pl. col.* 73. *Spizaetus tyrannus*,
G. R. Gr. *Morphnus tyrannus*, Cuv. *Spizaetus (Pternura)*
tyrannus, Kaup. *S. braccatus*, O Des Murs, *Iconogr. Ornith.* t.
 S. America (Brazil).

- 71? **SPIZAETUS ISIDORI.**
Aquila Isidori, O Des Murs, *Iconogr. Ornith.* t. 1. *Spizaetus*,
Isidori, G. R. Gr.
 S. America.

c. *Spizastur*, Less. 1837.

72. **SPIZAETUS MELANOLEUCUS.** B. M.
Buteo melanoleucus, Vieill. *Gal. des Ois.* t. 14. *B. atricapil-*
lus, Cuv. *Falco atricapillus*, Cuv. *Temm. Pl. col.* 79. *Spiz-*
astur atricapillus, Less. *Morphnus (Spizastur) atricapillus*,
 et *Spizaetus (Spizastur) atricapillus*, Kaup. *Spizaetus mela-*
noleucus, G. R. Gr.
 S. America (Cayenne).

d. *Lophaëtus*, *Kaup*, 1847.

73. *SPIZAETUS OCCIPITALIS*.

B. M.

Falco occipitalis, *Daud. Levaill. Ois. de l'Afr. t. 2. F. senegalensis*, *Daud. Spizaëtus occipitalis*, *Vieill. Morphnus occipitalis*, *Cuv. Harpyia occipitalis*, *Sw. Spizaëtus (Lophaëtus) occipitalis*, *Kaup*.

S. and N.-E. Africa.

e. *Limnaëtus*, *Vig.* 1830.

Nisaëtus, *Hodgs.* 1836.

74. *SPIZAETUS CIRRHATUS*.

B. M.

Falco cirrhatus et *F. ceylonensis*, *Gm. F. caligatus*, *Raffl. F. lymnaëtus*, *Horsf. Pl. col. 134. F. niveus*, *Shaw, Temm. Pl. col. 127. F. cristatellus*, *Temm. Pl. col. 282. F. Lathami*, *Tick. Morphnus cristatellus*, *M. niveus* et *M. lymnaëtus*, *Cuv. Spizaëtus cirrhatus*, *Kaup. S. cristatellus*, *Jard. & Selby. S. lymnaëtus*, *Bl. S. orientalis* et *S. lanceolatus*, *Temm. & Schl. Fauna Jap. t. 3, 7? Nisaëtus pallidus*, *N. pulcher* et *N. nipalensis*, *Hodgs. N. alboniger*, *Bl. Limnaëtus Horsfieldii*, *L. unicolor*, et *L. caligatus*, *Vigors. Morphnus cristatellus*, *M. niveus*, et *M. lymnaëtus*, *Less. M. (Lymnaëtus) caligatus*, *Kaup. Jard. & Selby, Ill. of Orn. pl. 1. As. Res. 1833, pl. 1.*

India and its Archipelago.

75. *SPIZAETUS KIENERI*.

Astur Kieneri, *Gerv. Mag. de Zool. 1835. Ois. t. 35. Spizaëtus albogularis*, *Tick. S. Kieneri*, *G. R. Gr.*

India.

3. *MORPHNUS*.

a. *Morphnus*, *Cuv.* 1817.

Morphinus, *Flem.* 1822.

76. *MORPHNUS GUIANENSIS*.

B. M.

Falco guianensis, *Daud. Less. Tr. d'Orn. t. 11, f. 2. F. Sonnini*, *Shaw. Morphnus cristatus*, *Less. M. guianensis*, *Cuv. Spizaëtus variegatus*, *Vieill. Harpyia guianensis*, *Sw. Asturina (Thrasaëtus) guianensis*, et *A. (Morphnus) guianensis*, *Kaup*.

S. America (Guiana).

- b. *Urubitinga*, *Less.* 1837.
Spizageranus, *Kaup*, 1844.
Hypomorphnus, *Cab.* 1844.

77. MORPHNUS URUBITINGA.

B. M.

Falco urubitinga, *Gm.* *F. longipes*, *Ill.* *Morphnus urubitinga*, *Cuv.* *Aquila picta*, *Spix. Av. Bras.* t. 1? *Pandion fulvus*, *Vieill.* *Spizaëtus niger*, *S. ater*, et *S. maculatus* *Vieill.* *Harpyia urubitinga*, *Sw.* *Hypomorphnus urubitinga*, *Cab.* *Asturina* (*Spizageranus*) *urubitinga* et *A. (Rupornis) urubitinga*, *Kaup.* *Urubitinga longipes*, *Pr. B.*

S. America (Brazil, Cayenne), and W. Indies?

78? MORPHNUS LEUCURUS.

Hypomorphnus leucurus, *Lafr. Rev. et Mag. Zool.* 1850, p. 388.

S. America.

79. MORPHNUS MERIDIONALIS.

B. M.

Falco meridionalis, *Lath.* *F. rutilans*, *Licht. Pl. col.* 25. *Aquila buson*, *Spix.* *Circus rufulus*, *Vieill.* *C. rutilans*, *Steph.* *Hypomorphnus rutilans*, *Cab.* *Buteo rutilans*, *Less.* *Asturina* (*Rupornis*) *meridionalis*, *Kaup.* *Morphnus meridionalis*, *G. R. Gr.* *Urubitinga meridionalis*, *Pr. B.*

Mexico and S. America (Brazil, Paraguay, Guiana).

80. MORPHNUS MEXICANUS.

Morphnus mexicanus, *Dubus.*

Mexico.

4. THRASAETUS.

- a. *Thrasaëtus*, *G. R. Gr.* 1837.
Harpia, *Vieill.* 1816.
Harpyia, *Cuv.* 1817.

81. THRASAETUS HARPYIA.

B. M.

Vultur harpyia, *L.* *Falco harpyia*, *F. imperialis*, *F. calquin*, *F. regalis* et *F. caracca?* *Shaw, Gen. Zool.* 1, pl. 15. *F. destructor*, *Daud. Pl. col.* 14. *F. Jacquini* et *F. cristatus?* *Gm.* *Gypaëtus harpyia* et *G. coronatus*, *Daud.* *Morphnus harpyia*, *Cab.* *Harpyia destructor*, *Cuv.* *H. ferox*, *Less.* *H. maxima*, *Vieill.* *H. imperialis*, *Steph.* *Thrasaëtus harpyia*, *G. R. Gr.* *Asturina* (*Thrasaëtus*) *harpyia*, *Kaup.* *Less. Tr. Orn.* t. f. 1. *Less. Compl. Buff. Ois.* t. 1.

S. America (Guiana).

b. Harpyhaliaëtus, *Lafr.* 1842.

82. THRASAETOS? CORONATUS. B. M.
Harpyia coronata, *Vieill.* *Falco coronatus*, *Temm.* *Pl.*
col. 234. *Circaëtus coronatus*, *Cuv.* *Asturina* (*Thrasaëtus*)
Azaræ, *Kaup.* *Harpyhaliaëtus coronatus*, *Lafr.* *Thrasaëtus*
coronatus, *Pr. B.* *Cymindis coronatus*, *Steph.* *Haliaëtus*
unifasciatus, *G. R. Gr.*

S. America (Paraguay, Brazil, La Plata).

5. CIRCAETUS.

- a. *Circaëtus*, *Vieill.* 1816.
Pygargus, *Koch*, 1816.

83. CIRCAETUS GALLICUS. B. M.
Falco gallicus, *Gm.* *Pl. enl.* 413. *F. leucopsis*, *Bechst.* *F.*
longipes, *Nils.* *F. brachydactylus*, *Temm.* *Aquila brachy-*
dactyla, *Meyer.* *A. leucamphomma*, *Borkh.* *Accipiter hypo-*
leucus, *Pall.?* *Circaëtus gallicus*, *Boie.* *C. leucopsis* et *C.*
anguium, *Brehm.* *C. hypoleucos*, *Keys. & Bl.?* *Gould, B.*
of Eur. 1, pl. 13. *Naum. Vög.* t. 15.

E. Europe, Arabia and N.-E. Africa.

84. CIRCAETUS THORACICUS. B. M.
Circaëtus thoracicus, *Cuv.* *C. pectoralis*, *A. Smith.* *Aquila*
undulata, *Licht.?*

S. and N.-E. Africa.

85. CIRCAETUS FASCIOLATUS. B. M.
Circaëtus fasciolatus, *G. R. Gr.*

S. Africa, (Natal).

86. CIRCAETUS CINEREUS. B. M.
Circaëtus cinereus, *Vieill.* *Gal. des Ois.* t. 12. *C. funereus*,
Rüpp. Fauna Abyss. t. 14. *Falco circaëtus*, *Temm.*

N.-E. Africa.

- b. *Spilornis*, *G. R. Gr.* 1840.
Hæmatornis, *Vig.* 1831.
Ophaëtus, *Jerd.* 1844.

87. *CIRCAETUS BACHA*. B. M.
Falco bacha, *Daud. Levaill. Ois. de l'Afr.* t. 15. *F. bido*, *Horsf.*
Spilornis bacha et *Circaëtus bacha*, *G. R. Gr.* *Hæmatornis*
bido, *Bl.* *Buteo bacha*, *Cuv.* *Circaëtus* (*Spilornis*) *bacha*,
Kaup. *Cymindis?* *bacha*, *Steph.*

Java, Borneo.

88. *CIRCAETUS CHEELA*. B. M.
Falco cheela, *Daud.* *F. albidus*, *Cuv. Pl. col.* 19. *Hæma-*
tornis undulatus, *Vigors.* *Gould, Cent.* pl. 1. *H. cheela*, *Bl.*
Buteo bacha, *Frankl.* *B. melanotis*, *Jerd.* *B. albidus*, *Cuv.*
Circaëtus cheela, *G. R. Gr.* *C. nipalensis*, *C. mithilensis*,
C. tarayensis et *C. maculatio*, *Hodgs.* *C.?* *undulatus*, *Jerd.*
Cymindis? *albidus*, *Steph.* *Spilornis undulata*, *G. R. Gr.*
Circaëtus (*Spilornis*) *cheela* et *C. (S) undulatus*, *Kaup.* *As.*
Res. 1833, pl. 2. *Haliaëtus cheela*, *Vieill.*

India.

89. *CIRCAETUS HOLOSPILUS*. B. M.
Buteo holospilus, *Vigors.* *Spilornis holospilus* et *Circaëtus*
holospilus, *G. R. Gr. & Mitch. Gen. of B.* pl. 7. *Circaëtus*
(Spilornis) holospilus, *Kaup.*

Philippine Islands.

- c. *Poliornis*, *Kaup*, 1844.
Butastur, *Hodgs.* 1844.
Bupernis, *Hodgs.* 184 ?
Buteopernis, *James.* ?
Valeria, *Boie, MSS.*

90. *CIRCAETUS TEESA*. B. M.
Circus teesa, *Frankl.* *Buteo teesa*, *Gr. Ill. Ind. Zool.* pl. 30.
Astur Hyder, *Sykes.* *Butastur teesa*, *Hodgs.* *Poliornis teesa*,
G. R. Gr. *P. fasciatus*, *Hay?* *Circaëtus* (*Poliornis*) *teesa*,
Kaup.

India.

91. CIRCAETUS LIVENTER. B. M.
Falco liventer, *Temm. Pl. col.* 438. *Buteo pallidus*, *Less.*
B. liventer, *Cuv.* *Astur liventer et Poliornis liventer* *G. R. Gr.*
Circaëtus (Poliornis) liventer, *Kaup.*

Malayan Archipelago.

92. CIRCAETUS POLIOGENYS. B. M.
Falco polioGENYS, *Temm. Pl. col.* 325. *Buteo polioGENYS*,
Cuv. *B. polioGENYS aut pyrroGENYS*, *Temm. & Schl. Fauna*
Jap. t. 7, *B. Poliornis indicus et P. pyrroGENYS*, *G. R. Gr.*
P. polioGENYS, *Pr. B.* *Circaëtus (Poliornis) polioGENYS et C.*
(Poliornis) indicus, *Kaup.*

Philippine Islands and Japan.

- 93? CIRCAETUS BARBATUS. B. M.
Astur barbatus, *Eyton.* *Poliornis pyrroGENYS*, *p. G. R. Gr.*
 Malacca.

6. PANDION.

- a. *Pandion*, *Sav.* 1809.
Triorchis, *Leach*, 1816.
Balbusardus, *Flem.* 1828.

94. PANDION HALIAETUS. B. M.
Falco haliaëtus, *L. Pl. enl.* 414. *Gould, B. of Eur.* pl. 12.
F. arundinaceus, *Gm.* *Accipiter haliaëtus*, *Pall.* *Aquila bal-*
buzard, *Dum.* *A. haliaëtus*, *Meyer.* *Pandion haliaëtus*, *Cuv.*
P. fluviatilis, *Sav.* *P. ichthyaëtus*, *Kaup.* *P. alticeps et P.*
planiceps, *Brehm.* *P. fluvialis*, *Less.* *Balbusardus haliaëtus*,
Flem. *Triorchis fluvialis*, *Leach.* *Falco carolinensis et F.*
cayanensis, *Gm. Wils. Amer. Orn.* pl. 37, f. 1. *Aquila pis-*
catrix, *Vieill. Ois. de l'Amer. Sept.* t. 4. *Pandion americanus*,
Vieill. Gal. des Ois. t. 11. *Aquila (Pandion) haliaëta*, *Rich.*
& Sw. *Pandion indicus*, *Hodgs. Naum. Vög.* t. 16. *Yarr.*
Brit. B. 2 edit. i. fig. p. 25.

Great Britain, Europe, N. America, India and the Coast of the Red Sea.

95. PANDION LEUCOCEPHALUS. B. M.
Pandion leucocephalus, *Gould, B. of Austr.* pl. 6. *P. Gouldii*,
Kaup.

Australia.

- b. *Ichthyaetus*, *Lafr.* 1839.
Polioaetus, *Kaup*, 1847.

96. **PANDION ICHTHYAETUS.** B. M.
Falco ichthyaetus, *Horsf. Res. Zool.* pl. *Haliaetus plumbeus*,
Hodgs. *H. ichthyaetus*, *Cur.* *Ichthyaetus bicolor*, *G. R. Gr.*
I. hucarius, *Hodgs.* *Pontoaetus ichthyaetus*, *G. R. Gr.* *Pan-*
dion ichthyaetus, *Vig.* *Pandion* (*Polioaetus*) *ichthyaetus*,
Kaup.

India and Malayan Archipelago.

97. **PANDION HUMILIS.** B. M.
Falco (*Pandion*) *humilis*, *Temm. & Müll. Verh. over de Natur.*
Gesch. de Nederl. t. 6. *Ichthyaetus nanus*, et *Pontoaetus na-*
nus, *Bl.* *Pandion* (*Ichthyaetus*) *humilis*, et *Pandion* (*Poli-*
oaetus) *humilis*, *Kaup.*

India and Malayan Archipelago.

7. HALIAETUS.

- a. *Haliaetus*, *Sav.* 1809.

98. **HALIAETUS ALBICILLA.** B. M.
Vultur albicilla, *L. Pl. enl.* 112, 415. *Falco ossifraga*, et *F.*
melanaetos, *L.* *F. albicaudus*, *Gm.* *F. hinnularius*, *Lath.*
Aquila ossifraga, et *A. albicilla*, *Pall. Sw.* *Haliaetus nesus*,
Sav. *H. orientalis*, *H. borealis*, *H. islandicus*, *H. groenland-*
icus, et *H. albicilla*, *Brehm.* *H. Pygargus*, *Eyton.* *Gould, B.*
of Eur. pl. 10. *Kittl. Kupf. der Vög.* t. 2, f. 2. *Naum. Vög.*
t. 12, 13, 14. *Yarr. Brit. B.* 2 edit. i. fig. p. 20.

Great Britain, Europe, N. America, N. Africa and N.-E. Asia.

99. **HALIAETUS LEUCOCEPHALUS.** B. M.
Falco leucocephalus, *L. Pl. enl.* 411. *Wils. Amer. Orn.* pl. 36.
F. pygargus, *Daud.* *F. ossifragus*, *Wils. Amer. Orn.* pl. 55, f.
Aquila leucocephala, *Pall. Sw.* *Haliaetus leucocephalus*, *Cur.*
Vieill. Ois. de l'Amer. Sept. t. 3. *Gould, B. of Eur.* pl. 11.
Haliaetus Washingtoni, *Audub. B. of Amer.* pl. 11. (♀)

N. America and Norway.

- b. *Thalassoaëtus*, *Kaup*, 1844.
Thalassaëtus, *Kaup*, 1847.
Thalassiaëtus, *Reichenb.* 1850.

100. *HALIAETUS PELAGICUS*.

Aquila pelagica, *Pall.* *Falco imperator*, *Kittl. Kupf. der Vög.* t. 2, f. 1. *F. leucopterus*, *Temm. Pl. col.* 489. *F. Stelleri*, *Tyzenh.* *Haliaëtus pelagicus*, *Temm. & Schl. Fauna Jap.* t. 4, *H. leucopterus*, *Less.* *Haliaëtus* (*Thalassaëtus*) *pelagicus*, *Kaup*.

Siberia, Kamtschatka and Japan.

- c. *Cuncuma*, *Hodgs.* 1837.
Pontoaëtus, *Kaup*, 1844.
Pontaëtus, *Kaup*, 1845.
Blagrus, *Bl.* 1849.

101. *HALIAETUS MACEI*.

B. M.

Falco Macei, *Temm. Pl. col.* 8, 223. *Haliaëtus Macei*, *Cur.* *H. fulviventris*, *Vieill.* *H. unicolor*, *Gr. Ill. Ind. Zool.* pl. 19. *H. lanceolatus*, *Hodgs.* *H. albicilla*, *Vig. & Horsf.* *Pandion lineatus*, *Jerd.?* *Haliaëtus* (*Cuncuma*) *albipes*, *Hodgs.* *Haliaëtus* (*Pontoaëtus*) *Macei*, *Kaup.* *Cuncuma Macei*, *G. R. Gr.*

India.

102? *HALIAETUS LEUCORYPHUS*.

Aquila leucorypha, *Pall.* *Haliaëtus leucoryphus*, *Keys. & Bl.*
 Caspian Sea and Ural Mountains.

103? *HALIAETUS SINENSIS*.

Falco sinensis, *Gm. Lath. Gen. Syn.* 1, pl. 3. *Haliaëtus sinensis*, *G. R. Gr.* *H. Macei*, *juv. Kaup.* *Aquila sinensis*, *Steph.*
 China.

104. *HALIAETUS LEUCOGASTER*.

B. M.

Falco leucogaster, *Gm. Pl. col.* 49. *F. blagrus*, *Daud. Levaill. Ois. de l'Afr.* t. 5. *F. albicilla*, *var. Lath.* *F. dimidiatus*, *Raffl.* *Haliaëtus blagrus*, *Cur.* *H. leucogaster*, *Vig.* *H. sphenurus*, *Gould, B. of Austr.* pl. 3. *Ichthyaëtus cultrunguis*, *et Blagrus leucogaster*, *Bl.* *Haliaëtus* (*Pontoaëtus*) *leucogaster*, *Kaup.* *Cuncuma leucogaster*, *G. R. Gr.*

S. and W. Africa, India, Australia, Java, Sumatra and Celebes.

105. ? HALIAETUS MARITIMUS.

Falco maritimus, *Wurm.* Haliaëtus maritimus, *G. R. Gr.*
Java.

106. HALIAETUS VOCIFER.

B. M.

Falco vocifer, *Daud. Levaill. Ois. de l'Afr.* t. 4. Aquila vocifer,
Dum. Haliaëtus vocifer, *Cuv.* H. vociferoïdes, *O. des Murs,*
Iconogr. Ornith. t. 17. Haliaëtus (Pontoaëtus) vocifer, *Kaup,*
Cuncuma vocifer, *G. R. Gr.*

Greece, N.-E. and S. Africa.

d. Geranoaëtus, *Kaup,* 1844.
Heteroaëtus, *Kaup,* 1845.
Heteraëtus, *Reichenb.* 1850.

107. HALIAETUS MELANOLEUCUS.

B. M.

Spizaëtus melanoleucus, *Vieill.* Falco aguia, *Temm. Pl. col.*
302. Haliaëtus aguia, *Cuv.* H. melanoleucus, *Less.* Buteo
aguia, *Cab.* Haliaëtus (Geranoaëtus) aguia, et H. (Heteroaët-
tus) aguia, *Kaup.* Cuncuma melanoleuca, *G. R. Gr.* Ge-
ranoaëtus aguia, *Pr. B.* Spizaëtus fuscescens, *Vieill.*

S. America (Brazil, Paraguay).

e. Helotarsus, *Smith,* 1830.
Terathopius, *Less.* 1830.

108. HALIAETUS ECAUDATUS.

B. M.

Falco ecaudatus, *Daud. Levaill. Ois. de l'Afr.* t. 7, 8. Helo-
tarsus typus, *A. Smith.* H. ecaudatus, *G. R. Gr.* Circaëtus
ecaudatus, *Cuv.* Terathopius ecaudatus, *Less.*

N.-E. and S. Africa.

f. Haliastur, *Selby,* 1840.
Dentiger, *Hodgs.* 1844.
Ictinoaëtus, *Kaup,* 1844.
Milvaquila, *Burm.* 1850.

109. HALIAETUS INDUS.

B. M.

Falco indus, *Bodd. Pl. enl.* 416. F. ponticerianus, *Gm.* Ha-
liaëtus girrenara, *Vieill.* H. garuda, *Less.* H. ponticerianus,
Cuv. H. pondicerianus, *Vig.* Haliastur ponticerianus, *Selby.*
H. indus, *G. R. Gr.* Dentiger ponticerianus, et Milvus rotun-
dicandus, *Hodgs.* Haliaëtus (Ictinoaëtus) ponticerianus, *Kaup.*

India and Philippine Islands.

110. *Haliaetus leucosternus*. B. M.
Falco ponticerianus, *Shaw*, *Nat. Misc.* pl. 389. *Haliaëtus leucosternon*, *Gould*, *B. of Austr.* 1, pl. 4. *Haliastur leucosternus*, *G. R. Gr.* *Haliaëtus* (*Ictinoaëtus*) *leucosternon*, *Kaup*.
 N. Australia and New South Wales.

111. *Haliaetus sphenurus*. B. M.
Milvus sphenurus, *Vieill. Gal. des Ois.* t. 15, *Sw.* *Haliaëtus canorus*. *Vig. & Horsf.* *Haliastur sphenurus*, *Gould*, *B. of Austr.* 1, pl. 5. *Haliaëtus* (*Ictinoaëtus*) *canorus*, *Kaup*.
 Australia (except V. D.'s Land.)

iv. FALCONINÆ.

- Falconinæ*, *Sw.* 1837, p ; *Pr. B.* 1831—38—49—50 ; *G. R. Gr.* 1840—41—44 ; *Kaup*, 1847 ; *Bl.* 1849.
Falconina et Accipitrina, p. *Vig.* 1825.
Falcones, *Kaup*, 1844.

1. FALCO.

- a. *Falco*, *L.* 1735.
Rhynchodon, *Nitzsch*, 1840.
Ichthierax, *Kaup*, 1844.
Hierofalco, *Cuv.* 1817.

112. *Falco candicans*. B. M.
Falco candicans, *Gm. Pl. enl.* 446. *F. grælandicus*, *Brehm. Hanc.* *Gould*, *B. of Eur.* 1, pl. 19. *Hierofalco candicans*, *Cuv.* *H. gyrfalco*, *Eyton.* *H. grælandicus*, *Brehm.* *Gyrfalco candicans*, *Flem. Yarr. Brit. B.* 2 edit. i. fig. p. 31. *Falco* (*Hierofalco*) *candicans*, *Kaup.* *Falco islandicus*, *Brünn. Hanc.* *F. gyrfalco*, *Keys & Bl.* *F. candicans*, *islandicus*, *Schl.* *Hierofalco islandicus*, *Brehm.* *Falco* (*Hierofalco*) *islandicus*, *Kaup.* *Falco gyrfalco* (*L.*!), *Schl.* *F. lanarius*, *L. Pl. enl.* 462. *Falco* (*Hierofalco*) *gyrfalco*, *Kaup.*
 Great Britain, N. Europe, Greenland, Iceland and N. America.

113. *Falco subniger*. B. M.
Falco subniger, *G. R. Gr.* *Gould*, *B. of Austr.* 1, pl. 9. *Falco* (*Hierofalco*) *subniger*, *Kaup.*
 S. Australia.

114. *FALCO PEREGRINATOR*. B. M.
Falco peregrinator, *Sundev.* *F. shaheen*, *Jerd. Ill. Ind. Orn.*
 pl. 12. *F. sultaneus*, *Hodgs.* *F. rhombeus*, *Lath?*

India, (Nepal).

115. *FALCO PEREGRINUS*. B. M.
Falco peregrinus, *Gm. Pl. enl.* 430, 421, 470, 469. *F. barbarus*, *L.* *F. abietinus*, *Bechst.* *F. punicus*, *Levaill.* *F. micrurus*, *Hodgs.* *F. calidus*, *Lath.* *F. cornicum*, *Brehm.* *F. communis*, *Gm. Schl.* *F. peregrinoides*, *v. d. Mulhe.* *F. minor*, *Pr. B.* *F. peregrinus*, *minor*, *Schl.* The Lanner, *Penn.* *F. orientalis*, *Gm.* *Sparvius orientalis*, *Vieill. Gould, B. of Eur.* pl. 21. *Yarr. Brit. B.* 2 edit. i. fig. p. 37.

Great Britain, Europe, India and Africa.

- 116? *FALCO ANATUM*. B. M.
Falco peregrinus, *Wils. Amer. Orn.* pl. 76. *F. anatum*, *Pr. B.*
 N. America and W. Indies.

- 117? *FALCO MELANOGENYS*. B. M.
Falco peregrinus, *Vig. & Horsf.* *F. melanogenys*, *Gould.* *F. macropus*, *Sw.* *F. peregrinoides?* *Peale. Gould, B. of Austr.*
 pl. 8.

Australia.

118. *FALCO PEREGRINOIDES*. B. M.
Falco peregrinoides, *Temm. Pl. col.* 479. *F. frontalis*, *Daud?*
Levaill. de l'Afr. t. 28? *F. galericulatus*, *Shaw?* *F. (Ichthierax) frontalis*, *Kaup?*

N. E. and S. Africa.

b. Gennaia, *Kaup*, 1847.

119. *FALCO LANARIUS*. B. M.
Falco lanarius (*L?*) *Pall. Pl. enl.* 470. *F. Feldeggii*, *Schl.*
F. sacer, *Gm. Schl.* *F. cyanopus*, *Tiedem.* *F. cherrug*, *Gr. Ill. Ind. Zool.* pl. 25. *Falco* (Gennaia) *lanarius*, *Kaup. Naum. Vög.* t. 23. *Gould, B. of Eur.* 1, pl. 20.

E. Europe and N. India.

120. **FALCO TANYPTERUS.**
Falco tanypterus, *Licht. Schl. Abhand.* t. 12, 13. *Falco* (Gennaia) *tanypterus*, *Kaup*.

N. E. Africa and Dalmatia.

121. **FALCO HYPOLEUCUS.**
Falco hypoleucos, *Gould, B. of Austr.* 1, pl. 7. *Falco* (Gennaia) *hypoleucos*, *Kaup*.

S. and W. Australia.

122. **FALCO CERVICALIS.** B. M.
Falco cervicalis, *Licht.* *F. biarmicus*, *Temm. Pl. col.* 324. *F. chicqueroïdes*, *A. Smith.* *Falco* (Gennaia) *cervicalis*, *Kaup*.

S. and N.-E. Africa.

123. **FALCO JUGGER.** B. M.
Falco jugger, *Gr. Ill. Ind. Zool.* pl. 26. *F. lugger*, *Jerd.* *F. thermophilus*, *Hodgs.* *Falco* (Gennaia) *jugger*, *Kaup*.

N. India.

c. *Hypotriorchis*, *Boie*, 1826.
Dendrofalco, *G. R. Gr.* 1840.

124. **FALCO SUBBUTEO.** B. M.
Falco subbuteo, *L. Pl. enl.* 432. *F. barletta*, *Daud.* *F. subbuteo*, *major*, *Lath.* *F. pinetarius*, *Shaw.* *F. hirundinum*, *Brehm.* *Hypotriorchis subbuteo*, *Boie.* *Falco* (*Hypotriorchis*) *subbuteo*, *Kaup.* *Gould, B. of Eur.* pl. 22. *Yarr. Brit. B.* 2 edit. i. fig. p. 45.

Great Britain, Europe, Asia and Africa.

125. **FALCO ELEONORÆ.**
Falco eleonoræ, *Gené, Mem. Acad. Torina*, 1840, t. 1, 2. *T. concolor*, *Temm. et v. d. Mulhe.* *F. arcadicus*, *Linderm. Isis*, 1843, t. 1. *Falco* (*Hypotriorchis*) *eleonoræ*, *Kaup.* *Hypotriorchis eleonoræ*, *G. R. Gr. Pr. B. Fauna Ital. Aves*, t. 1.

Sardinia and Greece.

126. **FALCO SEVERUS.** B. M.
Falco severus, *Horsf.* *F. Aldrovandi*, *Reinw. Pl. col.* 128. *F. rufipedoïdes*, *M' Clell.* *F. guttatus*, *G. R. Gr.* *F. religiosa*, *Temm.* *Hypotriorchis severus*, *G. R. Gr.* *Falco* (*Hypotriorchis*) *severus*, *Kaup*.

N. Asia, Java and Philippine Islands.

127. *FALCO RUFIGULARIS.*

B. M.

Falco rufigularis, *Daud.* *F. aurantius*, var. *Lath.* *F. cucullatus*, *Sw.* *P. thoracicus*, *Donov.* *F. deioleucus*, *Temm. Pl. col.* 348. *Hypotriorchis rufigularis*, *G. R. Gr.* *Falco* (*Hypotriorchis*) *aurantius*, *Kaup. Penn. Gen. of B.* pl. 1.

S. America, (Brazil, Bahia, Guiana).

128. *FALCO FRONTATUS.*

B. M.

Falco frontatus, *Gould, B. of Austr.* 1, pl. 10. *F. lunulatus*, *Lath.* *P* *F. longipennis*, *Sw.* *F. subbuteo*, *Brehm.* *Sparvius lunulatus*, *Vieill.* *P* *Hypotriorchis frontatus*, *G. R. Gr.* *Falco* (*Hypotriorchis*) *frontatus*, *Kaup.*

Australia.

d. *Æsalon*, *Kaup*, 1829.

129. *FALCO ÆSALON.*

B. M.

Falco æsalon et *F. lithofalco*, *Gm. Pl. enl.* 447, 468. *F. cæsius*, *Meyer.* *F. regulus*, *Pall.* *F. sibiricus*, *Shaw.* *F. smirillus*, *Sav.* *Æsalon lithofalco*, *Kaup.* *Falco* (*Æsalon*) *lithofalco*, *Kaup.* *Hypotriorchis æsalon*, *G. R. Gr.* *Pall. Zoogr.* t. 7. *Gould, B of Eur.* pl. 24. *Yarr. Brit. B.* 2 edit. i. fig. p. 53.

Great Britain, Europe and N.-E. Africa.

130. *FALCO TIBIALIS.*

B. M.

Falco tibialis, *Daud. Levaill. Ois. de l'Afr.* t. 29. *F. concolor*, *Temm. Pl. col.* 330. *F. ardosiacus*, *Vieill.* *F. unicolor*, *Sw. B. of W. Afr.* 1, pl. 3. *Hypotriorchis tibialis* et *H. concolor*, *G. R. Gr.* *H. ardesiacus*, *Pr. B.* *Falco* (*Æsalon*) *tibialis* et *F. (Æsalon) concolor*, *Kaup.* *Tinnunculus concolor*, *Rüpp. Gould, B. of Eur.* 1, pl. 25.

W. and N.-E. Africa and the coast of the Mediterranean Sea.

131. *FALCO COLUMBARIUS.*

B. M.

Falco columbarius, *L. Wils. Amer. Orn.* pl. 15, f. 3. *F. temerarius*, *Audub.* *F. intermixtus*, *Bosc.* *F. æsalon*, *Sw. & Rich. Fauna Bor.-Amer.* pl. 25. *Tinnunculus columbarius*, *Vieill. Ois. de l'Amer. Sept.* t. 11. *Falco* et *Nisus columbarius*, *Cur.* *Astur columbarius*, *Boie.* *Hypotriorchis columbarius*, *G. R. Gr.* *Falco* (*Æsalon*) *columbarius*, *Kaup.*

N. America and W. Indies.

132. *FALCO FEMORALIS*. B. M.
Falco femoralis, *Temm. Pl. col.* 121, 343. *F. aurantius*, var. γ .
Lath. *F. thoracicus*, *Ill.* *F. cyanescens*, *Vieill.* *F. elegans*,
Sw. MSS. *F. hæmorrhoidalis*, *Hahn.* *Bidens femoralis*, *Spix.*
Hypotriorchis femoralis, *Boie.* *Falco* (*Æsalon*) *femoralis*,
Kaup.

S. America, (Mexico, Brazil and E. Patagonia).

133. *FALCO CHICQUERA*. B. M.
Falco chicquera, *Daud. Levaill. Ois. d'Afr.* t. 30. *F. rufi-*
collis et *F. macrodactylus*, *Sw. B. of W. Afr.* pl. 2. *F. cir-*
rhata, var. *Lath.* *Hypotriorchis chicquera*, *G. R. Gr.* *Falco*
(*Æsalon*) *chicquera*, *Kaup.* *Gould, Cent. of B.* pl. 20.

India, N.-E. S. and W. Africa.

e. *Jeracidea*, *Gould*, 1837.
Hieracidea, *Riechenb.* 1850.

134. *FALCO BERIGORA*. B. M.
Falco berigora, *Vig. & Horsf.* *Jeracidea berigora* et *J. occi-*
dentalis, *Gould, B. of Austr.* 1, pl. 11, 12.

New South Wales, S. and W. Australia, Van Diemen's Land.

135. *FALCO NOVÆ SEELANDIÆ*. B. M.
Falco novæ seelandiæ, *Gm.* *F. brunneus*, *Gould.* *F. harpe,*
Forst. *F. australis*, *Homb. & Jacq. Voy. au Pole Sud, Ois.* t. 1,
f. 1. *F. ferox*, *Peale, U. S. Explor. Exped.* pl. 18. *Hypo-*
triorchis novæ zealandiæ, *G. R. Gr.* *Jeracidea novæ zea-*
landiæ, *Kaup.*

New Zealand and Auckland Islands.

f. *Tinnunculus*, *Vieill.* 1807.
Cerchneis, *Boie*, 1826.
Falcula, *Hodgs.* 1837.
Ægyptius, *Kaup*, 1829.

136. *FALCO TINNUNCULUS*. B. M.
Falco tinnunculus, *L. Pl. enl.* 401, 471. *F. brunneus*, *Bechst.*
F. fasciatus, *Retz.* *F. rufescens*, *Sw.* *F. interstinctus*, *M'*
Clell. *F. tinnunculus*, *japonicus*, *Temm. & Schl. Fauna Jap.*
t. 1, B. *Tinnunculus alaudarius* et *T. interstinctus*, *G. R. Gr.*
Cerchneis tinnuncula, *Boie, Brehm.* *C. murorum* et *C. media,*
Brehm. *Ægyptius tinnunculus*, *Kaup.* *Gould, B. of Eur.* pl.
26. *Yarr. Brit. B.* 2 edit. i., fig. p. 57.

Great Britain, Europe, India, Japan, N. and W. Africa.

137. *FALCO MOLUCCENSIS.*

Tinnunculus moluccensis, *Schl.* *Homb. & Jacq. Voy. au Pole Sud*, t. 1, f. 2.

Malayan Peninsula.

138. *FALCO RUPICOLUS.*

B. M.

Falco rupicolus, *Daud. Levaill. Ois. de l'Afr.* t. 35. *F. capensis*, *Shaw.* *Cerchneis rupicola* et *C. capensis*, *Boie.* *Tinnunculus rupicolus*, *G. R. Gr.*

S. Africa.

139. *FALCO RUPICOLOIDES.*

B. M.

Falco rupicoloides, *A. Smith, Ill. S. Afr. Zool.* pl. 92. *Tinnunculus rupicoloides*, *G. R. Gr.*

S. Africa.

140. *FALCO PUNCTATUS.*

B. M.

Falco punctatus, *Cuv. Pl. col.* 45. *Cerchneis punctatus*, *Boie.* *Tinnunculus punctatus*, *G. R. Gr.*

Madagascar.

141. *FALCO GRACILIS.*

Falco gracilis, *Less. O. des Murs, Iconogr.* t. *Tinnunculus gracilis*, *G. R. Gr.*

Seychelle Island.

142. *FALCO CENCHROIDES.*

B. M.

Falco cenchroides, *Vig. & Horsf. Gould, B. of Austr.* 1, pl. 13. *Cerchneis immaculatus*, *Brehm.* *Tinnunculus cenchroides*, *G. R. Gr.*

Australia (except Van Diemen's Land.)

g. *Tichornis*, *Kaup*, 1844.

143. *FALCO CENCHRIS.*

B. M.

Falco cenchris, *Naum. Vög. Nacht.* t. 29. *F. tinnunculoides*, *Schinz.* *F. tinnuncularius*, *Vieill.* *F. xanthonyx*, *Natt.* *F. Naumanni*, *Fleisch.* *Ægyptius*, *cenchris*, *Kaup.* *Cerchneis cenchris*, *Boie.* *Tinnunculus cenchris*, *Pr. B.* *Tinnunculus (Tichornis) cenchris*, *Kaup. Voy. de la Morea, Ois.* t. 2, 3. *Gould, B. of Eur.* pl. 27.

E. Europe and N.-E. Africa.

- h. *Erythropus*, *Boie*, 1828.
Pannychistes, *Kaup*, 1829.

144. *FALCO VESPERTINUS*. B. M.
Falco vespertinus, *L. Pl. enl.* 431. *F. rufipes*, *Beseke*. *Tinnunculus vespertinus*, *G. R. Gr.* *Cerchneis vespertinus*, *Boie*. *Erythropus vespertinus*, *Brehm*. *Pannychistes rufipes*, *Kaup*. *Falco* (*Erythropus*) *rufipes* et *F. (E.) vespertinus*, *Kaup*. *Gould*, *B. of Eur.* pl. 23. *Kittl. Kupf. der Vög.* t. 3, f. 1. *Pall. Zoogr.* t. 6. *Yarr. Brit. B.* 2 edit. i. fig. p. 49.

Great Britain, Europe, Greece, N.-E. Africa, and Nepal.

- i. *Pæcilornis*, *Kaup*, 1844.

145. *FALCO SPARVERIUS*. B. M.
Falco sparverius, *L. Pl. enl.* 444, 465. *Wils. Amer. Orn.* pl. 32, f. 1, pl. 16, f. 1. *F. dominicensis*, *Gm.*? *F. gracilis* et *F. isabellinus*, *Sw.*? *Bidens sparverius*, *Spix.*? *Cerchneis sparverius*, *Boie*. *Tinnunculus sparverius*, *Vieill.* *Tinnunculus* (*Pæcilornis*) *sparverius*, *Kaup*.

N. and S. America.

146. *FALCO SPARVEROIDES*.
Falco sparveroides, *Vig. Fras. Zool. Typ.* pl. *Voy. l'isl. Cuba*, *Ois.* t. 1. *Tinnunculus sparveroides*, *G. R. Gr.* *T. (Pæcilornis) sparveroides*, *Kaup*.

Cuba.

147. *FALCO CINNAMOMINUS*. B. M.
Falco cinnamominus, *Sw.* *Tinnunculus sparverius*, *Vieill.* *Ois. de l'Amer. Sept.* t. 12, 13? *T. cinnamomeus*, *G. R. Gr.*

Southern parts of S. America.

- j. *Polihierax* et *Poliohierax*, *Kaup*, 1847.

148. *FALCO SEMITORQUATUS*.
Falco semitorquatus, *A. Smith, Ill. S. Afr. Zool.* t. 1. *Tinnunculus semitorquatus*, *G. R. Gr.* *Tinnunculus* (*Polihierax*) *semitorquatus*, *Kaup*. *Polihierax semitorquatus*, *Pr. B.*

S. Africa.

2. HARPAGUS.

Harpagus, *Vigors*, 1824.Bidens, *Spix*, 1824.Diodon, *Less*, 1831.Diplodon, *Nitzsch*, 1840.

149. HARPAGUS DIODON.

B. M.

Falco diodon, *Temm. Pl. col.* 198. Bidens femoralis et B.
 cinerascens, *Spix, Av. Bras.* t. 8. Diodon brasiliensis, p.
Less. Harpagus diodon, *Vigors*.

S. America, (Brazil).

150. HARPAGUS BIDENTATUS.

B. M.

Falco bidentatus, *Lath. Pl. col.* 38, 228. Bidens rufiventer et
 B. albiventer, *Spix, Av. Bras.* t. 6, 7. Diodon brasiliensis, p.
Less. Harpagus bidentatus, *Vigors*.

S. America, (Guiana, Brazil).

3. IERAX.

Ierax, *Vigors*, 1824.Hierax, *Cuv.* 1829.

151. IERAX CÆRULESCENS.

B. M.

Falco cærulescens, *L. Edw. B.* pl. 108. F. fringillarius, *Drap.*
 Jerax cærulescens, *Vigors.* J. malayensis, *Strickl.* Hierax
 fringillarius, *Bl.*

Java, Borneo.

152. IERAX BENGALENSIS.

B. M.

Jerax eutolmus, *Hodgs.* Falco bengalensis, *Bl.* Jerax ery-
 throgyne, *Vig.* J. bengalensis, *Pr. B.* Hierax eutolmus,
Bl. H. melanoleucos, *Bl.*

India (Nepal, Tanasserim).

153. IERAX SERICEUS.

B. M.

Falco sericeus, *Kittl. Mem. de l'Acad. Imp. St. Petersb.* (1835)
 t. 1. *Kittl. Kupf. der Vög.* t. 3, f. 3. F. Gironnieri, *Eyd.*
et Souley, Voy. de la Bonite, Ois. t. 1. Ierax sericeus, *G.*
R. Gr.

China and Philippine Islands.

V. MILVINÆ.

- Milvinæ, *Pr. B.* 1838—49—50; *G. R. Gr.* 1840—41—45.
 Milvina, *Vigors*, 1825.
 Aquilina, p., Accipitrina, p. et Buteonina, p., *Vigors*, 1825.
 Falconinæ, p. et Buteoninæ, p., *Pr. B.* 1838.
 Cymindinæ, p., Buteoninæ, p. et Accipitrinæ, p., *Sw.* 1837.
 Circi, p. et Buteones, p. *Kaup*, 1844.
 Buteoninæ, *Kaup*, 1847.
 Perninæ, Elaninæ et Haliaëtina, p., *Bl.* 1849.

1. BAZA.

- a. Baza, *Hodgs.* 1836.
 Lophotes, *Less.* 1831.
 Lepidogenys, *Gr.* 1839.
 Hyptiopus, *Hodgs.* 1841.
 Lophastur, *Bl.* 1842.
 Aviceda, p. *Pr. B.* 1850.

154. BAZA LOPHOTES. B. M.
 Falco lophotes, *Cuv. Temm. Pl. col.* 10. F. Lathamii et Lepidogenys Lathamii, *Gr.* Buteo cristatus, *Vieill.* Lophotes indicus, *Less.* Baza syama, *Hodgs.* B. lophotes, *G. R. Gr.*
 Pernis (Hyptiopus) lophotes, *Kaup.* Aviceda lophotes, *Pr. B.*
 India.

155. BAZA SUBCRISTATA. B. M.
 Lepidogenys subcristatus, *Gould, B. of Austr.* 1, pl. 25. Baza subcristata, *G. R. Gr.* Aviceda subcristata, *Pr. B.* Pernis (Hyptiopus) subcristatus, *Kaup.*
 New South Wales and N. Australia.

156. BAZA JERDONI.
 Pernis (Lophastur) Jerdoni, *Bl.* Baza Jerdoni, *Bl. G. R. Gr.*
 “? Falco Reinwardtii, *Müll.*” *Bl.* Aviceda lophotes? *Pr. B.*
 Malacca.

157. BAZA MAGNIROSTRIS. B. M.
 Baza magnirostris, *G. R. Gr.* Aviceda magnirostris, *Pr. B.*
 Pernis (Hyptiopus) magnirostris, *Kaup.*
 Philippine Islands.

158. BAZA REINWARDTII.

Falco (Lophotes) Reinwardtii, *Müll. & Schl. Verh. Nederl.* t. 5. Aviceda Reinwardtii, *Pr. B.* Baza Reinwardtii, *G. R. Gr.* Pernis (Hyptiopus) Reinwardtii, *Kaup.*

Celebes.

159? BAZA SUMATRENSIS.

Aviceda sumatrensis, *Lafr.* Baza sumatrensis, *G. R. Gr.* Aviceda Reinwardtii, p. *Pr. B.*

Sumatra.

b. Aviceda, *Sw.* 1837.
Ichthierax (*Kaup*), *Pr. B.* 1850.

160. BAZA CUCULOIDES.

B. M.

Aviceda cuculoides, *Sw. B. of W. Afr.* pl. 1. A. Verreauxii et A. buteoides, *Lafr.* Aviceda frontalis (*Daud.?*) *Pr. B.*

W. and S. Africa.

2. PERNIS.

Pernis, *Cuv.* 1817.

161. PERNIS APIVORUS.

B. M.

Falco apivorus, *L. Pl. enl.* 420. F. poliorhynchus, *Bechst.* F. dubius, *Sparr.* F. incertus, *Lath.* Accipiter lacertarius, *Pall.* Buteo apivorus, *Vieill.* Pernis apivorus, *Cuv.* P. apium et P. vesparum, *Brehm.* P. communis, *Less.* Gould, *B. of Eur.* pl. 16. *Jard. & Selby, Illustr. Ornith.* n. s. pl. 1. *Yarr. Brit. B.* 2 edit. i. fig. p. 91.

Great Britain, Europe, Siberia, Japan, W. and N.-E. Africa.

162? PERNIS TACHARDUS.

Falco tachardus, *Daud. Levaill. Ois. de l'Afr.* t. 19. Buteo tachardus, *Vieill. Pr. B.* B. capensis, p., *Temn. & Schl.* Pernis madagascariensis, *A. Smith?*

S. Africa, Madagascar?

163. PERNIS CRISTATA.

B. M.

Pernis cristata, *Cuv. Reg. An.* t. 3, f. 4. P. Elliottii, *James.* P. bharatensis, v. apivorus, *Hodgs.* P. maculosa, P. torquatus, P. ruficollis et P. albigularis, *Less.* Falco ptilorhynchus, *Temn. Pl. col.* 44. *Verh. over de Natur. Gesch. de Nederl. Ois.* t. 7.

India and Malayan Archipelago.

3. CYMINDIS.

- a. *Cymindis*, *Cuv.* 1817.
Leptodon, *Sundev.* 1836.
Odontotriorchis, *Kaup*, 1844.

164. CYMINDIS CAYANENSIS. B. M.
Falco cayanensis, *Gm. Pl. col.* 270. *F. palliatus*, *Pr. Max. Pl. col.* 204. *Spix, Av. Bras.* t. 8, c. *Cymindis cayanensis*, *Cuv.* *C. buteonides*, *Less.* *Asturina cyanopus*, *Vieill. Mag. de Zool.* 1835. *Ois.* t. 22. *Sparvius monachus*, *S. cinereus*, *S. bicolor*, et *S. griseus*, *Vieill.* *Cymindis* (*Odontotriorchis*) *cayanensis*, *Kaup.* *Pernis* (*Odontotriorchis*) *cayanensis*, *Kaup.*
 S. America (Brazil, Guiana).

- b. *Regerhinus*, *Kaup*, 1845.

165. CYMINDIS UNCINATUS. B. M.
Falco uncinatus, *Illig. Pl. col.* 103, 104, 115. *F. vitticaudus*, *Pr. Max.* *Cymindis uncinatus*, *Cuv.* *C. cuculoïdes*, *Sw.* *Pernis* (*Regerhinus*) *uncinatus*, *Kaup. Mag. de Zool.* 1835. *Ois.* t. 21.
 S. America (Guiana, Brazil).

166. CYMINDIS WILSONI.
Cymindis Wilsoni, *Cass. Journ. Acad. N. S. Philad.* 1847, pl. 7.
 Cuba.

4. MILVUS.

- a. *Milvus*, *Cuv.* 1799—1800.

167. MILVUS REGALIS. B. M.
Falco Milvus, *L. Pl. enl.* 422. *F. austriacus*, *Gm.* *Accipiter korschun*, *S. G. Gm.* *A. regalis*, *Pall.* *Milvus regalis*, *Briss.* *M. ictinus*, *Sav.* *M. castaneus* et *M. russicus*, *Daud.* *M. jai-censis*, *Lepech.* *M. vulgaris*, *Flem.* *M. ruber*, *Brehm. Gould, B. of Eur.* pl. 28. *Yarr. Brit. B.* 2 edit. i. fig. p. 71.
 Great Britain ; Europe and N. Africa.

b. Hydroictinia, Kaup, 1844.

168. MILVUS ATER. B. M.
Falco ater, Gm. *Pl. enl.* 472. *F. cinereo-ferrugineus*, Forst.
F. migrans, Bodd. *F. fusco-ater*, Meyer. *Milvus ater*, Daud.
M. ætoliæ, Sav. *M. fuscus*, Brehm. *M. niger*, Pr. B. *Accipiter milvus*, Pall. *Milvus (Hydroictinia) ater*, Kaup. *Gould, B. of Eur.* pl. 29.

Europe, Asia, (temperate parts).

- 169 MILVUS GOVINDA. B. M.
Milvus govinda, Sykes. *M. cheela*, Jerd. *M. melanotis*, Temm. & Schl. *Fauna Jap.* t. 5. *M. indicus*, v. *cheela*, Hodgs. *M. ater*, Bl. *Haliaëtus lineatus*, Gr. *Ill. Ind. Zool.* pl. 18. *Milvus (Hydroictinia) govinda*, Kaup. *Fauna Jap.* t. 5, B.

India and Japan.

170. MILVUS AFFINIS. B. M.
Milvus affinis, Gould *B. of Austr.* pl. 21. *M. ater*? Bl. *Milvus (Hydroictinia) affinis*, Kaup.

Australia.

171. MILVUS ÆGYPTIUS. B. M.
Falco ægyptius et *F. Forskallii*, Gm. *F. parasitus*, Daud. *F. parasiticus*, Lath. *Levaill. Ois. de l'Afr.* t. 22. *Milvus ægyptius*, G. R. Gr. *M. parasitus*, Pr. B. *M. parasiticus*, Less. *Milvus (Hydroictinia) parasiticus*, Kaup. *Disc. de l'Égypte, Ois.* t. 3, f. 1.

Dalmatia; W., N. and S. Africa.

c. Lophoictinia, Kaup, 1847.

172. MILVUS ISURUS.
Milvus isurus, Gould, *B. of Austr.* i. pl. 22. *Falco pacificus* Lath. ? *Milvus (Lophoictinia) isurus*, Kaup.

New South Wales and S. Australia.

5. ELANUS.

- a. *Elanus*, *Sav.* 1809.
Elanoïdes, *Vieill.* 1818.

173. *ELANUS MELANOPTERUS*. B. M.
Falco melanopterus, *Daud. Levaill. Ois. de l'Afr.* t. 36, 37.
F. sonniniensis et *F. vocifer*, *Lath. F. clamosus*, *Shaw. Buteo*
vocifer, *Vieill. Elanus melanopterus*, *Leach, Zool. Misc.* pl.
 122. *E. cæsius*, *Sav. E. minor*, *Pr. B.?* *Elanoïdes cæsius*,
Vieill. Gould, B. of Eur. pl. 31. *Disc. de l'Egypte, Ois.* t. 2,
 f. 2.

Europe, Africa, India and its Archipelago.

174. *ELANUS AXILLARIS*. B. M.
Falco axillaris, *Lath. Gould, B. of Austr.* i. pl. 23. *Elanus*
melanopterus, *Vig. & Horsf. E. notatus*, *Gould. E. axillaris*,
G. R. Gr. Circus axillaris, *Vieill.*

Australia (except the North).

175. *ELANUS SCRIPTUS*. B. M.
Elanus scriptus, *Gould, B. of Austr.* i. pl. 24.

S. Australia.

176. *ELANUS LEUCURUS*. B. M.
Milvus leucurus, *Vieill. Falco dispar*, *Temm. Pl. col.* 319.
F. melanopterus, *Pr. B. Amer. Orn.* pl. 11, f. 1. *Elanus dis-*
par, *Cuv. E. leucurus*, *G. R. Gr. Elanoïdes leucurus*, *Vieill.*

Southern parts of N. America; S. America, (Paraguay, Brazil, Bahia).

b. *Gampsonyx*, *Vigors*, 1825.

177. *ELANUS SWAINSONI*. B. M.
Gampsonyx Swainsoni, *Vigors. Gr. & Mitch. Gen. of B.* pl.
G. Holmii, *Blackw.?* *Elanus torquatus*, *Cuv. Falco rufi-*
frons, *Pr. Max. Nertus rufifrons*, *Boie. Elanus (Gampsonyx)*
Swainsoni, *Kaup.*

S. America, (Brazil).

6. NAUCLERUS.

- a. *Nauclerus*, *Vigors*, 1825.
Elanoïdes. *G. R. Gr.*

178. *NAUCLERUS FURCATUS*. B. M.
Falco furcatus, *L. Wils. Amer. Orn.* pl. 51, f. 2. *Gould, B. of Eur.* pl. 30. *Shaw, Nat. Misc.* pl. 204. *Elanus furcatus*, *Cuv.* *Elanoïdes fureatus* et *E. yetapa*, *Vieill.* *Nauclerus furcatus*, *Vigors.* *Milvus furcatus*, *Vieill. Ois. de l'Amer. Sept.* t. 10. *Yarr. Brit. B.* 2 edit. i. fig. p. 77.

England! S. America and Southern parts of N. America.

- b. *Chelidopteryx*, *Kaup*, 1843.
Chelictinia, *Less.* 1843.

179. *NAUCLERUS RIOCOURI*. B. M.
Elanoïdes Riocouri, *Vieill. Gal. des Ois.* t. 16. *Falco Riocourii*, *Pl. col.* 85. *Elanus Riocouri*, *Cuv.* *Nauclerus Riocouri*, *Vigors.* *Nauclerus africanus*, *Sw.* *Chelictinia Riocourii*, *Less.* *Nauclerus (Chelidopteryx) Riocouri*, *Kaup.*

W. Africa.

7. ICTINIA.

- a. *Ictinia*, *Vieill.* 1816.

180. *ICTINIA MISSISSIPPENSIS*. B. M.
Falco mississippensis, *Wils. Amer. Orn.* pl. 25, f. 1. *Milvus mississippensis*, *Cuv.* *Ictinia mississippensis*, *Kaup.* *I. ophiophaga*, *Vieill.* *Nertus mississippensis*, *Boie.*

Southern parts of N. America.

- b. *Nertus*, *Boie*, 1828.
Pœciloptyx, *Kaup*, 1843.

181. *ICTINIA PLUMBEA*. B. M.
Falco plumbea, *Gm. Pl. col.* 180. *Ictinea plumbea*, *Vieill.* *Milvus cenchris*, *Vieill. Ois. de l'Amer. Sept.* t. 10, bis. *Nertus plumbeus*, *Boie.* *Buteo plumbeus*, *Cuv.* *Ictinia (Pœciloptyx) plumbea*, *Kaup. Spix, Av. Bras.* t. 8.

South America, (Brazil, Guiana) and Mexico.

S. ROSTRHAMUS.

Rostrhamus, *Less.* 1831.

182. ROSTRHAMUS SOCIABILIS. B. M.
Herpetotheres sociabilis, *Vieill.* *Falco hamatus*, *Illig. Pl. col.*
 61, 231. *F. leucopygus*, *Spix, Av. Bras.* t. 2. *Buteo hamatus*,
Vieill. *Cymindis hamatus*, *Cuv.* *Rostrhamus sociabilis*, *D'Orb.*
& Lafr. *R. hamatus*, *G. R. Gr.* *R. niger*, *Less. Mag. Zool.*
 (1834) *Ois.* t. 20.

S. America, (Brazil).

vi. ACCIPITRINÆ.

Accipitrinæ, *Sw.* 1837; *Pr. B.* 1838—49—50; *G. R. Gr.* 1840—
 41—49; *Kaup*, 1847; *Bl.* 1849.

Accipitrina, *Vigors*, 1825.*Falconinæ*, p. *Pr. B.* 1831.*Circinæ*, p. *Bl.* 1849.

1. ASTUR.

a. *Astur*, *Lacep.* 1800—01.*Dædalion*, *Sav.* 1809.*Sparvius*, *Vieill.* 1816.

183. ASTUR PALUMBARIUS. B. M.
Falco palumbarius, *L. Pl. enl.* 418, 461, 423. *F. gentilis*, *L.*
F. gallinarius, *Gm.* *F. albescens*, *Bodd.* *Astur palumbarius*,
Bechst. *A. gallinarum*, *Brehm.* *Dædalion palumbarius*, *Sav.*
Accipiter astur, *Pall. Zoogr.* t. 11. *A. palumbarius*, *Jenyns.*
Buteo palumbarius, *Flem.* *B. gallinarius*, *Bechst.* *Gould, B.*
of Eur. i. pl. 17. *Yarr. Brit. B.* 2 edit. i. fig. p. 62.

Great Britain, Europe, Nepal and N.-E. Africa.

184. ASTUR ATRICAPILLUS. B. M.
Falco atricapillus, *Wils. Amer. Orn.* pl. 52, f. 3. *F. regalis*,
Temm. Pl. col. 495. *Sparvius atricapillus*, *Vieill.* *Dædalion*
pictum, *Less.* *Astur palumbarius*, p. *Kaup. Fauna Bor.-*
Amer. Birds, pl. 26. *Pr. B. Amer. Orn.* pl. 10, f. 1. *Jard.*
& Selby, Ill. Ornith. pl. 121.

N. America.

185. *ASTUR MELANOLEUCUS.*

B. M.

Astur melanoleucus, *A. Smith*, *Ill. S. Afr. Zool.* pl. 18. *A. Smithii*, *Kaup*. *Accipiter melanoleucus*, *A. Smith*.

S. Africa.

b. *Spizageranus*, *Kaup*, 1845.186. *ASTUR UNICINCTUS.*

B. M.

Falco uncinatus, *Temm. Pl. col.* 313. *F. anthracinus*, *Licht.* *Nisus uncinatus*, *Less.* *Astur uncinatus*, *Cuv.* *Buteo Harrisii*, *Aubub. B. of Amer.* pl. 392. *B. uncinatus*, *G. R. Gr.* *Polyborus tæniurus*, *Cab.* *Tschudi, Fauna Per.* t. 1. *Hypomorphnus uncinatus*, *Cab.* *Asturina (Spizageranus) uncinatus*, *Kaup*.

S. America, (Brazil, Peru, Chili) and Mexico (?)

c. *Leucospiza*, *Kaup*, 1844.187. *ASTUR NOVÆ HOLLANDIÆ.*

B. M.

Falco novæ hollandiæ, *Gm.* *F. albus*, *Shaw.* *F. leucaëtos*, *Forst.* *F. clarus*, *Lath.* *Astur novæ hollandiæ*, *Cuv.* *A. albus*, *Sw.* *A. Rayii*, *Vig. & Horsf.* *Sparvius niveus*, *Vieill.* *Dædalion candidum*, *Less.* *Astur (Leucospiza) novæ hollandiæ*, *Kaup. Jard. & Selby, Illustr. Orn.* pl. 1. *Gould, B. of Austr.* pl. *White's Bot. Bay*, pl. p.

New South Wales; S. and N. Australia.

d. *Lophospiza*, *Kaup*, 1844.188. *ASTUR TRIVIRGATUS.*

B. M.

Falco trivirgatus, *Temm. Pl. col.* 303. *F. anceps*, *Temm.* *Astur trivirgatus*, *Cuv.* *A. cristatus*, *G. R. Gr.* *A. palumbarius*, *Jerd.* *A. indicus*, *Hodgs.* *Spizaëtus rufistinctus*, *McClell.* *Astur (Lophospiza) trivirgatus*, *Kaup.* *Dædalion trivirgatum*, *Less.*

W. India, Philippine Islands and Sumatra.

189. *ASTUR GRISEICEPS.*

Astur griseiceps, *Temm.* *Astur trivirgatus*, p. ? *Pr. B.* *Astur (Lophospiza) griseiceps*, *Kaup.*

Celebes.

190. *ASTUR TRINOTATUS.*

Astur trinotatus, *Temm.* *Accipiter trinotatus*, *Pr. B. Consp.* p. 33. *Astur (Lophospiza) trinotatus*, *Kaup.*

Celebes.

191. *ASTUR LONGICAUDUS.*

Falco longicaudus, *Garn. Voy. de la Coqu.* t. 10. *Dædalion longicauda*, *Less.*

New Guinea.

e. *Asturina*, *Vieill.* 1816.

Rupornis, *Kaup*, 1844.

192 *ASTUR NITIDUS.*

B. M.

Falco nitidus, *Lath.* *F. striolatus*, *Temm. Pl. col.* 87, 294. *Dædalion nitidus*, *Less.* *Astur nitidus*, *Steph.* *A. striolatus*, *Cuv.* *Asturina cinerea*, *Vieill. Gal. des Ois.* t. 20. *A. nitida*, *Kaup.*

S. America, (Brazil, Bahia, Caraccas, Guiana) and Mexico.

193. *ASTUR POLIOGASTER.*

B. M.

Falco poliogaster, *Temm. Pl. col.* 264, 295. *Astur poliogaster*, *Cuv.* *Nisus pileatus*, *Tschudi.* *N. poliogaster*, *Less.* *Asturina poliogaster*, *Kaup.*

S. America, (Brazil, Peru).

194. *ASTUR LEUCORRHOUS.*

Falco leucorrhous, *Quoy & Gaim. Voy. de l'Uranie*, t. 13. *Astur leucorrhous*, *Cuv.* *Nisus leucorrhous*, *Cab.* *Dædalion leucorrhous*, *Less.* *Asturina leucorrhous*, *Kaup.*

S. America, (Caraccas).

195. *ASTUR MAGNIROSTRIS.*

B. M.

Falco magnirostris, *Gm. Pl. enl.* 464. *Pl. col.* 86. *F. insectivorus*, *Spix, Av. Br.* t. 8, a. *Astur magnirostris*, *Steph.* *Nisus magnirostris*, *Cuv.* *Asturina magnirostris*, *Pr. B.* *Asturina (Rupornis) magnirostris*, *Kaup.*

S. America, (Guiana, Brazil, Caraccas, Bolivia).

196. *ASTUR ALBIFRONS.*

Asturina albifrons, *Kaup, Isis*, 1847, t. f. *Astur albifrons*, *G. R. Gr.*

S. America.

Examine, *Astur rufitorques*, *Peale*, *U. S. Expl. Expd.* viii. p. 68, pl. 19.

Feejee Islands.

Astur ——— ? *Griff. An. Kingd.* i. pl. p. 236.

f. *Melierax*, *G. R. Gr.* 1840.

197. *ASTUR CANORUS*.

B. M.

Falco canorus, *Thunb.* *F. musicus*, *Daud. Levaill. Ois. de l'Afr.* t. 27. *F. polyzonus*, *Rüpp. Fauna Abyss.* t. 15, f. 1. *Nisus musicus*, *Cuv.* *N. canorus*, *Less.* *Melierax musicus*, *G. R. Gr. Pr. B.* *M. polyborus*, *Pr. B.* *Astur musicus*, *Sw. Less.* *Nisus (Melierax) musicus*, *Kaup.* *Astur (Melierax) cantans*, *Kaup.* *Accipiter musicus*, *Vig.*

S. and N-E. Africa.

g. *Micronisus*, *G. R. Gr.* 1840.

Nisastur, *Bl.* 1844.

198. *ASTUR SPHENURUS*.

B. M.

Falco sphenurus, *Rüpp. Syst. Uebers. von Nord-Ost-Afr.* t. 2. *Micronisus sphenurus*, *G. R. Gr.* *Accipiter brachydactylus*, *Sw.* *A. polyzonoïdes*, *A. Smith, Ill. S. Afr. Zool.* pl. 11. *A. sphenurus*, *G. R. Gr.* *Nisus sphenurus*, *Rüpp.* *Astur (Micronisus) Ruppellii*, *Kaup.* *Melierax sphenurus*, *Hartl.*

S., W. and N.-E. Africa.

199. *ASTUR BADIUS*.

B. M.

Falco badius, *Gm. Brown's Illustr.* pl. 3. *F. Brownii*, *Shaw.* *F. Dussumieri*, *Temm. Pl. col.* 308, 336. *Micronisus badius*, *G. R. Gr.* *Astur Dussumieri*, *Cuv.* *Sparvius badius*, *Vieill.* *Nisus Dussumieri*, *Less.* *N. manillensis* *Meyen, Nova Acta, &c.*, 1834, *Suppl.* t. 9. *Accipiter dukhunensis*, *Sykes.* *A. fringillarius*, *Jerd.* *A. scutarius* et *A. fringillaroides*, *Hodgs.* *A. badius*, *G. R. Gr.* *Astur (Micronisus) badius*, *Kaup.*

India and Malayan Archipelago.

200. ASTUR GABAR.

B. M.

Falco gabar, *Daud. Levaill. Ois. de l'Afr. t. 33. Pl. col. 122,*
140. Micronisus gabar, *G. R. Gr. Pr. B. M. niger, Pr. B.*
Nisus gabar et N. niger, *Cuv. Accipiter erythrorhynchus, Sw.*
A. gabar, *Vig. Astur (Micronisus) gabar, Kaup. Falco*
Banksii, Temm. Sparvius niger et S. leucorrhous, Vieill.
Accipiter niger, *Gould, Syn. B. of Austr. iii. pl. f. 1. Melie-*
rax gabar, *Hartl.*

Greece and Africa.

201. ASTUR MONOGRAMMICUS.

B. M.

Falco monogrammicus, *Temm. Pl. col. 314. Sw. B. of W.*
Afr. i. pl. 4. Accipiter monogrammicus, G. R. Gr. Astur
monogrammicus, *Cuv. Micronisus monogrammicus, Pr. B.*
Astur (Micronisus) monogrammicus, *Kaup. Nisus monogram-*
micus, *Less. Melierax monogrammicus, Hartl.*

W. Africa.

2. ACCIPITER.

a. Accipiter, *Briss. 1760.*

Nisus, *Cuv. 1799—1800.*

Ierax, *Leach, 1816.*

202. ACCIPITER NISUS.

B. M.

Falco nisus, *L. Pl. enl. 467, 412. F. lacteus, Gm. Sparvius*
nisus, *Vieill. Accipiter nisus, Pall. Zool. t. 12. Gould, B.*
of Eur. i. pl. 18. A. fringillarius, Ray. A. nisosimilis, Tick.
A. subtypicus, *Hodgs. Nisus communis, Cuv. N. elegans, N.*
fringillarum et N. peregrinus, *Brehm. N. fringillarius, Kaup.*
Ierax fringillarius, *Leach. Buteo nisus, Flem. Astur nisus,*
Keys & Bl. A. nisus et A. major, Degland. Yarr. Brit. B.
2 edit. i. fig. p. 67.

Great Britain, Europe, Asia minor, Japan and N.-E. Africa.

203. ACCIPITER ERYTHRONEMIA.

B. M.

Accipiter erythronemia, *G. R. Gr. Falco nisoïdes, Cuv. MSS.*
S. America (Chili, Brazil!)

204. ACCIPITER TACHIRO.

B. M.

Falco tachiro, *Daud. Levaill. Ois. de l'Afr. t. 24. Pl. col. 377,*
420. F. polyzonos, *Temm. F. unduliventer, Rüpp. Fauna*
Abyss. t. 18, f. 1. Buteo tachiro, Cuv. Accipiter tachiro, G.
R. Gr. Nisus polyzonos, Less. N. tachiro, Cuv. N. unduli-
venter, *Rüpp. Astur tachiro, Less.*

N.-E. and S. Africa.

205. ACCIPITER RUFIVENTRIS. B. M.
Accipiter rufiventris, *A. Smith, Ill. Zool. S. Afr. Birds*, pl. 93.
Falco exilis, *Temm. Pl. col.* 496. *F. perspicillatus*, *Rüpp. Fauna Abyss.* t. 18, f. 2. *Nisus perspicillatus*, *Kaup*. *N. exilis*, *Less.* *Dædalion perspicillatus*, *Rüpp.*

N.-E. and S. Africa.

206. ACCIPITER FUSCUS. B. M.
Falco fuscus, *Gm.* *F. pennsylvanicus*, *Wils. Amer. Orn.* pl. 46, f. 1, *Pl. col.* 67. *F. velox*, *Wils. Amer. Orn.* pl. 45, f. 1. *F. dubius* et *F. obscurus*, *Gm.* *Accipiter fuscus*, *G. R. Gr.* *A. striatus*, *Vieill. Ois. de l'Amer. Sept.* t. 14. *A. pennsylvanicus* et *A. velox*, *Steph.* *A. mexicanus*, *Sw.* *A. fringilloides*, *Vigors?* *Nisus Malfini*, *Less.* *N. pennsylvanicus* et *N. velox*, *Cuv.* *N. striatus*, *D'Orb. & Lafr.* *Sparvius lineatus*, *S. striatus* et *S. ardosiacus*, *Vieill.*

N. and S. America.

- 207? ACCIPITER FERRUGINEUS,
Falco ferrugineus, *Erman, Verz. Thier und Pflanz.* p. 16.

S. America (Brazil).

208. ACCIPITER PILEATUS. B. M.
Falco pileatus, *Pr. Max. Pl. col.* 205. *Nisus pileatus* et *N. variatus*, *Cuv.* *Accipiter pileatus*, *Steph.* *Sparvius guttatus* et *S. major*, *Vieill.*

S. America (Brazil, Chili).

209. ACCIPITER COOPERI.
Falco Cooperi, *Pr. B. Amer. Orn.* pl. 10, f. 1. *F. Stanleyi*, *Audub. B. of Amer.* pl. 56. *Accipiter Cooperi*, *G. R. Gr.* *Astur Cooperi*, *Pr. B.*

N. America (New Jersey).

210. ACCIPITER MADAGASCARIENSIS. B. M.
Accipiter madagascariensis, *Verr.*

Madagascar.

b. *Hieraspiza*, *Kaup*, 1844.

211. ACCIPITER TINUS. B. M.
Falco tinus, *Lath.* *F. superciliosus*, *L.?* *Accipiter tinus*, *G. R. Gr.* *Sparvius minutus* et *S. subniger*, *Vieill.* *Nisus (Hieraspiza) tinus*, *Kaup.*

S. America.

212. ACCIPITER MINULLUS. B. M.
Falco minullus, Daud. *Levaill. Ois. de l'Afr.* t. 54. *Accipiter minullus*, Steph. *Nisus minullus*, Cuv. *Nisus* (*Hieraspiza*) *minullus*, Kaup.

S. Africa.

213. ACCIPITER VIRGATUS. B. M.
Falco virgatus, Temm. *Pl. col.* 109. *F. minutus*, Linn. ?
F. Brissonianus, Shaw ? *F. Delafonii*, H. Smith, *Griff. Anim. Kingd.* i. pl. p. 239. *Accipiter virgatus*, Steph. *A. besra*, Jerd. *Ill. Ind. Orn.* pl. 4. *A. affinis*, Hodgs. *A. nisoides*, Bl. ?
Nisus virgatus, Cuv. *N. minutus*, Less. *N. gularis*, Temm. & Schl. *Fauna Jap.* t. 2. *Nisus* (*Hieraspiza*) *virgatus*, Kaup.

N. India, Java and Japan.

c. *Urospiza*, Kaup, 1845.

214. ACCIPITER CIRRHOCEPHALUS. B. M.
Sparvius cirrhocephalus, S. *tricolor* et *S. melanops*? Vieill. *Accipiter cirrhocephalus*, G. R. Gr. *A. torquatus*, Vig. & Horsf. Gould, *B. of Austr.* i. pl. 19. *F. nisus*, var. et *F. melanops*, Lath. ? *Nisus australis*, Less. *Nisus* (*Urospiza*) *torquatus*, Kaup. *Astur* (*Micronisus*) *torquatus*, Kaup. *Nisus tricolor*, Kaup.

Australia.

215. ACCIPITER TORQUATUS.
Astur cruentatus, Gould, *B. of Austr.* i. pl. 18. *Nisus* (*Urospiza*) *cruentus*, Kaup. *Falco torquatus*, Temm. *Pl. col.* 43, 93. *Accipiter cruentatus*, G. R. Gr. *Nisus torquatus*, Kaup.

W. and N. ? Australia.

216. ACCIPITER APPROXIMANS. B. M.
Astur approximans et *A. fasciatus*, Vig. & Horsf. *A. radiatus*, Cuv. Gould, *B. of Austr.* i. pl. 17. *Falco radiatus*, Temm. *Pl. col.* 123. *Astur radiatus*, Cuv. *Nisus* (*Urospiza*) *radiatus* et *N. (U.) approximans*, Kaup. *Accipiter approximans*, G. R. Gr.

New South Wales and S. and N. Australia.

217. ACCIPITER RADIATUS.

B. M.

Falco radiatus, *Lath. Gen. Syn. Suppl.* pl. 121. *Gould, B. of Austr.* i. pl. *Astur radiatus*, *Steph.* *A. testaceus*, (Ernest) *Kaup.* *Sparvius radiatus*, *Vieill.* *Haliaëtus Calei*, *Vig. & Horsf.* *Accipiter radiatus*, *G. R. Gr.*

New South Wales.

218.? ACCIPITER HIOGASTER.

Falco hiogaster, *Müll. & Schl.* *Accipiter virgatus*, p. *G. R. Gr.* *A. hiogaster*, *Pr. B.* *Nisus (Urospiza) hiogaster*, *Kaup, Voy. au Pole Sud, Ois.* t. 2, f. 1.

Amboina.

d. *Tachyspiza*, *Kaup*, 1844.

219. ACCIPITER SOLOENSIS.

B. M.

Falco soloënsis, *Horsf.* *F. cuculoides*, *Temm. Pl. col.* 110, 129. *Nisus soloënsis*, *Less.* *N. cuculoides*, *Cuv.* *Accipiter soloënsis*, *Steph.* *Nisus (Tachyspiza) soloënsis*, *Kaup.*

N. China and Java.

e. *Scelospiza*, *Kaup*, 1847.

220. ACCIPITER FRANCESII.

B. M.

Accipiter Francesii, *A. Smith.* *Nisus (Scelospiza) Francesii*, *Kaup.*

Madagascar.

221? ACCIPITER CARBONARIUS.

Accipiter carbonarius, *Licht.*

Africa.

3. HERPETOTHERES.

a. *Herpetotheres*, *Vieill.* 1818.*Physeta*, *Vieill.* 1816.*Macagua*, *Less.* 1831.*Cachinna*, *Flem.* 1822.

222. HERPETOTHERES CACHINNANS.

B. M.

Falco cachinnans, *L. Spix, Av. Bras.* t. 3, a. *Herpetotheres cachinnans*, *Vieill. Gal. des Ois.* t. 19. *Cachinna herpetotheres*, *G. R. Gr.* *Astur cachinnans*, *Cuv.* *Macagua cachinnans*, *Less.* *Circaëtus (Herpetotheres) cachinnans*, *Kaup.*

S. America, (Brazil, Guiana) and Mexico.

- b. *Micrastur*, *G. R. Gr.* 1841.
Brachypterus, *Less.* 1837.
Climacocercus, *Cab.* 1844.
Carnifex, *Less.*
Climacourus, *Pr. B.* 1850.

223. HERPETOTHERES MELANOLEUCUS. B. M.
Falco brachypterus, *Temm. Pl. col.* 141, 116. *F. leucomelas*,
Ill. *Sparvius semitorquatus*, *S. ruficollis* et *S. melanoleucus*,
Vieill. *Nisus brachypterus*, *Cuv.* *Astur brachypterus*, *Steph.*
Micrastur brachypterus, *G. R. Gr.* *Circaëtus* (*Herpetotheres*)
melanoleucus, et *C. (H.) brachypterus*, *Kaup.*
 S. America (Brazil, Paraguay, Guiana).

224. HERPETOTHERES CONCENTRICUS. B. M.
Falco concentricus, *Ill.* *Nisus concentricus*, *Less.* *Micrastur*
concentricus, *G. R. Gr.* *Sparvius gilvicollis*, *Vieill.* *Circaëtus*
(*Herpetotheres*) *concentricus*, *Kaup.* *Climacocercus con-*
centricus, *Cab.*
 S. America (Peru).

225. HERPETOTHERES XANTHOTHORAX, B. M.
Falco xanthothorax et *F. leucauchen*, *Temm. Pl. col.* 92, 306.
Astur leucauchen, *Cuv.* *Astur xanthothorax*, *Steph.* *Nisus*
xanthothorax, *Cuv.* *N. leucauchen*, *Less.* *Micrastur xantho-*
thorax, *G. R. Gr.* *Circaëtus* (*Herpetotheres*) *xanthothorax*,
Kaup.
 S. America (Guiana, Brazil).

226. HERPETOTHERES GUERILLA.
Micrastur guerilla, *Cass.*
 Mexico.

4. GERANOSPIZA.

Geranospiza, *Kaup*, 1847.
Ischnoscelis, *Strickl.* 1844.
Geranopus, *Kaup*, 1850.

227. GERANOSPIZA GRACILIS. B. M.
Falco gracilis et *F. hemidactylus*, *Temm. Pl. col.* 91, 3. *F.*
Wiedii, *brasiliensis*, *Griff. Anim. Kingd.* i. pl. p. 238. *Nisus*
hemidactylus, *Cuv.* *N. gracilis*, *Less.* *Sparvius cærulescens*,
Vieill. *Astur hemidactylus* et *A. gracilis*, *Steph.* *Brachyp-*
terus hemidactylus et *B. gracilis*, *Less.* *Ischnoscelis gracilis*,
Strickl. *Geranospiza gracilis* et *Geranopus gracilis*, *Kaup.*
 S. America (Brazil, La Plata) and the Island of Puna.

228. ? GERANOSPIZA NIGRA.

Ischnocelis niger, *Dubus*. *Geranospiza nigra*, *G. R. Gr.*
S. America.

vii. CIRCINÆ.

Circinæ, *Pr. B.* 1838—49—50. *G. R. Gr.* 1840—41—45. *Bl.* 1849.

Buteonina, p. *Vigors*. 1825.

Falconinæ, p. *Pr. B.* 1831.

Buteoninæ, p. *Sw.* 1837.

Milvinæ, p. et *Aquilinæ*, p. *Kaup*, 1847.

Polyborinæ, p. *Pr. B.* 1849.

I. CIRCUS.

a. *Circus*, *Lacep.* 1800—1801.
Pygargus, *Koch*, 1816.

229. CIRCUS ÆRUGINOSUS.

B. M.

Falco æruginosus, *L.* *Pl. enl.* 460, 424. *F. rufus*, *Gm.* *F. arundinaceus*, *Bechst.* *F. Krameri*, *Kram.* *Circus æruginosus*, *Sav.* *C. variegatus*, *Sykes.* *C. rufus*, var. *indicus* et *C. Sykesi*, *Less.* *C. rufus*, *Eyton.* *Buteo æruginosus*, *Flem.* *B. rufus*, *Jenyns.* *Accipiter circus*, *Pall.* *Pygargus rufus*, *Koch.* *Gould*, *B. of Eur.* pl. 32. *Yarr. Brit. B.* 2 edit. i. fig. p. 97.

Great Britain ; Europe, Asia and N.-E. Africa.

230. CIRCUS RANIVORUS.

B. M.

Falco ranivorus, *Daud.* *Levaill. Ois. de l'Afr.* t. 23. *Circus ranivorus*, *Vieill.* *Pygargus ranivorus*, *Kaup.*

S. Africa.

231. CIRCUS GOULDII.

B. M.

Circus assimilis, *Gould*, *B. of Austr.* pl. 26. *C. Gouldii*, *Pr. B.*

Australia (except the Northern) and New Zealand.

232. CIRCUS SPILONOTUS.

Circus spilonotus, *Kaup.*

India.

b. *Strigiceps*, *Pr. B.* 1831.

233. *CIRCUS CYANEUS*. B. M.
Falco cyaneus, et *F. pygargus*, *L. Pl. enl.* 443, 480. *F. bohemicus*, *F. albicans*, *F. griseus*, et *F. montanus*, *Gm.* *F. cinereus*, et *F. rubiginosus*, *St. Poseg.* *F. strigiceps*, *Nils.* *Accipiter variabilis*, *Pall.* *Circus cyaneus*, *Boie.* *C. gallinarius*, *Sav.* *C. pygargus*, *Cuv.* *C. Ægithus*, *Leach.* *Pygargus dispar*, *Koch.* *Buteo cyaneus*, *Jenyns.* *Strigiceps pygargus*, et *S. cyaneus*, *Pr. B.* *Gould, B. of Eur.* pl. 33. *Yarr. Brit. B.* 2 edit. i. fig. p. 101. *Falco hudsonius*, *L. Wils. Amer. Orn.* pl. 51, f. 2. *Vieill. Ois. de l'Amer. Sept.* t. 9. *Pr. B. Amer. Orn.* pl. 12. *F. uliginosus*, *F. variegatus*, *F. albidus*, et *F. Buffonii*, *Gm.* *F. europogistus*, *Bosc. Vieill. Ois. de l'Amer. Sept.* t. 8. *Circus hudsonius*, *C. uliginosus*, et *C. variegatus*, *Vieill.* *Circus (Strigiceps) cyaneus*, *Pr. B.* *C. (S.) uliginosus*, *Kaup.* *Buteo (Circus) cyaneus*? var.? *Americanus*, *Sw. & Rich. Fauna Bor.-Amer.* ii. pl. 29. *Strigiceps hudsonius*, *Pr. B.*

Great Britain; Europe, Siberia, N. Africa and N. America.

234. *CIRCUS MELANOLEUCUS*. B. M.
Falco melanoleucus, *Gm. Levaill. Ois. de l'Afr.* t. 32. *F. herbicola*, *Tick.* *Circus melanoleucus*, *Vieill.* *Circus (Strigiceps) melanoleucus*, *Kaup.* *Strigiceps melanoleucus*, *Pr. B.*
 India.

235. *CIRCUS CINEREUS*. B. M.
Falco histrionicus, *Quoy & Gaim. Voy. de l'Uranie*, t. 15, 16. *Circus cinereus*, *Vieill.* *C. poliopterus*, *Cab.?* *Circus (Strigiceps) histrionicus*, *Kaup.* *Strigiceps histrionicus*, *Pr. B.*
 S. America (Chili) and Falkland Islands.

- 236? *CIRCUS ACOLI*. B. M.
Falco acoli, *Daud. Levaill. Ois. de l'Afr.* t. 31. *Circus acoli*, *Vieill.* *C. cinereus*, p. *Kaup.* *Circus (Strigiceps) acoli*, *Kaup.* *Strigiceps histrionicus*, p. *Pr. B.*
 S. Africa?

237. *CIRCUS FRENATUS*.
Falco frenatus, *Ill.* *Circus campestris*, *Vieill.* *C. cinereus*, p. *G. R. Gr.*
 S. America.

238. *CIRCUS ATER*. B. M.
Circus ater, *Vieill.* *C. Lalandi*, *A. Smith*, *Ill. S. Afr. Zool. Birds*, pl. 58. *Falco maurus*, *Temm. Pl. col.* 461. *Circus* (*Strigiceps*) *maurus*, *Kaup.* *Strigiceps ater*, *Pr. B.* *C. cineraceus*, var. ?
 S. and N.-E. Africa.

c. *Glaucopteryx*, *Kaup*, 1844.

239. *CIRCUS CINERACEUS*. B. M.
Falco cineraceus, et *F. cinerarius*, *Mont.* *Gould, B. of Eur.* pl. 35. *Yarr. Brit. B.* 2 edit. i. fig. p. 107. *Circus cineraceus*, *Cuv.* *C. Montagui*, *Vieill.* *C. cineraceus*, s. *pallidus*, et *C. nipalensis*, *Hodgs.* *C. cinerarius*, *Leach.* *C. cinerascens*, *Steph.* *Buteo cineraceus*, *Flem.* *Circus* (*Glaucopteryx*) *cineraceus*, *Kaup.* *Strigiceps cinerascens*, *Pr. B.*
 Great Britain ; Europe, and India.

240. *CIRCUS SWAINSONI*. B. M.
Circus Swainsoni, *A. Smith*, *Ill. S. Afr. Zool.* pl. 43, 44. *C. albescens*, *Less.* *C. pallidus*, *Sykes.* *C. dalmaticus*, *Rüpp. Mus. Senk.* 1834, t. 11. *C. Feldeggii*, *Bruch.* *Falco æquipar*, *Cuv. MSS.* *Circus* (*Glaucopteryx*) *Swainsoni*, *Kaup.* *Strigiceps Swainsoni*, *Pr. B. Pl. enl.* 459.
 Dalmatia, Greece, India and S. Africa.

d. *Spizacircus*, *Kaup*, 1845.

241. *CIRCUS MACROPTERUS*. B. M.
Circus macropterus, et *C. albicollis*, *Vieill.* *C. superciliosus*, *Less. Tr. d'Orn.* t. 3, f. 1. *C. megaspilus*, *Gould.* *C. palustris*, *Cuv.* *Falco palustris*, *Pr. Max.* *Circus* (*Spizacircus*) *macropterus*, *Kaup. Pl. col.* 22.
 S. America (Brazil, Cayenne).

e. *Spilocircus*, *Kaup*, 1847.

242. *CIRCUS JARDINII*.

Circus Jardinii, *Gould*, *B. of Austr.* i. pl. 27. *C. assimilis*,
Jard. & Selby, *Illustr. of Orn.* pl. 51. *Circus* (*Spilocircus*)
Jardinii, *Kaup*. *Strigiceps Jardinii*, *Pr. B.*

New South Wales and S. Australia.

Examine, *Circus cærulescens*, *Vieill.*

S. America.

Circus leucophrys, *Vieill.*

India.

Falco javanica, *Gm.* *Circus javanicus*, *Vieill.*

Java.

Circus approximans, *Peale*, *U. S. Expl. Exped.* viii. p. 64,
pl. 18.

Feejee Islands.

2. *POLYBOROIDES*.

Polyboroides, *A. Smith*, 1830.

Gymnogenys, *Less.* 1830.

243. *POLYBOROIDES RADIATUS*.

B. M.

Vultur radiatus, *Scop. Sonn. Voy. Ind.* t. 103. *Falco mada-*
gascariensis, *Daud.* *F. gymnogenys*, *Temm. Pl. col.* 307.
Sparvius madagascariensis, *Vieill.* *Polyboroides*, *typus*, *A.*
Smith. Ill. S. Afr. Zool. pl. 81, 82. *P. radiatus*, *G. R. Gr.*
Gymnogenys madagascariensis, *Less.* *Nisus gymnogenys*,
Cuv. *Circaëtus (Gymnogenys) radiatus*, *Kaup.*

S.-W. and N.-E. Africa and Madagascar.

IV. SERPENTARIDÆ.

Serpentaridæ, *Selys*, 1842.

Gypogeranidæ, *Steph.* 1825. *Pr. B.* 1831—49—50; *Kaup*, 1847.

Gypogeranides, *Sundev.* 1835.

Falconidæ, p. *G. R. Gr.* 1840—41.

i. SERPENTARINÆ.

Gypogeraninæ, *Pr. B.* 1849—50.

Circinæ, p. *G. R. Gr.* 1840—41.

1. SERPENTARIUS.

Serpentarius, *Cuv.* 1797—1798.

Sagittarius, *Vosm.* 1767.

Secretarius, *Dum.* 1806.

Gypogeranius, *Illig.* 1811.

Ophiotheres, *Vieill.* 1816.

244. SERPENTARIUS SECRETARIUS.

B. M.

Otis secretarius, *Scop. Sonn. Voy. Ind.* t. 50. Falco serpen-

tarius, *Gm. Pl. enl.* 721. Serpentarius reptilivorus, *Daud.* S.

africanus, *Shaw.* S. cristatus, *Less. Levaill. Ois. de l'Afr.* t.

25. Ophiotheres cristatus, *Vieill.* Gypogeranus africanus, *A.*

Smith. G. capensis, G. gambensis, et G. philippensis, *Ogilby.*

S.-W. and N.-E. Africa.

SUBORDER II. ACCIPITRES NOCTURNI.

Accipitres nocturni, *Vieill.* 1816; *Cuv.* 1817.

Nycteriens, *Cuv.* 1799—1800.

Ægoli, *Vieill.* 1816.

Notturni, *Ranz.* 1823.

I. STRIGIDÆ.

Strigidæ, *Leach*; *Vig.* 1825; *Sw.* 1831—37; *Pr. B.* 1838—49—50; *G. R. Gr.* 1840—41—45; *Bl.* 1849; *Kaup.* 1849.

Strixidæ, *D'Orb. & Lafr.* 1837.

Strigides, *Sundev.* 1835.

Falconidæ, p. *Pr. B.* 1831.

i. SURNINÆ.

Surninæ, *Pr. B.* 1838—49—50; *G. R. Gr.* 1840—41—45; *Cass.* 1849; *Kaup.* 1849.

Noctuina, *Vig.* 1825.

Buboninæ, p. et Atheninæ, *Bl.* 1849.

Atheninæ, Nycteininæ et Striginæ, p. *Cass.* 1849.

1. SURNIA.

Surnia, *Dum.* 1806.

Syrnia, *Steph.* 1826.

245. SURNIA ULULA.

B. M.

Strix ulula et *S. funerea*, *L. Pl. enl.* 463. *S. doliata*, *Pall.*
S. hudsonia, *Gm.* *S. nisoria*, *Meyer.* *S. arctica*, *Sparr.* *Surnia nisoria*, *Cuv.* *Surnia funerea* et *S. nisoria*, *Brehm.* *S. ulula*, *Pr. B.* *S. borealis*, *Less.* *Syrnium nisoria*, *Kaup.*
Gould, B. of Eur. pl. 45. *Wils. Amer. Orn.* pl. 50, f. 6. *Audub. B. of Amer.* pl. 378. *Yarr. Brit. B.* 2 edit. i. fig. p. 146.

Great Britain! N. and W. Europe, Siberia and N. America.

246. SURNIA CHOUCOU.

Strix choucou, *Lath.* *S. africana*, *Shaw.* *Levaill. Ois. de l'Afr.* t. 38. *Surnia choucou*, *Less.* *S. africana*, *Steph.*

S. Africa.?

247. SURNIA NISUELLA.

Strix nisuellæ, Lath. *Levaill. Ois. de l'Afr.* t. 39. *Surnia? nisuellæ*, Steph.

S. Africa?

2. NYCTEA.

Nyctea, Steph. 1825.

Nyctia, Sw. 1837.

248. NYCTEA NIVEA.

B. M.

Strix nyctea, L. *Pl. enl.* 458. *Gould, B. of Eur.* pl. 43. *S. nivea*, Daud. *Levaill. Ois. de l'Afr.* t. 45. *S. candida*, Lath. *S. erminea*, Shaw. *Nyctea nivea*, Pr. B. *N. erminea*, Steph. *Nyctia candida*, Sw. *Surnia nyctea*, Selby. *Syrnium nyctea*, Kaup. *Noctua nyctea*, Cuv. *N. nivea*, Less. *Surnia (Nyctea)* ——— Kaup. *Wils. Amer. Orn.* pl. 23, f. 1. *Audub. B. of Amer.* pl. 121. *Vieill. Ois. de l'Amer. Sept.* t. 18. *Yarr. Brit. B.* 2 edit. i. fig. p. 141.

Great Britain; N. Europe and N. America.

3. ATHENE.

a. *Athene*, Boie. 1822.

Noctua, Sav. 1809.

Carine, Kaup, 1829.

249. ATHENE NOCTUA.

B. M.

Strix noctua, Retz. *Pl. enl.* 439. *S. passerina*, Lath. *S. nudipes* aut *psylodactyla*, Nils. *S. meridionalis*, Risso. *S. numida*, *Levaill.* *Athene noctua*, G. R. Gr. *A. psilodactyla*, Brehm. *A. passerina*, Boie. *A. gymnopus*, Hodgs. *A. bactrianus*, Bl. *Noctua passerina*, Cuv. *N. glaux*, Sav. *N. veterum*, Licht. *N. meridionalis*, Risso. *Carine passerina*, Kaup. *Gould, B. of Eur.* pl. 48. *Yarr. Brit. B.* 2 edit. i. fig. p. 149.

Great Britain; Europe, W. Asia and N. Africa.

250. ATHENE BRAMA.

B. M.

Strix brama, Temm. *Pl. col.* 68. *S. indica*, Frankl. *S. persica*, *Vieill.?* *Athene brama*, G. R. Gr. *A. indica*, Bl. *Noctua brama*, Cuv. *N. tarayensis*, Hodgs. *N. indica*, Jerd.

India.

251. *ATHENE SUPERCILIARIS*.

Strix superciliaris, *Vieill.* *S. Sonneratii*, *Temm. Pl. col.* 21.
Athene Sonneratii et *A. superciliaris*, *G. R. Gr.* *Noctua Son-*
neratii, *Cuv.*

India (Pondicherry).

252. *ATHENE SYLVATICA*.

Strix sylvatica, *Müll.* *Athene sylvatica*, *Pr. B.*

Sumatra.

253. *ATHENE LEUCOLAIMA*.

—————? *Homb. & Jacq. Voy. au Pole Sud. Ois.*
t. 4, f. 2, 3. *Athene*, sp. 41, *G. R. Gr.* *Athene leucolaima*,
Pr. B.

Malayan Archipelago.

b. *Tænioglaux*, *Kaup*, 1849.

254. *ATHENE CUCULOIDES*.

B. M.

Noctua cuculoïdes, *Vigors, Gould, Cent. of B.* pl. 4. *Athene*
cuculoïdes, *Bl.* *Noctua auribarbis*, *Hodgs.* *Athene (Tænio-*
glaux) cuculoïdes, *Kaup.*

India (Nepal).

255. *ATHENE CASTANOPTERA*.

B. M.

Strix castanoptera, *Horsf.* *S. spadicea*, *Reinw. Pl. col.* 98.
Athene castanoptera, *Bl.* *A. malabarica*? et *A. castanotus*, *Bl.*?
Noctua castanoptera, *Cuv.* *Athene (Tænioglaux) castanoptera*,
Kaup.

India (Java, Banda, Sumatra).

256. *ATHENE ERYTHROPTERA*.

B. M.

Strix erythroptera, *Gould.* *S. radiata*, *Tick.* *Athene erythrop-*
tera, *A. undulata* et *A. radiata*, *Bl.* *Noctua perlineata*, *Hodgs.*
N. cuculoïdes, *Jerd.* *Athene (Tænioglaux) erythroptera*, *Kaup.*

India.

257. *ATHENE OCELLATA*.

—————? *Homb. & Jacq. Voy. au Pole Sud. Ois.* t. 3,
f. 2. *Athene*, sp. 39, *G. R. Gr.* *Athene ocellata*, *Pr. B.*

Malayan Archipelago.

258. *ATHENE VARIEGATA*.

Strix variegata, *Quoy et Gaim. Voy. de l'Astrol.* t. 1, f. 2.
Athene variegata, *G. R. Gr.*

New Ireland.

259. *ATHENE PUNCTULATA*.

Strix punctulata, *Quoy & Gaim. Voy. de l'Astrol. Ois.* t. 1, f. 1.
Athene punctulata, *G. R. Gr.*

Celebes.

260. *ATHENE SQUAMIPILO*.

Athene squamipila, *Pr. B. Consp.* p. 41.

Ceram.

261. *ATHENE GUTERUHI*.

Strix (Athene) guteruhi, *Müll. Verh. Nederl. Ethnogr.* p. 279.
 Timor.

262. *ATHENE JACQUINOTI*.

————— ? *Homb. & Jacq. Voy. au Pole Sud. Ois.* t. 3.
 f. 1. *Athene*, sp. 38, *G. R. Gr.* *Athene Jacquinoti*, *Pr. B.*

Malayan Archipelago.

263. *ATHENE CAPENSIS*.

Noctua capensis, *A. Smith, Ill. S. Afr. Zool.* pl. 53. *Athene*
capensis, *A. Smith.* *Athene (Tænioglaux) capensis*, *Kaup.*

S. Africa.

c. *Nyctipetes*, *Sw.* 1837.
Microglaux, *Kaup*, 1849.

264. *ATHENE PERLATA*.

Strix perlata, *Vieill. Levaill. Ois. de l'Afr.* t. 284. *S. occipitalis*, *Temm. Pl. col.* 34. *Athene perlata*, *G. R. Gr.* *Nyctipetes perlatus*, *Sw.* *Noctua occipitalis*, *Cuv.* *Athene (Microglaux) perlata*, *Kaup.*

S. and W. Africa.

265. *ATHENE LEUCOPSIS*.

Athene leucopsis, *Hartl.*

W. Africa (Island of St. Thomas).

266. *ATHENE LICUA*.

Strix licua, *Licht. Verz. Berl.* 1842, p. 12. *Athene licua*,
Pr. B.

S. Africa.

d. *Pholeoptynx*, *Kaup*, 1849.

267. *ATHENE CUNICULARIA*.

B. M.

Strix cunicularia, *Mol.* *S. grallaria*, *Temm. Pl. col.* 146.
Athene cunicularia, *Pr. B.* *Otus cunicularius* et *Noctua urucurea*, *Cuv.* *N. cunicularia*, *D'Orb. & Lafr.* *N. grallaria*,
Less. *Nyctipetes cunicularia*, *Sw.* *Glaucidium cunicularium*,
Less. *Athene (Pholeoptynx) cunicularia*, *Kaup*.

S. America (Chili, Maldonado).

268? *ATHENE PATAGONICA*.

Athene patagonica, *Peale, U. S. Expl. Exped.* viii. p. 78, t. 22,
f. 2.

S. America (Patagonia).

269? *ATHENE HYPUGÆA*.

Strix cunicularia, *Say.* *S. hypugæa*, *Pr. B. Amer. Orn.* pl. 7,
f. 2. *S. californica*, *Audub. B. of Amer.* pl. 412.? *Surnia*
cunicularia, *Audub.* *Athene socialis*, *Gamb.* *A. hypogæa*,
Pr. B.

N.-W. America.

270. *ATHENE DOMINICENSIS*.

B. M.

Strix dominicensis, *Gm.* *S. cunicularia* et *S. suinda*,? *Vieill.*
Noctua dominicensis, *Cab.* *Athene dominicensis*, *G. R. Gr.*

W. Indies.

e. *Glaucidium*, *Boie*, 1826.

Scotophilus, p. *Sw.* 1837.

271. *ATHENE PUMILA*.

B. M.

Strix pumila, *Ill. Pl. col.* 30. *S. minutissima*, *Pr. Max.* *S.*
ferox, *Vieill.* *Noctua pumila*, *Cuv.* *N. ferox*, *D'Orb. & Lafr.*
Athene pumila, *G. R. Gr.* *A. minutissima*, *Pr. B.* *Glauci-*
dium pumilum, *Less.*

S. America (Brazil, Paraguay, Patagonia, Bolivia).

272. *ATHENE FERRUGINEA.*

B. M.

Strix ferruginea, *Pr. Max. Pl. col.* 199. *S. pumila*, *Licht.*
S. phalaenoides, *Daud. ? Vieill. Ois. de l'Amer. Sept. t.* 15. ?
Noctua ferruginea, *Cuv. Athene ferruginea*, *G. R. Gr. Pr.*
B. Glaucidium ferrugineum, *Less.*

S. America (Brazil) and W. Indies. ?

273. *ATHENE NANA.*

B. M.

Strix nana, *Vigors. Athene nana*, *G. R. Gr. & Mitch. Gen.*
of B. pl. 12. *Glaucidium nanum*, *Boie.*

S. America (Str. of Magellan).

274. *ATHENE RUFIPES.*

Strix rufipes, *King. Athene rufipes*, *G. R. Gr.*

S. America (Str. of Magellan).

275. *ATHENE INFUSCATA.*

B. M.

Strix infuscata et *S. passerinoides*, *Temmm. Pl. col.* 344. *Glaucidium gnoma*, *Wagl. G. passerinoides*, *Less. Surnia passerinoides*, *Audub. ? Noctua passerinoides*, *Less. Athene passerinoides* et *A. gnoma*, *G. R. Gr. A. infuscata*, *Pr. B.*

S. America (Brazil).

276. *ATHENE FUSCA.*

Strix fusca, *Vieill. S. Maugei*, *Temmm. Pl. col.* 46. *Noctua Maugei*, *Cuv. Athene Maugei* et *A. fusca*, *G. R. Gr.*

W. Indies (Antilles).

f. *Taenioptynx*, *Kaup*, 1849.277. *ATHENE BRODEI.*

B. M.

Athene Brodei, *Bl. Noctua Brodei*, *Burt. N. tubiger*, *Hodgs.*
Athene (Taenioptynx) Brodei, *Kaup.*

India (Nepal).

g. *Ninox*, *Hodgs.* 1837.278. *ATHENE SCUTELLATA.*

B. M.

Strix scutulata, *Raffl. S. hirsuta*, *Temmm. Pl. col.* 289. *S. lugubris*, *Tick. S. hirsuta*, *borneensis* et *S. hirsuta*, *japonica*, *Temmm. & Schl. Fauna Jap. t.* 9, *B. Athene scutellata*, *G. R. Gr. A. malayensis*, *Eyton. A. hirsuta*, *A. borneensis* et *A. japonica*, *Pr. B. Noctua hirsuta*, *Cuv. Ninox nipalensis* et *N. Jeridius*, *Hodgs. N. scutulatus* et *N. lugubris*, *Bl.*

India, (Nepal) Malacca, Ceylon, Cochinchina and Japan.

h. *Sceloglaux*, *Kaup*, 1849.279. *ATHENE ALBIFACIES*.

B. M.

Athene albifacies, *G. R. Gr. Voy. of Ereb. & Terr. Birds*, pl. 1. *Noctua venatica*, *Peale, U. S. Expl. Exped.* viii. p. 75, pl. 22, f. 1. *Ninox (Sceloglaux) albifacies*, *Kaup*.

New Zealand.

i. *Hieracoglaux*, *Kaup*, 1849.280. *ATHENE CONNIVENS*.

B. M.

Falco connivens, *Lath.* *Buteo connivens*, *Vieill.* *Butaetes connivens*, *Less.* *Athene connivens* et *A. frontata*, *G. R. Gr. A. ? fortis*, *Gould, B. of Austr.* i. pl. 34. *Noctua frontata*, *Less.* *Ninox (Hieracoglaux) connivens*, *Kaup*.

New South Wales ; S. and W. Australia.

281. *ATHENE STRENUA*.

B. M.

Athene ? strenua, *Gould, B. of Austr.* i. pl. 35. *Ninox (Hieracoglaux) strenuus*, *Kaup*.

New South Wales.

282. *ATHENE RUFA*.

Athene rufa, *Gould, B. of Austr.* pl. 36.

N. Australia.

j. *Spiloglaux*, *Kaup*, 1849.283. *ATHENE NOVÆ ZEALANDIÆ*.

B. M.

Strix novæ zealandiæ, *Gm.* *S. fulva*, *Forst.* *Athene novæ zealandiæ*, *G. R. Gr.* *Surnia novæ zealandiæ*, *Less.* *Noctua zealandiæ*, *Quoy & Gaim. Voy. de l'Astrol.* t. 2, f. 2. *Ninox (Spiloglaux) novæ zealandiæ*, *Kaup*.

New Zealand.

284. *ATHENE MACULATA*.

B. M.

Noctua maculata, *Vig. & Horsf.* *Athene maculata*, *Gould, B. of Austr.* i. pl. 33. *Ninox (Spiloglaux) maculatus*, *Kaup*.

New South Wales, S. Australia and Van Diemen's Land.

285. *ATHENE MARMORATA.*

Athene marmorata, *Gould*. *Ninox* (*Spiloglaux*) *marmoratus*, *Kaup*.

S. Australia.

286. *ATHENE BOOBOOK.*

B. M.

Strix boobook, *Lath.* *Athene boobook*, *Gould*, *B. of Austr.* i. pl. 32. *Noctua boobook*, *Vig. & Horsf.* *Ninox boobook*, *Bl.* *Ninox* (*Spiloglaux*) *boobook*, *Kaup*.

Australia.

k. *Microptynx*, *Kaup*, 1849.

287. *ATHENE PASSERINA.*

B. M.

Strix passerina, *L.* *Gould*, *B. of Eur.* pl. 50. *S. acadia*, *Temm.* *S. pusilla*, *Daud.* *Levaill. Ois. de l'Afr.* t. 46. *S. pygmæa*, *Bechst.* *Athene acadiaca*, *Boie.* *A. passerina*, *G. R. Gr.* *Glaucidium passerinum*, *Boie.* *Surnia* (*Microptynx*) *passerina*, *Kaup*.

N. Europe ; S. and N.-E. Africa.

288. *ATHENE ELATA.*

Strix elata, *Natt.* *Glaucidium* et *Athene elata*, *Pr. B.*

Mexico.

4. *NYCTALE.*

Nyctale, *Brehm*, 1828.

Scotophilus, *Sw.* 1837.

Ægoli, *Kaup*, 1829.

289. *NYCTALE FUNEREA.*

B. M.

Strix funerea, *L. Edw. B.* pl. 228. *S. passerina*, *Pall.* *S. Tengmalmi*, *Gm.* *Gould*, *B. of Eur.* i. pl. 49. *Yarr. Brit. B.* 2 edit. i. fig. p. 153. *Nyctale funerea*, *Pr. B.* *N. pinetorum*, *N. abietum* et *N. planiceps*, *Brehm.* *N. Tengmalmi* et *N. Richardsoni*, *Pr. B.* *Scotophilus Tengmalmi*, *Sw.* *Noctua Tengmalmi*, *Cuv.* *Ægoli*, *Tengmalmi*, *Kaup.* *Ulula Tengmalmi*, *Audub. B. of Amer.* pl. 380.

Great Britain ; Siberia, N. Europe and N. America.

290. NYCTALE ACADICA.

B. M.

Strix acadica, *Gm.* *S. acadiensis*, *Lath.* *S. passerina*, *Wils. Amer. Orn.* pl. 34, f. 1. *S. albifrons*, *Turt. Shaw, Nat. Misc.* pl. 171. *S. Wilsonii*, *Boie.* *S. frontalis*, *Licht.* *Strix* (*Noc-tua*) *acadica*, *Rich. & Sw.* *Nyctale acadica*, *Pr. B.* *N. Har-risii*, *Cass.?* *Noctua acadica*, *Less.* *Scotophilus acadicus*, *Sw.* *Ulula acadica*, *Audub.*

N. America.

291. NYCTALE SIJU.

Noctua siju, *D'Orb. Voy. l'île de Cuba, Ois.* t. 3. *Athene siju*, *G. R. Gr.* *Nyctale siju*, *Pr. B.*

Cuba.

ii. BUBONINÆ.

Buboninæ, *Pr. B.* 1838—49; *G. R. Gr.* 1840—41—45; *Bl.* 1849; *Cass.* 1849.

Bubonina, *Vig.* 1825.

Striginæ, p. *Kaup*, 1849.

Surninæ, p. *Pr. B.* 1850.

Aëtoglaucinæ, *Hodgs.* 1837.

1. BUBO.

a. *Bubo*, *Sibb.* 1684.

Feliceps, *Barr.*

Asio, *Briss.* 1760.

Heliaptex, *Sw.* 1837.

Bubotus, *Rafinq.* 1815.

Ascalaphia, *J. Geoffr.* 1837.

292. BUBO MAXIMUS.

B. M.

Strix bubo et *S. scandiaca*, *L. Pl. enl.* 435. *Gould, B. of Eur.* i. pl. 37. *Bubo maximus*, (*Sibb.*) *Flem.* *B. atheniensis*, *B. albus* et *B. nudipes?* *Daud.* *B. europeus*, *Less.* *B. ger-manicus* et *B. septentrionalis*, *Brehm.* *B. microcephalus*, *Leach.* *B. sibiricus* et *B. turcomana?* nec *leucomanna*, *Eversm.* *B. cinereus*, *G. R. Gr. & Mitch. Gen. of B.* pl. 13. *Asio bubo*, *Sw. Yarr. Brit. B.* 2 edit. i. fig. p. 114.

Great Britain; Europe, N. Africa and Siberia.

293. BUBO CAPENSIS. B. M.
Bubo capensis, Daud. *Levaill. Ois. de l'Afr.* t. 40. *Ill. S. Afr. Zool.* pl. 70. B. Dillon, *O. des Murs.* *Strix africanus*, Steph.
 S. and N.-E. Africa.
294. BUBO BENGALENSIS. B. M.
Otus bengalensis, Frankl. *Gould, Cent. of B.* pl. 3. *Bubo bengalensis*, G. R. Gr. B. ? *cavearius* et *Urrua cavearia*, Hodgs.
 India.
295. BUBO ASCALAPHUS. B. M.
Bubo ascalaphus, Sav. *Descr. de l'Egypte, Ois.* t. 3, f. 2. *Strix* (*Bubo*) *ascalaphus*, Aud. *Otus ascalaphus*, Cuv. *Ascalaphia Savigni*, G. R. Gr. *Pl. col.* 57. *Gould, B. of Eur.* pl. 38.
 S. Europe, N.-E. Africa, Persia, Sardinia ? and Sicily. ?
296. BUBO VIRGINIANUS. B. M.
Strix virginiana, Gm. *Edw. B.* pl. 60. *Wils. Amer. Orn.* pl. 50, f. 1. *Strix* (*Bubo*) *virginiana*, Rich. & Sw. *Asio virginiana*, Sw. *Bubo pinicola*, Vieill. *Ois. de l'Amer. Sept.* t. 19. B. *virginianus*, Less. B. *ludovicianus*, Daud. *Strix* (*Bubo*) *arcticus*, Sw. & Rich. *Fauna Bor-Amer.* pl. 30. *Heliaptex arcticus*, Sw. *Audub. B. of Amer.* pl. 61. *Strix magellanica*, Gm. *Pl. enl.* 385. S. *nacurutu*, Vieill. *Bubo magellanicus*, Cuv. *Otus nacurutu*, Less. *Strix crassirostris*, Vieill. S. *macrorhynchus*, Temm. *Pl. col.* 64. *Otus macrorhynchus*, Cuv. O. *crassirostris*, G. R. Gr.
 N. and S. America.
297. BUBO MACULOSUS. B. M.
Strix maculosa, Vieill. S. *africana*, Temm. *Pl. col.* 50. *Otus maculosus*, Less. O. *africanus*, Cuv. *Bubo africanus*, Boie. B. *maculosus*, Cass.
 S. and W. Africa.
- b. *Urrua*, Hodgs. 1837.
Mesomorpha, Hodgs. 1841.
298. BUBO COROMANDER. B. M.
Strix coromandra, Lath. *Ill. Ind. Zool.* pl. 20. *Bubo coromander*. G. R. Gr. B. *umbratus*, Bl. *Urrua coromandra*, Hodgs. U. *umbrata*, Bl. *Bubo* (*Urrua*) *coromander*, Kaup.
 India.

299. BUBO LACTEUS. B. M.
Strix lactea, *Temm.* *Pl. col.* 4. *Bubo lacteus*, *Cur.* *Pr. B.*
B. sultaneus, *Less.* *B. Verreauxi*, *Pr. B.* *Scops lactea*, *Less.*
Otus lacteus, *Less.* *Bubo cinerascens*, *Guer. Ferr. & Gal. Voy.*
Abyss. Ois. t. 2. *Pr. B.* *Bubo (Urrua) lacteus*, *Kaup.*
 S., W. and N.-E. Africa.

c. *Huhua*, *Hodgs.* 1837.
Etoglaux, *Hodgs.* 1841.
Urrua, p. *Kaup*, 1849.

300. BUBO ORIENTALIS. B. M.
Strix orientalis, *Horsf.* *S. sumatrana*, *Raffl.* *S. strepitans*,
Temm. *Pl. col.* 174, 229. *Bubo orientalis*, *G. R. Gr.* *B.*
strepitans, *Cur.* *Syrnium strepitans et Lophostrix sumatrana*,
Less. *Bubo (Huhua) nepalensis et Huhua nepalensis*, *Hodgs.*
H. pectoralis, *Jerd. Mudr. Journ.* 1839, pl. 1. *Bubo (Urrua)*
orientalis, *Kaup.*

India (Nepal), Java, Sumatra.

d. *Pseudoptynx*, *Kaup*, 1849.

301. BUBO PHILIPPENSIS. B. M.
Syrnium philippense, *G. R. Gr.* *Bubo (Pseudoptynx) philip-*
pensis, *Kaup.*

Philippine Islands.

e. *Ketupa*, *Less.* 1831.
Cultrunguis, *Hodgs.* 1836.

302. BUBO CEYLONENSIS. B. M.
Strix ceylonensis, *Gm.* *Brown, Illustr.* pl. 4. *S. Leschenaultii*,
Temm. *Pl. col.* 20. *S. Hardwickii*, *Gr. Ill. Ind. Zool.*
 pl. 31. *S. dumeticola*, *Tick.* *Ketupa ceylonensis*, *G. R. Gr.*
K. Leschenaultii, *Less.* *Cultrunguis nigripes*, *Hodgs.* *C. Les-*
chenaultii, *Jerd.* *Bubo (Ketupa) ceylonensis*, *Kaup.*

India, (Nepal, Behar, Madras).

303. BUBO JAVANENSIS. B. M.
Ketupa javanensis, *Less.* *Strix ceylonensis*, *Temm.* *Pl. col.*
 74. *S. ketupa*, *Horsf.* *Scops ketupa*, *Cur.* *Bubo (Ketupa)*
ketupa, *Kaup.*

Java, Sumatra and Ceylon.

304. BUBO FLAVIPES.

B. M.

Cultrunguis flavipes, *Hodgs.* Ketupa flavipes, *G. R. Gr.* Bubo
(Ketupa) flavipes, *Kaup.*

India (Nepal).

f. Scotopelia, *Pr. B.* 1850.

305. BUBO PELI.

B. M.

Strix Peli, *Temm. Pr. B. Consp.* p. 44.

Ashantee.

2. EPHIALTES.

a. Ephialtes, *Keys. & Bl.* 1840.
Scops, *Sav.* 1809.

306. EPHIALTES SCOPS.

B. M.

Strix scops, *L. Pl. enl.* 436. S. zorca, *Cetti.* S. carniolica,
Gm. S. gui, *Scop.* S. pulchella, *Pall.* Scops zorca, *Sw.* S.
Aldrovandi, *Flem.* S. ephialtes, *Sav.* S. europæus, *Less.* S.
carniolica, *Brehm.* S. vulgaris, *Rüpp.* Bubo scops, *Boie.*
Ephialtes scops, *Keys. & Bl.* Otus scops, *Schl. Gould, B. of*
Eur. pl. 41. *Yarr. Brit. B.* 2 edit. i. fig. p. 120. Scops sene-
galensis, *Sw.* S. capensis, *A. Smith.* S. rutilus, *Pucher.*
Archiv. de Mus. iv. t. 22.? Otus (Scops) africanus, *Temm. &*
Schl. Scops pennata et S. sunia, *Hodgs.* S. malayanus, *A.*
Hay. Otus (Scops) japonicus, *Temm. & Schl. Fauna Jap.* t. 9.
Ephialtes spilocephalus, *Bl.* E. sunia, *G. R. Gr.*

Great Britain; Europe, Africa, Madagascar, India and Japan.

b. Psilorhina, *Kaup.* 1849.

307. EPHIALTES MANADENSIS.

Strix manadensis, *Quoy et Gaim. Voy. de l'Astrol.* t. 2, f. 2.
Ephialtes manadensis, *G. R. Gr.* Scops manadensis, *Less.*
Otus manadensis, *Schl.* Scops (Psilorhina) manadensis, *Kaup.*

Celebes.

c. Megascops, *Kaup*, 1849.

308. EPHIALTES LEMPJII. B. M.
Strix indica, *Gm.*? *S. lempjii* et *S. rufescens*, *Horsf.* *S. noctula*, *Reinw.* *Pl. col.* 99. *Scops lettia*, *Hodgs.* *S. malabaricus*, *S. griseus* et *S. lettoïdes*, *Jerd.* *S. javanica*, *Less.*? *S. lempjii*, *S. mantis* et *S. sagittatus*, *Pr. B.* *Otus noctula* et *Otus mantis*, *Temm. & Schl.* *Ephialtes lempjii*, *G. R. Gr.* *E. sagittatus*, *Cass.* *Scops* (Megascops) *indica*, *Kaup.*

India, Java, Sumatra, Banda, Borneo and Ceylon.

309. EPHIALTES MAGICA.
Otus magicus, *Temm. & Schl.* *Strix magica*, *Müll.* *Ephialtes magicus*, *G. R. Gr.* *Scops magicus*, *Pr. B.*

Amboina, Celebes.

310. EPHIALTES SEMITORQUES B. M.
Otus semitorques, *Temm. & Schl.* *Fauna Jap.* t. 8. *Ephialtes semitorques*, *G. R. Gr.* *Scops semitorques*, *Pr. B.*

Japan.

311. EPHIALTES NOVÆ ZEALANDIÆ.
Scops novæ zealandiæ, *Pr. B. Cons.* p. 47.

New Zealand. (?)

312. EPHIALTES ASIO. B. M.
Strix asio, *L.* *Wils. Amer. Orn.* pl. 42, f. 1. *S. nævia*, *Gm.* *Wils. Amer. Orn.* pl. 19, f. 1. *Otus nævius*, *Cuv.* *O. asio*, *Schl.* *Scops asio*, *Less.* *Bubo asio*, *Audub.* *Ephialtes asio*, *G. R. Gr.* *Scops* (Megascops) *asio*, *Kaup.* *Pl. col.* 80. *Audub. B. of Amer.* pl. 97. *Vieill. Ois. de l'Amer. Sept.* t. 21.

N. America.

313. EPHIALTES ATRICAPILLA. B. M.
Strix atricapilla, *Natt.* *Pl. col.* 145. *Scops atricapilla*, *Cuv.* *Ephialtes atricapilla*, *G. R. Gr.* *Scops* (Megascops) *atricapilla*, *Kaup.*

S. America (Brazil).

314. **EPHIALTES CHOLIBA.** B. M.
Strix brasiliiana, *Gm.*? *S. choliba*, *Vieill.* *S. decussata*, *Licht.*
S. crucigera et *S. undulata*, *Spix*, *Av. Bras.* t. 9, 10. *Ephialtes choliba*, *G. R. Gr.* *Otus brasiliensis*, *Temm. & Schl.*
Scops brasiliensis, *Pr. B.* *S. choliba*, *D'Orb. & Lafr.* *S. brasiliiana*, *S. decussata* et *S. crucigera*, *Less.* *S. portoriensis*, *Less.*
O. des Murs, *Iconogr. Ornith.* t. 26. *Scops (Megascops) brasiliiana*, *Kaup.*
 S. America (Brazil, Caraccas, Bolivia and Argentina).
315. **EPHIALTES LOPHOTES.**
Scops lophotes, *Less.* *Ephialtes?* *lophotes*, *G. R. Gr.* *E. Watsoni*, *Cass.*?
 S. America.
316. **EPHIALTES ALBOPUNCTATA.** B. M.
Ephialtes albopunctata, *G. R. Gr.* *Scops (Megascops) albopunctata*, *Kaup.*
 S. America.
317. **EPHIALTES TRICHOPSIS.**
Scops trichopsis, *Wagl.* *Ephialtes trichopsis*, *G. R. Gr.*
 Mexico.
 d. *Acnemis*, *Kaup*, 1849.
318. **EPHIALTES GYMNOPODUS.** B. M.
Scops gymnopus, et *Ephialtes gymnopus*, *G. R. Gr.* *Scops (Acnemis) gymnopus*, *Kaup.*
 India.
319. **EPHIALTES NUDIPES.**
Bubo nudipes, *Vieill. Ois. de l'Amer. Sept.* t. 22. *Ephialtes?* *nudipes*, *G. R. Gr.* *Scops (Acnemis) nudipes*, *Kaup.*
 W. Indies.
- 320? **EPHIALTES DAUDINI.**
Strix nudipes, *Daud.* *Vieill. Ois. de l'Amer. Sept.* t. 16. *Noc-tua nudipes*, *Cuv.* *Athene?* *nudipes*, *G. R. Gr.*
 W. Indies (Antilles)

e. *Ptilopsis*, *Kaup*, 1849.

321. *EPHIALTES LEUCOTIS*. B. M.
Strix leucotis, *Temm.* *Pl. col.* 16. *Otus leucotis*, *Cuv.* *Scops*
leucotis, *Sw.* *Ephialtes leucotis*, *G. R. Gr.* *Pr. B.* *Scops*
(Ptilopsis) leucotis, *Kaup*.
 N.-E. and W. Africa.

f. *Lophotrix*, *Less.* 1837.

322. *EPHIALTES CRISTATA*. B. M.
Strix cristata, *Daud.* *S. griseata*, *Lath.* *Levaill. Ois. de l'Afr.*
t. 48. *Jard, Contr. Ornith.* pl. var. *Bubo griseatus*, *Cuv.*
Syrnium griseatum, *Less.* *Ephialtes cristata*, *G. R. Gr.* *Lophotrix*
griseata, *Less.* *L. cristata*, *Pr. B.* *Bubo (Lophotrix)*
cristatus, *Kaup*.
 S. America (Cayenne).

iii. SYRNIINÆ.

- Ululinae*, *Pr. B.* 1838—40—50; *G. R. Gr.* 1840—41.
Syrniinæ, *G. R. Gr.* 1845; *Bl.* 1849.
Syrniana, *Vig.* 1825.
Striginæ, p. *Vig.* 1825; *Cass.* 1849; *Kaup*, 1849.
Buboninæ, p. *Bl.* 1850.

1. SYRNIUM.

- a. *Syrnium*, *Sav.* 1809.
Ulula, *Cuv.* 1817.
Scotiaptex, *Sw.* 1837.
Aluco, *Kaup.* 1829.

323. *SYRNIUM ALUCO*. B. M.
Strix aluco et *S. stridula*, *L.* *Pl. enl.* 441, 437. *S. soloniensis*,
Gm. *S. sylvatica*, *Shaw.* *S. alba*, *S. sylvestris*, *S. noctua* et
S. rufa, *Scop.* *Syrnium aluco*, *Cuv.* *S. ululans*, *Sav.* *S. aluco*
 et *S. stridulum*, *Brehm.* *Ulula aluco*, *Macgill.* *Gould, B. of*
Eur. pl. 47. *Yarr. Brit. B.* 2 edit. i. fig. p. 138.
 Great Britain; Europe, N. Africa and Japan.

324. *SYRNIUM NIVICOLUM*. B. M.
Syrnium nivicolum, *Hodgs.* *Urrua nivicola* et *Mesomorpha*
nivicola, *Hodgs.*
 India (Nepal).

325. SYRNIUM CINEREUM.

B. M.

Strix cinerea, Gm. *S. lapponica*, Retz. *S. barbata*, Pall. *S. acclamator*, Bartr. *S. fuliginosa*, Shaw. *S. microphthalmus*, Tyzensk. *Syrnium cinereum*, Pr. B. *S. microphthalmum*, G. R. Gr. *Scotiaptex cinerea*, Sw. *Ulula lapponica*, Cuv. *U. cinerea*, Pr. B. *Surnia lapponica*, Less. *Sparr. Mus. Carls. t. 5.* Gould, *B. of Eur.* pl. 42. *Fauna Bor.-Amer.* ii. pl. 31. Audub. *B. of Amer.* pl. 351.

N. Europe, Siberia and N. America.

326. SYRNIUM NEBULOSUM.

B. M.

Strix nebulosa, Gm. Gould, *B. of Eur.* pl. 46. *Syrnium nebulosum*, Boie. *Ulula nebulosa*, Cuv. *Wils. Amer. Orn.* pl. 33, f. 2. Vieill. *Ois. de l'Amer.* Sept t. 17. Audub. *B. of Amer.* pl. 46. Shaw, *Nat. Miscell.* pl. 25.

N. America.

b. *Ptynx*, Bl. 1840.

327. SYRNIUM URALENSIS,

B. M.

Strix uralensis, Pall. *S. literata*, Retz. *Pl. col.* 27. *S. macrooura*, Natt. *S. macrocephala*, Meisn. *Syrnium uralensis* et *S. macrocephalon*, Brehm. *S. uralense*, G. R. Gr. *Scotiaptex uralensis*, Sw. *Ptynx uralensis*, Bl. *Noctua* (*Surnia*) *uralensis*, Cuv. *Surnia uralensis*, Pall. *Ulula litturata*, Cuv. *Lepchin. Voy.* ii. t. 8.

N. and E.-N. Europe, Ural Mountains, Siberia and N. America.

328? SYRNIUM FUSCESCENS.

Strix rufescens aut *fuscescens*, Temm. & Schl. *Fauna Jap.* t. 10. *Strix uralensis*, Temm. *Syrnium fuscescens*, G. R. Gr. *Ptynx fuscescens*, Pr. B.

Japan.

c. *Ciccaba*, Wagl. 1832.

329. SYRNIUM WOODFORDII.

B. M.

Athene Woodfordii, A. Smith, *Ill. S. Afr. Zool.* pl. 71. *Noctua Woodfordii*, A. Smith. *Syrnium Woodfordii*, Cass. *Syrnium* (*Ciccaba*) *Woodfordii*, Kaup.

S. Africa.

330. SYRNIUM HUHULA. B. M.
Strix huhula, *Daud. Levaill. Ois. de l'Afr.* t. 41. *S. lineata*,
Shaw. S. albomarginata, *Spix. Ciccaba huhula*, *Wagl.*
Athene lineata et *A. huhula*, *G. R. Gr. Surnia lineata* et *S.*
huhula, *Less. Noctua lineata*, *Cuv. Syrniium Ciccaba*) hu-
hula, *Kaup.*
 S. America (Cayenne).
- 331 ? SYRNIUM CAYANENSIS.
Strix cayanensis, *Gm. Pl. enl.* 442. *Shaw, Nat. Misc.* pl. 477.
Athene et *Strix cayanensis*, *G. R. Gr. Noctua cayanensis*,
Cuv. Syrniium ? cayanensis, *Pr. B. Syrniium (Ciccaba)* hu-
hula, p. *Kaup.*
 S. America (Cayenne).
332. ? SYRNIUM FASCIATUM. B. M.
Strix fasciata, *Vieill. Syrniium polygrammicum* et *S. zonocer-*
cus, *G. R. Gr. S. fasciatum*, *Cass. ? Syrniium (Ciccaba)* caya-
nensis et *Syrniium (Ciccaba)* huhula, p. *Kaup.*
 S. America (Brazil, Caraccas).
333. SYRNIUM ALBITARSE. B. M.
Syrniium albitarse, *G. R. Gr. Syrniium (Ciccaba)* albitarse,
Kaup.
 S. America.
334. SYRNIUM HYLOPHILUM. B. M.
Strix hylophila, *Temm. Pl. col.* 373. *Syrniium hylophilum*,
Less. Ulula fasciata, *O. des Murs, Iconogr. Ornith.* t. 27.
Syrniium (Ciccaba) hylophilum, *Kaup.*
 S. America (Brazil).
335. SYRNIUM GISELLA.
Ciccaba gisella, *Pr. B. Consp.* p. 44.
 S. America (Brazil).
336. SYRNIUM SQUAMULATUM.
Strix squamulata, *Licht. Syrniium squamulatum*, *Pr. B.*
 Mexico.

337. SYRNIUM VIRGATUM.

Syrnium virgatum, *Cass.*

Mexico ? ; S. America (Cayenne, St. Fé de Bogota) and Trinidad.

338. SYRNIUM MACABRUM.

Syrnium macabrum, *Pr. B. Consp.* p. 53.

S. America.

339. SYRNIUM ALBIGULARE.

Syrnium albo-gularis, *Cass.*

S. America.

340. SYRNIUM LATHAMI.

Strix Latham, *Pr. B.* Athene Latham, *G. R. Gr.* Ciccaba Latham, *Pr. B.*

—— ?

b. Pulsatrix, *Kaup*, 1849.

341. SYRNIUM TORQUATUM.

B. M.

Strix torquata, et S. personata, *Daud. Levaill. Ois. de l'Afr.* t. 42, 44. S. superciliosa, et S. larvata, *Shaw. Nat. Misc.* pl. 801. S. pulsatrix, *Pr. Max.* S. perspicillata, *Lath. Gen. Syn.* pl. 107. Noctua torquata, *Cuv.* Syrnium personatum, *G. R. Gr.* S. pulsatrix, *Pr. Max.* Athene torquata, *G. R. Gr.* Ciccaba torquata, *Pr. B.* C. perspicillata, *Cass.* Syrnium (Pulsatrix) torquatum, *Kaup.*

S. America, (Guiana, Cayenne, Surinam, Brazil, and Bolivia).

342. SYRNIUM MELANOTUM.

Noctua melanota, *Tschudi, Fauna Per.* t. 4. Athene melanota, *Pucher.* Ciccaba melanonota, *Pr. B.*

S. America (Brazil, Peru).

e. Bulaca, *Hodgs.* 1837.Meseidus, *Hodgs.* 1841.

343. SYRNIUM INDRANEE.

B. M.

Strix indranee, *Sykes.* Ulula ? newarensis, et Bulaca newarensis, *Hodgs.* Bulaca monticola, *Jerd.* Syrnium indranee, *G. R. Gr.* Syrnium (Bulaca) indranee, *Kaup.*

India.

344. SYRNIUM SINENSE. B. M.
Strix sinensis, *Lath. Gr. Ill. Ind. Zool.* pl. 21. *S. orientalis*,
Shaw. *Otus sinensis*, *Steph.* *Bulaca sinensis*, *Jerd.* *Syr-*
nium sinensis, *G. R. Gr.* *S. ocellatum*, *Less.* *Syrnium* (*Bu-*
laca) *sinense*, *Kaup.*

India.

345. SYRNIUM SELOPUTO.
Strix seloputo, *Horsf.* *S. pagodarum*, *Temminck. Pl. col.* 230.
Syrnium pagodarum, *Cuv.* *S. seloputo*, *G. R. Gr.*
Syrnium (*Bulaca*) *pagodarum*, *Kaup.*

Java.

346. SYRNIUM LEPTOGRAMMICUM.
Strix leptogrammicum, *Temminck. Pl. col.* 525. *S. leptogram-*
nica, var. *Schl.* *Syrnium leptogrammicum*, *Cass.* *Phodilus*
leptogrammicus, *Less.* *Ciccaba leptogrammica*, et *C. myrtha*,
Pr. B.

Malayan Archipelago (Borneo, Sumatra).

347. SYRNIUM HUMERALIS.
 ————? *Hombr. & Jacq. Voy. au Pole Sud. Ois.* t. 4,
 f. 1. *Athene*, sp. 40, *G. R. Gr.* *Athene humeralis*, *Pr. B.*

Malayan Archipelago.

2. OTUS.

- a. *Otus*, *Cuv.* 1799—1800.
Ægolius, *Keys. et Bl.* 1840.
Asio, *Sw.* 1831.
Nyctalops, *Wagl.* 1832.

348. OTUS VULGARIS. B. M.
Strix otus, *L.* *Pl. enl.* 22. *Gould, B. of Eur.* pl. 39. *S. so-*
loniensis, *Gm.* *Otus vulgaris*, *Flem.* *O. asio*, *Leach.* *O.*
europæus, *Steph.* *O. communis*, *Less.* *O. sylvestris*, *O. arbo-*
reus, et *O. gracilis*, *Brehm.* *Bubo otus*, *Boie.* *Ægolius otus*,
Keys. & Bl. *Asio otus*, *Macgill.* *Yarr. Brit. B.* 2 edit. i. fig.
 p. 124. *Strix otus*, *Wils. Amer. Orn.* pl. 51, f. 3. *Audub. B.*
of Amer. pl. 383. *Otus americanus* (*Gm.*), *Pr. B.* *O. vulga-*
ris, *Audub.* *O. Wilsonianus*, *Less.* *O. Wilsonii*, et *O. sty-*
gius, *G. R. Gr. Archiv. du Mus.* iv. t. 24. *O. communis*, var.
brasiliensis, *Less.* *Strix* (*Asio*) *otus*, *Rich. & Sw.* *Nyctalops*
stygius, *Wagl.*

Great Britain; Europe, Siberia, N. Africa, and N. America.

b. Pseudoscops, *Kaup*, 1849.

349. OTUS GRAMMICUS. B. M.
Ephialtes grammicus, *Gosse*, *B. of Jam.* pl. 19. Otus (Pseudoscops) grammicus, *Kaup*. *Scops grammicus*, *Pr. B.*
 Jamaica.

350. OTUS SIGUAPA.
Otus siguapa, *D'Orb. Voy. l'Isle de Cuba*, t. 2.
 Cuba.

c. *Rhinostrix*, *Kaup*, 1849.

351. OTUS AMERICANUS. B. M.
Strix americanus, et *S. mexicanus*, *Gm.* *S. longirostris*, *Spix*,
Av. Bras. t. 9, a. *S. maculosa*, *Pr. Max.* *Bubo clamator*,
Vieill. Ois. de l'Amer. Sept. t. 20. *Otus mexicanus*, *Cuv.*
Otus (Rhinostrix) americanus, *Kaup.* *Audub. B. of Amer.*
 pl. 412.

352. OTUS MADAGASCARIENSIS. B. M.
Otus madagascariensis, *A. Smith.* *Otus (Rhinostrix) mada-*
gascariensis, *Kaup.* *Bubo madagascariensis*, *Pr. B. Archiv.*
du Mus. iv. t. 23.
 Madagascar.

d. *Brachyotus*, *Gould*, 1837.

353. OTUS BRACHYOTUS. B. M.
Strix brachyotus, *Gm.* *Gould, B. of Eur.* pl. 40. *S. ægoli*,
S. ulula et *S. accipitrina*, *Pall.* *S. caspia*, *Shaw.* *S. arctica*,
Sparrm. *S. tripennis*, *Shrank.* *S. palustris*, *Smies.* *S. bra-*
chyura, *Nils.* *Strix (Asio) brachyotus*, *Rich. & Sw. Wils.*
Amer. Orn. pl. 33, f. 3. *Audub. B. of Amer.* pl. 410. *Otus*
ulula, *Cuv.* *O. palustris* et *O. agrarius*, *Brehm.* *O. brachyotus*,
Boie. *O. microcephalus*, *Leach.* *Brachyotus palustris*, *Gould.*
Ægoli, *brachyotus*, *Keys & Bl.* *Asio brachyotus*, *Macgill.*
Yarr. Brit. B. 2 edit. i. fig. p. 128.

Great Britain; Europe, Asia, N. Africa, N. and S. America and
 Hawaiian Islands.

354? OTUS GALAPAGOENSIS.

B. M.

Otus (Brachyotus) galapagoensis, *Gould, Voy. of Beagle*, pl. 3.
Islands of Galapagos.

e. Phasmaptynx, *Kaup*, 1849.

355. OTUS CAPENSIS.

B. M.

Otus capensis, *A. Smith, Ill. S. Afr. Zool.* pl. 67. O. abyssinicus, *Guer. Ferr. et Gal. Voy. Abyss.* t. 3. Otus (Phasmaptynx) capensis, *Kaup*. Otus brachyotus et Brachyotus helvolus, *Licht.*

S. and N.-E. Africa.

iv. STRIGINÆ.

Striginæ, *Pr. B.* 1838—49—50; *G. R. Gr.* 1840—41—45: *Bl.* 1849; *Kaup*, 1849.

Strigina, p. *Vig.* 1825.

I. STRIX.

a. Strix, *L.* 1735.

Aluco, *Flem.* 1822.

Hybris, *Nitzsch.* 1840.

Stridula, *Sel. Longch.* 1842.

356. STRIX FLAMMEA.

B. M.

Strix flammea, *L. Pl. enl.* 440. *Gould, B. of Eur.* pl. 36.
S. guttata, *Brehm.* Aluco flammeus, *Flem.* *Yarr. Brit. B.*
2 edit. i. fig. p. 133. Strix pusilla et S. parva, *Bl.*?

Great Britain; Europe, N. Africa.

357? STRIX POENSIS.

Strix poensis, *Fras.*

Fernando Po.

358.? STRIX DELICATULA.

B. M.

Strix flammea, *Vig. & Horsf.* S. delicatula, *Gould, B. of Austr.* pl. 31.

Australia (except Van Diemen's Land.)

- 359.? *STRIX LULU*. B. M.
Strix lulu, *Peale*, *U. S. Expl. Exp.* viii. p. 74, pl. 21.
 Samoan Group (Opolu).
- 360.? *STRIX JAVANICA*. B. M.
Strix flammea, *Hodgs. Bl.* *S. javanica*, *De Wurb.* *S. flammea*, var. c. *Kaup*.
 Java and India.
- 361.? *STRIX PRATINCOLA*. B. M.
Strix flammea, *Wils. Amer. Orn.* pl. 50, f. 2. *S. americana*, *Audub. B. of Amer.* pl. 171. *S. pratincola*, *Pr. B.* *S. flammea*, var. b. *Kaup*. *S. perlata*, p. *G. R. Gr.*
 N. America.
362. *STRIX PUNCTATISSIMA*.
Strix punctatissima, *G. R. Gr. Voy. Beagle*, pl. 4.
 Islands of Galapagos.
363. *STRIX PERSONATA*. B. M.
Strix personata, *Vigors. S. cyclops*, *Gould, B. of Austr.* pl. 29.
 Australia (except Van Diemen's Land).
364. *STRIX CASTANOPS*. B. M.
Strix castanops, *Gould, B. of Austr.* i. pl. 28.
 Van Diemen's Land.
- b. *Glyphidiura*, *Reichenb.* 1850.
365. *STRIX PERLATA*. B. M.
Strix perlata, *Licht. S. furecata*, *Temm. Pl. col.* 432.
 S. America and Island of Cuba.
- c. *Glaux*, *Bl.* 1848.
366. *STRIX CANDIDA*. B. M.
Strix candida, *Tick. S. longimembris*, *Jerd. S. capensis*, *A. Smith, Ill. S. Afr. Zool.* pl. 45. *Glaux javanica* (?) *Bl.*
 India and S. Africa.

d. *Megastrix*, *Kaup*, 1849.

367. *STRIX TENEBRICOSA*. B. M.
Strix tenebricosa, *Gould*, *B. of Austr.* i. pl. 30. *Strix* (*Mega-*
strix) *tenebricosa*, *Kaup*.
New South Wales.

e. *Pholidus*, *J. Geoffr.* 1830.

368. *STRIX BADIA*. B. M.
Strix badia, *Horsf. Zool. Res.* pl. *Pl. col.* 318. *Pholidus*
badius, *J. Geoffr.* *Strix* (*Pholidus*) *badius*, *Kaup*.
Java and Nepal.
-



ORDER II. PASSERES.

- Passeres, *Linn.* 1735; *Lath.* 1790; *Cuv.* 1795—1796.
 Picæ, p. *Linn.* 1735; *Lath.* 1790.
 Hymenopodes, *Mæhring*, 1752.
 Scansores, p. *Cuv.* 1799—1800; *Illig.* 1811; *Cabanis*, 1847.
 Ambulatores, *Illig.* 1811.
 Chelidones—Alcyones—Coraces—Canori—Passerini—Scansores,
 p. *Temm.* 1815.
 Sylvicolæ, anisodactyli—S. zygodactyli, p. *Vieill.* 1816.
 Anisodactyli—Insectivores—Omnivores—Granivores, *Temm.* 1820.
 Passeri, *Ranz.* 1823.
 Insesores, *Vigors*, 1825.
 Scansores, p.—Oscines, *Keys. & Bl.* 1840.
 Strisores—Ulamatores, p. *Cabanis*, 1847.
 Ornithes, p. *Kaup*, 1844.

Tribe 1. FISSIROSTRES.

- Passeres, p. *Linn.* 1735; *Mahr.* 1752.
 Picæ, p. *Linn.* 1735.
 Accipitres, p. *Mahr.* 1752.
 Plumipedes, p.—Fissipedes isodactyles—F. anisodactyles, conico-
 subulirostres, p.—Anomalipedes, p. *Schæff.* 1774.
 Scutipedes, p.—Negliges, p.—Brevipedes, *Scop.* 1777.
 Picæ, p. *Lath.* 1790.
 Planirostres—Tenuirostres, p.—Cuneirostres, p.—Lævirostris, p.
Cuv. 1799—1800.
 Hiantes—Coraces, p.—Canori, p.—Dentirostres, p.—Serrati, p.—
 Amphiboli, p.—Angulirostres—Syndactyli, *Illig.* 1811.
 Chelidones—Alcyones, *Temm.* 1815.
 Chelidones—Baccivori, p.—Prionites, p.—Barbati, p.—Palmatodes
 —Aureoli, *Vieill.* 1816.
 Fissirostres—Syndactyles—Scansores, p.—Conirostres, p.—Denti-
 rostres, p. *Cuv.* 1817.
 Omnivores, p.—Insectivores, p.—Zygodactyli, p. *Temm.* 1820.
 Pogonofori, p.—Syndactili—Palmatodi—Ífalti, p.—Pterorami—
 Euristomi, p.—Chelidonii—Piezorami, *Ranz.* 1823.

Fissirostres—Conirostres, p.—Scansores, p. *Vigors*, 1825.
 Heterodactyles, p. *Less.* 1831.
 Gregarii, p.—Serrati, p.—Sagittilingues—Amphiboli, p.—Angulirostres, *Pr. Bonap.* 1831.
 Oscines, p.—Scansores, p. *Keys. & Bl.* 1840.
 Volitatrices—Jaculatrices—Excurtrices, p. *Macgill.* 1840.
 Ornithes fissirostres, p.—O. syndactyli, p. *Kaup*, 1844.
 Macrochires—Oscines, p.—Clamatores, p. *Cabanis*, 1847.

Sub-Tribe 1. FISSIROSTRES NOCTURNÆ.

I. CAPRIMULGIDÆ.

Caprimulgidæ, *Vig.* 1825; *Sw.* 1831—37; *G. R. Gr.* 1840—41—46; *Cab.* 1847; *Pr. B.* 1849—50; *Bl.* 1849.
 Hirundinidæ, p. et Ampelidæ, p. *Pr. B.* 1831.
 Caprimulgides, *Sundev.* 1835.

i. STEATORNITHINÆ.

Steatorninæ, *G. R. Gr.* 1846; *Cab.* 1847.
 Steatornithinæ, *Pr. B.* 1849—50.
 Podarginæ, *G. R. Gr.* 1840—41; *Cab.* 1847; *Bl.* 1849.

1. STEATORNIS.

Steatornis, *Humb.* 1817.

369. STEATORNIS CARIPENNIS. B. M.
Caprimulgus steatornis et *Steatornis caripennis*, *Humb. Obs. Zool.* t. 44. *Ann. du Mus.* 1834, t. 15. *Nyctibius?* *steatornis*, *Steph.*

Trinidad and S. America (Sta. Fé de Bogota).

2. PODARGUS.

a. Podargus, Cuv. 1829.

370. PODARGUS HUMERALIS.

B. M.

Podargus humeralis, Vig. & Horsf. *Jard. & Selby, Ill. of Orn.* pl. 88. ? *Gould, B. of Austr.* ii. pl. 3. *P. australis* et *P. ? gracilis* Steph. ? *P. cinereus*, Cuv. *P. strigoïdes*, G. R. Gr. ? *Caprimulgus gracilis* et *C. strigoïdes*, Lath. ?

New South Wales.

371. PODARGUS CUVIERI.

B. M.

Podargus Cuvieri, Vig. & Horsf. *Gould, B. of Austr.* ii. pl. 4.

South Australia and Van Diemen's Land.

372. PODARGUS BRACHYPTERUS.

Podargus brachypterus et *P. macrorhynchus*, Gould.

S. and W. Australia.

373. PODARGUS PHALÆNOIDES.

B. M.

Podargus phalænoïdes, Gould, *B. of Austr.* ii. pl. 5.

N. Australia.

374. PODARGUS PLUMIFERUS.

Podargus plumiferus, Gould, *B. of Austr.* ii. pl. 6.

New South Wales.

375. PODARGUS MEGACEPHALUS.

Caprimulgus megacephalus, Lath. *Podargus megacephalus*, G. R. Gr. *P. Stanleyanus*, Vig. & Horsf.

New South Wales.

376. PODARGUS OCELLATUS.

Podargus ocellatus, Quoy & Gaim. *Voy. de l'Astrol. Ois.* t. 14.

New Guinea.

377. PODARGUS PAPUENSIS.

Podargus papuensis, Quoy & Gaim. *Voy. de l'Astrol. Ois.* t. 13. *Less. Compl. Buff. Ois.* t. 8, f. 1.

New Guinea.

- b. *Batrachostomus*, *Gould*, 1838.
Bombycistomas, *Hay*, 1841.

378. *PODARGUS JAVANENSIS*. B. M.
Podargus javanensis, *Horsf. Zool. Res.* pl. *P. cornutus*, *Temm.*
Pl. col. 159. *Steph. Gen. Zool.* xiii. pl. 41. *P. stellatus*,
Gould. *Batrachostomus javanensis*, *Gould.* *B. stellatus*, *G.*
R. Gr.

Malacca and Java.

- 379? *PODARGUS AFFINIS*.
Batrachostomus affinis, *Bl.*

Darjeeling.

380. *PODARGUS MONILIGER*.
Batrachostomus moniliger, *Layard, Journ. As. Soc. Beng.*
1850, p.

Ceylon.

381. *PODARGUS PARVULUS*.
Podargus parvulus, *Temm.* *Batrachostomus parvulus*, *Pr. B.*
Consp. p. 57.

Malayan Archipelago.

382. *PODARGUS CRINIFRONS*.
Podargus crinifrons, *Temm.* *Batrachostomus crinifrons*, *Pr.*
B. Consp. p. 57.

Malayan Archipelago.

383. *PODARGUS AURITUS*. B. M.
Podargus auritus, *Vigors, Griff. An. Kingd.* ii. pl. p. 114. *P.*
Fullertonii, *Bl.* *Batrachostomus auritus*, *Gould, Icon. Av.* pl.
Bombycistomas Fullertonii, *Hay.*

Malayan Peninsula and Archipelago.

3. NYCTIBIUS.

- a. *Nyctibius*, Vieill. 1816.
Nyctornis, Nitzsch, 1840.

384. NYCTIBIUS GRANDIS. B. M.
Caprimulgus grandis, Gm. *Pl. enl.* 325. *C. maximus*, Shaw,
Lev. Mus. pl. 9. *Nyctibius grandis*, Vieill. *Jard. & Selby*,
Ill. Orn. pl. 89. *Gr. & Mitch. Gen. of B.* pl. 16.

S. America (Cayenne).

385. NYCTIBIUS ÆTHEREUS. B. M.
Caprimulgus æthereus, Pr. Max. *C. longicaudatus*, Spix. *Av.*
Bras. t. 1. *Nyctibius æthereus*, G. R. Gr. *N. longicaudatus*,
Lafr.

S. America (Brazil, Paraguay, Peru).

386. NYCTIBIUS CORNUTUS.
Caprimulgus cornutus, Vieill. *Nyctibius cornutus*, G. R. Gr.
N. urutau, Lafr.

S. America (Brazil, Paraguay, La Plata and Peru).

387. NYCTIBIUS JAMAICENSIS. B. M.
Caprimulgus jamaicensis, Gm. *Lath. Gen. Syn.* pl. 57. Gosse,
B. of Jam. pl. 8. *Nyctibius jamaicensis*. Steph.

Jamaica.

388. ? NYCTIBIUS PECTORALIS. B. M.
Nyctibius pectoralis, Gould, *Icon. Av.* pl.

S. America (Cayenne).

389? NYCTIBIUS PALLIDUS.
Nyctibius pallidus, Gosse, *B. of Jam.* pl. 7.

Jamaica.

390. NYCTIBIUS BRACTEATUS.
Nyctibius bracteatus, Gould.

S. America (Sta. Fé de Bogota).

391. NYCTIBIUS RUFUS.

Nyctibius rufus, *Cab. R. Schomb. Reis.* iii. p. 711.

S. America (British Guiana).

b. *Selochusa*, *G. R. Gr.* 1841.

392. NYCTIBIUS FORFICATUS.

Caprimulgus forficatus, *Vieill. Levaill. Ois. de l'Afr.* t. 47, 48. *C. furcatus*, *Cuv.* *Nyctibius forficatus*, *Lafr.* *Selochusa forficata*, *G. R. Gr.*

S. Africa.

4. ÆGOTHELES.

Ægotheles, *Vig. & Horsf.* 1825.

393. ÆGOTHELES NOVÆ HOLLANDIÆ.

B. M.

Caprimulgus novæ hollandiæ et *C. vittatus*, *Lath.* *C. cristatus*, *Shaw, Phil. Bot. Bay*, pl. p. 270. *Ægotheles novæ hollandiæ*, *Vig. & Horsf.* *Gould, B. of Austr.* ii. pl. 1. *Æ. cristatus*, *G. R. Gr.* *Æ. lunulatus*, *Jard & Selby Ill. of Orn.* pl. 149. *Æ. australis*, *Sw.* *Podargus?* *novæ hollandiæ*, *Steph. Mag. de Zool.* 1837. *Ois.* t. 82. *Lath. Gen. Syn. Suppl.* ii. pl. 136.

Australia (except the North).

394. ÆGOTHELES LEUCOGASTER.

B. M.

Ægotheles leucogaster, *Gould, B. of Austr.* ii. pl. 2.

N. Australia.

ii. CAPRIMULGINÆ.

Caprimulgina, *Sw.* 1831; *Pr. B.* 1831—49—50; *G. R. Gr.* 1840—41—47; *Cab.* 1847; *Bl.* 1849.

I. CAPRIMULGUS.

a. *Caprimulgus*, *L.* 1756.

Nyctichelidon, *Renn.* 1831.

395. CAPRIMULGUS EUROPÆUS.

B. M.

Caprimulgus europæus, *L. Pl. enl.* 193. *C. punctatus*, *Mey. Brehm.* *C. maculatus*, *Brehm.* *Nyctichelidon europæus*, *Renn. Gould, B. of Eur.* pl. 51. *Naum. Vög.* t. 148.

Great Britain; Europe and N. Africa.

396. CAPRIMULGUS RUFICOLLIS. B. M.
Caprimulgus ruficollis, *Temm.* C. rufitorques, *Vieill.* Gould,
B. of Eur. pl. 52.
S.-W. Europe and N. Africa.
397. CAPRIMULGUS SMITHII. B. M.
Caprimulgus europæus, *A. Smith, Ill. S. Afr. Zool. Birds,* pl.
102. C. Smithii, *Pr. B.*
S. Africa.
398. CAPRIMULGUS RUFIGENA. B. M.
Caprimulgus rufigena, *A. Smith, Ill. S. Afr. Zool. Birds,* pl.
100.
S. Africa.
399. CAPRIMULGUS LENTIGINOSUS. B. M.
Caprimulgus lentiginosus, *A. Smith, Ill. S. Afr. Zool. Birds,*
pl. 101.
S. Africa.
400. CAPRIMULGUS NATALENSIS. B. M.
Caprimulgus natalensis, *A. Smith, Ill. S. Afr. Zool.* pl. 99.
S. Africa, (Natal).
401. CAPRIMULGUS PECTORALIS. B. M.
Caprimulgus pectoralis, *Cuv.* C. africanus, *Steph. Levaill.*
Ois. de l'Afr. t. 49.
S. Africa.
402. CAPRIMULGUS TRISTIGMA.
Caprimulgus tristigma, *Rüpp. Vög. N. Ost. Afr.* t. 3. C. po-
liocephalus, *Rüpp.*
Abyssinia.
403. CAPRIMULGUS POLIOCEPHALUS.
Caprimulgus poliocephalus, *Rüpp. Vög. N. Ost. Afr.* t. 4. C.
tetrastigma, *Rüpp.*
Abyssinia.

404. *CAPRIMULGUS INFUSCATUS.*

Caprimulgus infuscatus, Rüpp. *Zool. Atl.* t. 6. *C. nubicus*,
Licht.

Nubia.

405. *CAPRIMULGUS ISABELLINUS.*

B. M.

Caprimulgus isabellinus, Temm. *Pl. col.* 379. *C. ægyptius*,
Licht.

N.-E. Africa.

406. *CAPRIMULGUS EXIMIUS.*

Caprimulgus eximius, Rüpp. *Pl. col.* 398.

N.-E. Africa.

407. *CAPRIMULGUS CONCRETUS.*

Caprimulgus concretus, Temm. *Pr. B. Consp.* p. 60.

Ashantee.

408. *CAPRIMULGUS MADAGASCARIENSIS.*

Caprimulgus madagascariensis, Sganz.

Madagascar.

409. *CAPRIMULGUS INDICUS.*

B. M.

Caprimulgus indicus, Lath. ? *C. cinerascens*, Vieill. *C. saturior*, Hodgs. *Gr. Ill. Ind. Zool.* pl. 34, f. 1. *C. europæus*,
Raffl.

India and Malacca.

410. *CAPRIMULGUS ALBONOTATUS.*

B. M.

Caprimulgus albonotatus, Tick. *C. nipalensis* et *C. innotatus*,
Hodgs. *C. macrourus* et *C. gangeticus*, Bl.

North and Central India.

411. *CAPRIMULGUS MACROURUS.*

Caprimulgus macrourus, Horsf. *Eurostopodus macrourus*, G.
R. Gr. Gould, B. of Austr. ii. pl. 9.

Java and N. Australia.

412. *CAPRIMULGUS SPILOCERCUS*. B. M.
Caprimulgus macrourus et *C. indicus*, *Jerd. Ill. Ind. Orn.* pl.
 24. *C. mahrattensis*, *Jerd.* *C. spilocercus*, *G. R. Gr.*
 Madras.
413. *CAPRIMULGUS BIMACULATUS*.
Caprimulgus bimaculatus, *Peale, U. S. Expl. Exped.* viii. p.
 170, pl. 48, f. 1.
 Malayan Peninsula.
414. *CAPRIMULGUS MONTICOLA*. B. M.
Caprimulgus monticola, *Frankl.* *C. gymnopus*, *Hodgs.* *C.*
arenarius, *Bl.*
 India and Sumatra.
415. *CAPRIMULGUS AFFINIS*. B. M.
Caprimulgus affinis, *Horsf.* *C. pallidus*, *Gr.*
 Java.
416. *CAPRIMULGUS ASIATICUS*. B. M.
Caprimulgus asiaticus, *Lath. Gr. Illustr. Ind. Zool.* pl. 34, f. 2.
 India.
417. *CAPRIMULGUS MAHRATTENSIS*.
C. mahrattensis, *Sykes.* *C. atripennis*, *Jerd.?* *Gould, B. of*
Asia, pl.
 S. India and Ceylon.
418. *CAPRIMULGUS JOTAKA*.
Caprimulgus jotaka, *Temmin. & Schl. Fauna Jap. Ois.* t. 12, 13.
 Japan.
419. *CAPRIMULGUS ICTEROPTERUS*.
Caprimulgus icteropectus, *Vieill.*
 China.
420. *CAPRIMULGUS BINOTATUS*.
Caprimulgus binotatus, *Temmin. Pr. B. Consp.* p. 60.
 Borneo.

421. *CAPRIMULGUS ARUNDINACEUS.*

Caprimulgus arundinaceus, *Pr. B. Hombr. & Jacq. Voy. au Pole Sud.* t. 21, f. 2.

—— ?

422. *CAPRIMULGUS CAYANENSIS.*

B. M.

Caprimulgus cayanensis, *Gm. Pl. enl.* 760. *C. cayanus*, *Lath. C. leucurus*, *Vieill. C. leopetes*, *Jard. & Selby, Ill. of Orn.* pl. 87. *Antrostomus cayanensis*, *Pr. B. Shaw, Nat. Misc.* pl. 1045.

S. America (Cayenne).

423. *CAPRIMULGUS BIFASCIATUS.*

B. M.

Caprimulgus bifasciatus, *Gould. Antrostomus bifasciatus*, *Pr. B.*

S. America (Chili).

424. *CAPRIMULGUS ÆQUICAUDA.*

Caprimulgus æquicauda, *Peale, U. S. Expl. Exped.* viii. p. 168, pl. 47, f. 1.

S. America (Peru).

425. *CAPRIMULGUS OCELLATUS.*

B. M.

Caprimulgus ocellatus, *Tschudi. Fauna Per.* t. 5, f. 2. "*C. brasiliensis*, *Gm.*" *Tschudi. Antrostomus ocellatus*, *Pr. B.*

S. America (Peru).

426. *CAPRIMULGUS NIGRESCENS.*

Caprimulgus nigrescens, *Cab. R. Schomb. Reis.* iii. p. 710.

S. America (British Guiana).

427. *CAPRIMULGUS VOCIFER.*

Caprimulgus vociferus, *Wils. Amer. Orn.* pl. 41. *C. clamator*, *Vieill. Ois. de l'Amer. Sept.* t. 23. *Audub. B. of Amer.* pl. 82. *Antrostomus vocifer*, *Pr. B. Shaw, Nat. Misc.* pl. 1053.

N. America (South and Central Parts).

428. *CAPRIMULGUS DOMINICUS.*

Antrostomus dominicus, *Pr. B. Consp.* p. 61.

St. Domingo.

429. CAPRIMULGUS CALIFORNIANUS.

Antrostomus californianus, *Pr. B. Consp.* p. 61.

California.

430. CAPRIMULGUS NUTTALII.

Caprimulgus Nuttallii, *Audub. B. of Amer.* pl. 495.

California.

431. CAPRIMULGUS GUIANENSIS.

Caprimulgus guianensis et *C. griseus*? *Gm. Pl. enl.* 733. *C. variegatus*, *Vieill.* *C. jaspideus*, *Merr.* *Antrostomus guianensis*, *Pr. B.*

S. America (Guiana, La Plata, Patagonia).

432. CAPRIMULGUS MITCHELLII.

B. M.

Caprimulgus semitorquatus, *G. R. Gr. & Mitch. Gen. of B.* pl. 17.

S. America (Para).

433. CAPRIMULGUS ODONPTERON.

Caprimulgus odonpteron, *Less.* *Antrostomus odonpteron*, *Pr. B.*

Antilles.

434. CAPRIMULGUS PARVULUS.

Caprimulgus parvulus, *Gould.* *Antrostomus parvulus*, *Pr. B.*

S. America (La Plata).

435. CAPRIMULGUS DECUSSATUS.

Caprimulgus decussatus, *Tschudi, Fauna Per.* t. 5. f. 1. *Antrostomus decussatus*, *Pr. B.*

S. America (Peru).

436. CAPRIMULGUS LONGIROSTRIS.

Caprimulgus longirostris, *Pr. B.* *Antrostomus longirostris*, *Pr. B.*

S. America.

437. CAPRIMULGUS SPHENURUS.

Caprimulgus sphenurus, *Vieill.* *C. Azaræ*, *Merr.*

S. America (Paraguay).

438. ? CAPRIMULGUS TORQUATUS.

Caprimulgus torquatus, *Gm.* *Will. Orn.* t. 14.
S. America (Brazil).

439. CAPRIMULGUS MACROMYSTAX.

Caprimulgus macromystax, *Wagl.*
Mexico.

440. CAPRIMULGUS CONTERMINUS.

Caprimulgus conterminus, *Peale, U. S. Expl. Exped.* viii. p.
169. pl. 47, f. 2.
S. America (Chili).

b. Eucapripodus, *Less.* 1843.

441. CAPRIMULGUS ALBICOLLIS.

Caprimulgus albicollis, *Gm.* Eucapripodus albicollis, *Less.*
Antrostomus albicollis, *Pr. B.*
S. America (Cayenne, Paraguay, and Bolivia).

c. Antrostomus, *Gould*, 1838.

442. CAPRIMULGUS CAROLINENSIS.

B. M.
Caprimulgus carolinensis, *Wils. Amer. Orn.* pl. 54, f. 2. C.
rufus, *Vieill. Ois. d'Amer. Sept.* t. 25? *Audub. B. of Amer.*
pl. 52. Antrostomus carolinensis, *Gould*.
N. America.

443. CAPRIMULGUS SERICO-CAUDATUS.

Antrostomus serico-caudatus, *Cass. Proc. Ac. Nat. Sc. Phil.* iv.
p. 236.
S. America.

d. Hydropsalis, *Wagl.* 1832.
Psalurus, *Sw.* 1837.

444. CAPRIMULGUS FURCIFER.

Caprimulgus furcifer, *Vieill.* C. fissicaudus, *Merr.* Hydrop-
salis Azaræ, *Wagl.* H. furcifer, *G. R. Gr.*
S. America (Brazil, Paraguay).

445. *CAPRIMULGUS PSALURUS*.

Caprimulgus psalurus, *Temm. Pl. col.* 157. *Hydropsalis psalurus*, *Pr. B.* *H. furcifer*, p. *G. R. Gr.* *Psalurus macrop-terus*, *Sw.*

S. America (Brazil).

446. *CAPRIMULGUS CREAGER*.

Hydropsalis creagra, *Pr. B. Consp.* p. 58. *H. limbatus*, *Cass.*

S. America (Brazil).

447. *CAPRIMULGUS LYRA*.

Hydropsalis lyra, *Gould. Pr. B. Consp.* p. 59. *H. segmen-tatus*, *Cass.*

S. America (Sta. Fé de Bogota).

448. *CAPRIMULGUS MANURUS*.

B. M.

Caprimulgus manurus, *Vieill. Caprimulgus (Hydropsalis) manurus*, *G. R. Gr. Hydropsalis manurus*, *Pr. B.*

S. America (Brazil).

449. *CAPRIMULGUS CLIMACOCERCUS*.

B. M.

Caprimulgus climacocercus, *Tschudi, Fauna Per.* t. 6, f. 1. *Caprimulgus (Hydropsalis) climacocercus*, *G. R. Gr. Hy-dropsalis climacocercus*, *Pr. B.*

S. America (Peru, British Guiana).

450. *CAPRIMULGUS TRIFURCATUS*.

Hydropsalis trifurcatus, *Pr. B. Consp.* p. 59. *Caprimulgus trifurcatus*, *Natt.*

S. America (Peru).

e. *Tetroura*, *Less.* 1843. *

451. *CAPRIMULGUS ENICURUS*.

Caprimulgus enicurus, *Vieill. C. cordicilla*, *Merr. Tetroura enicura*, *Less.*

S. America.

2. NYCTIDROMUS.

Nyctidromus, *Gould*, 1838.

452. NYCTIDROMUS DERBYANUS. B. M.
 Nyctidromus Derbyanus, *Gould*, *Icon. Av.* pl.
 S. America (Brazil, Para).

453. ? NYCTIDROMUS GRALLARIUS.
 Caprimulgus grallarius, *Pr. Max.* Nyctidromus grallarius, *Pr.*
B. Consp. p. 62.
 S. America.

454. NYCTIDROMUS AFFINIS. B. M.
 Nyctidromus affinis, *G. R. Gr.*
 Mexico and Honduras.

3. ELEOTHREPTUS.

Eleothreptus, *G. R. Gr.* 1840.
 Amblypterus, *Gould*, 1837.

455. ELEOTHREPTUS ANOMALUS. B. M.
 Amblypterus anomalus, *Gould*, *Icon. Av.* pl. Eleothreptus
 anomalus, *G. R. Gr.*
 Demerara.

4. EUROSTOPODUS.

a. Eurostopodus, *Gould*, 1837.

456. EUROSTOPODUS ALBOGULARIS. B. M.
 Caprimulgus albogularis, *Vig. & Horsf.* C. mysticalis, *Temm.*
Pl. col. 410. C. albomaculatus, *Cuv.* Eurostopodus albogu-
 laris, *Gould*, *B. of Austr.* ii. pl. 7.
 New South Wales.

457. EUROSTOPODUS GUTTATUS. B. M.
 Caprimulgus guttatus, *Vig. & Horsf.* Eurostopodus guttatus,
Gould, *B. of Austr.* ii. pl. 8.
 Australia (except Van Diemen's Land).

b. *Lyncornis*, *Gould*, 1838.

458. *EUROSTOPODUS CERVINICEPS*.

Lyncornis cerviniceps, *Gould*, *Icon. Av. pl.* *Eurostopodus cerviniceps*, *G. R. Gr.*

Burmah.

459. *EUROSTOPODUS MACROTIS*.

B. M.

Caprimulgus macrotis, *Vigors*. *Lyncornis macrotis*, *Gould*, *Icon. Av. pl.* *Eurostopodus macrotis*, *G. R. Gr.*

Philippine Islands.

460. *EUROSTOPODUS TEMMINCKII*.

B. M.

Lyncornis Temminckii, *Gould*, *Icon. Av. pl.* *Caprimulgus pulcher*, *A. Hay*. *C. imberbis*, *Temm.* *Eurostopodus Temminckii*, *G. R. Gr.*

Malacca and Java.

461. *EUROSTOPODUS MACROPTERUS*.

Lyncornis macropterus, *Temm. Pr. B. Consp.* p. 62.

Celebes.

5. *CHORDEILES*.

Chordeiles, *Sw.* 1831.

462. *CHORDEILES WIEDERSPERGII*.

Caprimulgus Wiederspergii, *Reichenb. All. Deuts. Naturh. Zeit.* 1846, t. 5. *Eurostopodus?* *Wiederspergii*, *G. R. Gr.* *Scotornis climacurus?* *Pr. B.*

463. *CHORDEILES VIRGINIANUS*.

B. M.

Caprimulgus virginianus, *Gm.* *C. popetue*, *Vieill. Ois. de l'Amer.* t. 24. *C. americanus*, *Wils. Amer. Orn.* pl. 40. *Audub. B. of Amer.* pl. 147. *Chordeiles virginianus*, *Sw.* *Caprimulgus (Chordeiles) virginianus*, *Sw. & Rich.*

N. America.

464. *CHORDEILES SAPITI*.

Caprimulgus sapiti, *Natt.* *Chordeiles sapiti*, *Pr. B. Consp.* p. 63.

S. America.

465. CHORDEILES AMERICANUS.

Caprimulgus americanus, *L. Sloane, Jam.* pl. 255, f. 1. Chordeiles americanus, *G. R. Gr.*

S. America.

466. CHORDEILES SEMITORQUATUS.

Caprimulgus semitorquatus, *Gm. Pl. enl.* 734. Antrostomus semitorquatus, *Pr. B.*

S. America (Cayenne)

467. CHORDEILES BRASILIENSIS.

Caprimulgus brasiliensis, *Gm. Petiv. t.* 59, f. 1. C. noitibo, *Vieill. Chordeiles brasiliensis, Pr. B.*

S. America (Brazil, Peru).

468. CHORDEILES ACUTIPENNIS.

Caprimulgus acutipennis, *Bodd. C. acutus, Gm. Pl. enl.* 732.

S. America.

469. CHORDEILES RUPESTRIS.

Caprimulgus rupestris, *Spix, Av. Bras. t.* 2. Chordeiles rupestris, *G. R. Gr.* B. M.

S. America (Brazil, Para, Bolivia).

470. CHORDEILES LABECULATUS.

Chordeiles labeculatus, *Jard.*

Bermuda.

471. CHORDEILES HIRUNDINACEUS.

Caprimulgus hirundinaceus, *Spix, Av. Bras. t.* 3, f. 1. Chordeiles hirundinaceus, *Pr. B.*

S. America (Brazil).

472. CHORDEILES LEUCOPTERUS.

Caprimulgus leucopterus, *Pr. Max. C. leucopygius, Spix, Av. Bras. t.* 3, f. 2. Chordeiles leucopterus,

S. America (Brazil).

473. CHORDEILES EXILIS.

Caprimulgus exilis, *Less.* *C. pruniosus*, *Licht. Fauna Per.* t. 6, f. 2. *Chordeiles exilis*, *Pr. B.*

S. America (Chili).

474. CHORDEILES PERUVIANUS.

Chordeiles peruvianus, *Peale, U. S. Expl. Exped.* viii. p. 172, pl. 48, f. 2.

Peru.

475. CHORDEILES MINUTUS.

Caprimulgus minutus, *Natt.* *Chordeiles minutus*, *Pr. B. Consp.* p. 63.

S. America (Brazil).

iii. PODAGERINÆ.

Podagerinæ, *G. R. Gr.* 1847.

Scotorninæ, *G. R. Gr.* 1840—41.

Scotornithinæ, *Pr. Bonap.* 1849.

Caprimulginæ, p. *Pr. Bonap.* 1850.

1. SCOTORNIS.

Scotornis, *Sw.* 1837.

476. SCOTORNIS CLIMACURUS.

Caprimulgus climacurus, *Vieill. Gal. des Ois.* t. 122. *C. longicaudus*, *Steph.* *Scotornis climacturus*, *Sw.*

N.-E. and W. Africa.

477.? SCOTORNIS TRIMACULATUS.

Scotornis trimaculatus, *Sw.*

W. Africa.

2. MACRODIPTERYX.

a. *Macrodipteryx*, *Sw.* 1837.

478. MACRODIPTERYX LONGIPENNIS.

Caprimulgus longipennis, *Shaw, Nat. Misc.* pl. 265. *C. macrodipterus*, *Afzel.* *Macrodipteryx africanus*, *Sw. B. of W. Afr.* ii. pl. 5. *M. longipennis*, *G. R. Gr.*

N.-E. and W. Africa.

- b. *Cosmetornis*, *G. R. Gr.* 1840.
Semeiophorus, *Gould*, 1838.

479. *MACRODYPTERYX VEXILLARIUS*.

Semeiophorus vexillarius, *Gould*, *Icon. Av.* pl. . *Cosmetornis vexillaria et Macrodipteryx vexillarius*, *G. R. Gr.*

3. *PODAGER*.

Podager, *Wagl.* 1832.
Proithera, *Sw.* 1837.

480. *PODAGER NACUNDA*. B. M.
Caprimulgus nacunda, *Vieill.* *C. diurnus*, *Pr. Max.* *Pl. col.*
 182. *C. campestris*, *Licht.* *Podager diurnus*, *Wagl.* *P. nacunda*, *G. R. Gr.* *Proithera diurnus*, *Sw.*

S. America (Brazil, La Plata, Bolivia)

481. *PODAGER NATTERERII* B. M.
Caprimulgus Nattererii, *Temm.* *Pl. col.* 107. *Podager Nattererii*, *G. R. Gr.*

S. America (Brazil).

482. *PODAGER GOULDII*. B. M.
Podager Gouldii, *G. R. Gr. & Mitch. Gen of B.* pl. 18.

S. America (Cayenne).

483. *PODAGER RUFUS*.
Caprimulgus rufus, *Bodd.* *Pl. enl.* 735. *C. brachypterus*,
Steph. *Chordeiles?* *rufus*, *G. R. Gr.* *Antrostomus rufus*,
Pr. B.

S. America.

II. HIRUNDINIDÆ.

Hirundinidæ, *Leach. Vig.* 1825; *Pr. B.* 1831—49—50; *Sw.* 1831;
G. R. Gr. 1840—41—45; *Cab.* 1847; *Bl.* 1849—50.
 Cypselidæ, *Cab.* 1847; *Bl.* 1849—50; *Pr. B.* 1850.
 Hirundinides et Cypselides, *Sundev.* 1835.
 Hemiprocnidæ, *Streubel*, 1848.
 Macropteriginæ, *Bl.* 1850.

i. CYPSELINÆ.

Cypselinæ, *Pr. B.* 1838—49—50; *G. R. Gr.* 1840—41—45;
Cab. 1847; *Bl.* 1849.

I. CYPSELUS.

a. Cypselus, *Ill.* 1811.
Apus, *Scop.* 1777.
Micropus, *Wolf & Mey.* 1815.
Brachypus, *Mey.* 1815.
Pallenis, *Reichenb.* 1850.

484. CYPSELUS MELBA.

B. M.

Hirundo melba, *L. Edw. B.* pl. 27. *H. alpina*, *Scop.* *H. gularis*, *Steph.* *Levaill. Ois. de l'Afr.* t. 243. *Apus melba*, *Cur. Less.* *A. alpinus*, *Less.* *Micropus melba* et *M. gutturalis*, *Boie.* *M. alpinus*, *Mey. & Wolf.* *Cypselus melba*, *Ill.* *C. alpinus*, *Temm.* *C. gutturalis*, *Vieill. Gal. des Ois.* t. 121. *C. alpinus africanus*, *Temm.* *Gould, B. of Eur.* pl. 53, f. 2.

S. Europe, India, N. and S. Africa.

485. CYPSELUS PACIFICUS.

B. M.

Hirundo pacifica, *Lath.* *Cypselus pacificus*, *G. R. Gr.* *C. australis*, *Gould, B. of Austr.* pl. 11. *Chætura pacifica*, *Steph.* *Acanthylis pacifica* et *Micropus australis*, *Boie.*

New South Wales.

486. CYPSELUS APUS. B. M.
Hirundo apus, *L. Pl. enl.* 242, f. 1. *Gould, B. of Eur.* pl. 53, f. 1. *Cypselus apus*, *Ill.* *C. vulgaris*, *Steph.* *C. murarius*, *Temm.* *C. caffer*, *Licht.* *Micropus murarius*, *Mey. & Wolf.* *M. apus* et *M. caffer*, *Boie.* *Apus cafer*, *Less.*

Great Britain ; Europe, W. Asia, N. ; N.-E. and S. Africa.

487. CYPSELUS PYGARGUS. B. M.
Cypselus pygargus, *Temm.* *Pl. col.* 460, f. 1. *Atticora pygargus*, *Boie.* *Apus pygargus*, *Less.*

S. Africa.

488. CYPSELUS VITTATUS.
Cypselus vittatus, *Jard. & Selby, Illustr. Orn. n. s.* pl. 39. *Micropus vittatus*, *Boie.*

N.-W. Himalaya, China and Malayan Peninsula and Archipelago.

489. CYPSELUS UNICOLOR. B. M.
Cypselus unicolor, *Jard. & Selby, Illustr. Orn.* pl. 83. *Micropus unicolor*, *Boie.* *Apus unicolor*, *Less.*

Madeira.

490. CYPSELUS LEUCORRHÖUS.
Hirundo leucorrhöus, *Steph.* *Levaill. Ois. de l'Afr.* t. 244, f. 1. *H. nigra*, *Vieill.* *Cypselus leucorrhöus*, *Steph.* *Micropus leucorrhöus*, *Boie.* *Apus sinensis*, *Less.*

S. Africa.

491. CYPSELUS ABYSSINICUS.
Cypselus abyssinicus, *Licht. Isis*, 1848, p. 354.

N.-E. Africa.

492. CYPSELUS AFFINIS. B. M.
Cypselus affinis, *Gr. Ill. Ind. Zool.* pl. 35, f. 2. *C. nipalensis* *Hodgs.* *C. montanus*, *Jerd.* *Micropus affinis*, *Boie.*

India and Ceylon.

493. CYPSELUS SUBFURCATUS.

Cypselus subfurcatus, *Bl.* C. affinis, var., *Strickl.*

Malacca.

494. CYPSELUS BALASSIENSIS.

B. M.

Cypselus balassiensis et C. palmarum, *Gr. Ill. Ind. Zool.* pl. 35, f. 1. Atticora palmarum, *Boie.*

India, Ceylon, and Malayan Peninsula.

495. CYPSELUS SINENSIS.

Hirundo sinensis, *Gm.* Cypselus sinensis, *Cuv.* Micropus sinensis, *Boie.*

India.

496. CYPSELUS LEUCONYX.

Cypselus leuconyx, *Bl.*

India.

497. CYPSELUS ANDICOLUS.

B. M.

Cypselus andicolus, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 42, f. 2. Micropus andicolus et Chelidon andicola, *Boie.*

S. America (Bolivia).

498. CYPSELUS MONTIVAGUS.

Cypselus montivagus, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 42, f. 1. Acanthylis? et Cypselus montivagus, *G. R. Gr.* Acanthylis noctivagus, *Boie.*

S. America (Bolivia).

499. CYPSELUS SENEX.

B. M.

Cypselus senex, *Temm. Pl. col.* 397. Acanthylis? et Cypselus senex, *G. R. Gr.* Acanthylis senex, *Pr. B.* Pallene senex, *Less.* Hemiprocne senex, *Streubel.*

S. America (Brazil).

500. CYPSELUS FUMIGATUS.

Cypselus fumigatus, *Natt.* Hemiprocne fumigata, *Streubel, Isis*, 1848, p. 366.

S. America (Paraguay, Brazil).

- c. *Panyptila*, *Cab.* 1847.
Pseudoprocne, *Streubel*, 1848.

501. *CYPSELUS CAYANENSIS*. B. M.
Hirundo cayanensis, *Gm. Pl. enl.* 725, f. 2. *Cypselus cayanensis*, *Illig.* *Micropus cayanensis*, *Boie.* *Hirundo* (*Chelidon*) *cayanensis*, *Less.* *Pseudoprocne cayanensis*, *Streubel.*
 S. America (Cayenne, Brazil).

- b. *Tachornis*, *Gosse*, 1847.

502. *CYPSELUS PHÆNICOBIVS*. B. M.
Tachornis phœnicobia, *Gosse, B. of Jam. pl.* *Cypselus phœnicobius*, *G. R. Gr.*
 Jamaica.

503. *CYPSELUS NIGRA*.
Hirundo nigra, *Gm. Briss. Orn.* ii. t. 46, f. 3. *Atticora nigra*, *Boie.* *Cypselus nigra*, *G. R. Gr.* *Hirundo* (*Cecropis*) *nigra*, *Less.* *Gosse, B. of Jam. pl.* 10. *Hirundo nigra*, var. β . *Lath.*? *Pl. enl.* 725, f. 1?
 W. Indies (Jamaica, St. Domingo), S. America (Cayenne).

2. MACROPTERYX.

Macropteryx, *Sw.* 1832.
Macropterus, *Sw.*
Pallestre, *Less.* 1837.
Dendrochelidon, *Boie.* 1838.
Hemiprocne (*Chelidonia*), *Streubel*, 1848.

504. *MACROPTERYX KLECHO*. B. M.
Hirundo Klecho, *Horsf.* *Macropteryx Klecho*, *G. R. Gr.*
M. longipennis, *Sw. Zool. Illustr. n. s. pl.* 74. *Cypselus Klecho*, *Steph.* *C. longipennis*, *Temm. Pl. col.* 83, f. 1.
Dendrochelidon Klecho, *Boie.* *Apus* (*Pallestre*) *Klecho*, *Less.*
Hemiprocne (*Chelidonia*) *longipennis* seu *Klecho*, *Streubel.*
 Malacca, Sumatra, and Java.

505. **MACROPTERYX CORONATUS.** B. M.
Hirundo coronata, *Tick.* *Macropteryx longipennis*, *Jerd.* *M. coronata*, *Bl.* *Dendrochelidon velata*, *Less.* *D. schistaceus*, *Pr. B.*

S. and Central India and Ceylon.

506. **MACROPTERYX COMATUS.** B. M.
Cypselus comatus, *Temm.* *Pl. col.* 268. *Macropteryx comatus*, *Sw.* *Apus comatus* et *Apus* (*Pallestre*) *comatus*, *Less.* *Dendrochelidon comatus*, *Boie.* *Hemiprocne* (*Chelidonia*) *comata*, *Streubel.*

Malacca, Sumatra, and Philippine Islands.

507. **MACROPTERYX MYSTACEUS.** B. M.
Cypselus mystaceus, *Less. Voy. de la Coqu.* t. 22. *Macropteryx mystaceus*, *Sw.* *Apus mystaceus* et *Apus* (*Pallestre*) *mystaceus*, *Less.* *Dendrochelidon mystaceus*, *Boie.* *Hemiprocne* (*Chelidonia*) *mystacea*, *Streubel.*

New Guinea and Amboina.

3. COLLOCALIA.

Collocalia, *G. R. Gr.* 1840.
Salanganes, *J. Geoffr.*

508. **COLLOCALIA ESCULENTA.**
Hirundo esculenta, *L. Briss. Orn.* ii. t. 46, f. 2, A. *Collocalia esculenta*, *G. R. Gr.* *Hirundo* (*Cecropis*) *esculenta*, *Less.* *Hemiprocne* (*Salanganæ*) *Salangana*, *Streubel.*

China and Borneo.

509. **COLLOCALIA NIDIFICA.** B. M.
Hirundo esculenta, var. *Lath. Gen. Syn. Suppl.* ii. pl. 135. *H. esculenta*, *Horsf.* *H. brevirostris*, *McClell.* *H. unicolor* et *Cypselus concolor*, *Jerd.* *Collocalia nidifica*, *G. R. Gr.* *C. brevirostris* et *Cotyle brevirostris*, *Boie.*

India (Himalaya), Ceylon and Malacca.

510? COLLOCALIA FUCIPHAGA.

B. M.

Hirundo fuciphaga, *Thunb.* *Hirundo* (*Cecropis*) *fuciphaga*,
Less. *Collocalia fuciphaga*, *G. R. Gr.* *C. nidifica*, p. *Pr. B.*
Hemiprocne (*Salanganæ*) *fucivora*, *Streubel.*

Coast of Bengal ; Malayan Peninsula and Archipelago.

511. COLLOCALIA TROGLODYTES.

B. M.

Collocalia troglodytes, *G. R. Gr. & Mitch. Gen. of B.* pl. 19.

Malacca.

512. COLLOCALIA FRANCICA.

B. M.

Hirundo francica, *Gm.* *Collocalia francicæ*, *G. R. Gr.*

Isle of France.

513? COLLOCALIA DELICATULA.

Cypselus delicatulus, *Kuhl.*

———?

4. ACANTHYLIS.

a. *Acanthylis*, *Boie*, 1826.

Chætura, *Steph.* 1825.

Hemiprocne, p. *Streubel*, 1848.

Pallene, *Less.* 1837.

514. ACANTHYLIS PELASGIA.

B. M.

Hirundo pelasgia, *L. Pl. enl.* 726, f. 2. *Wils. Amer. Orn.*
 pl. 39, f. 1. *Acanthylis pelasgia*, *G. R. Gr.* *Chætura pelas-*
gia, *Steph.* *Apus* (*Pallene*) *pelasgia*, *Less.* *Hemiprocne*
(Acanthylis) pelasgia, *Streubel.* *Vieill. Ois. de l'Amer. Sept.*
t. 33. Audub. B. of Amer. pl. 158.

N. America.

515. ACANTHYLIS VAUXII.

Cypselus Vauxii, *Towns.* *Acanthylis Vauxi*, *Boie.*

Columbia.

516. ACANTHYLIS BRUNNEITORQUES. B. M.
Chætura brunneitorques, *Lafr.* *Acanthylis brunneitorques*,
G. R. Gr.
 S. America.
517. ACANTHYLIS POLIOURA. B. M.
Cypselus poliourea, *Temm. Pl. enl. 726, f. 2.* *Acanthylis polio-
 ioura*, *G. R. Gr.* *A. brachyura*, *Jard.*
 S. America (Cayenne), and W. Indies.
518. ACANTHYLIS SPINICAUDA. B. M.
Cypselus spinicaudus, *Temm. Pl. enl. 726, f. 1.* *Hirundo
 pelasgia*, var. *Lath.* *Acanthylis spinicauda*, *Boie.* *Hemi-
 procne (Acanthylis) acuta*, p. ? *Streubel.*
 S. America.
519. ACANTHYLIS ACUTA.
Hirundo acuta, *Gm. Pl. enl. 544, f. 1.* *Acanthylis acuta*,
Boie. *Chætura martinicana*, *Steph.* *Apus (Pallene) acuta*,
Less. *Hemiprocne (Acanthylis) acuta*, *Streubel.*
 S. America.
520. ACANTHYLIS OXYURA.
Hirundo oxyura, *Vieill.* *Acanthylis oxyura*, *Boie.*
 S. America (Paraguay).
521. ACANTHYLIS ROBINI.
Hirundo Robini, *Less.* *Acanthylis Robini*, *Boie.*
 Trinidad.
522. ACANTHYLIS SABINI. B. M.
Chætura Sabini et *C. bicolor*, *Gr.* *Acanthylis Sabini*, *G. R.*
Gr. *Pallene leucopygia*, *Boie.*
 W. Africa.
523. ACANTHYLIS CORACINUS.
Cypselus coracinus, *Müll.* *Acanthylis coracina*, *Boie.* *Pr.*
B. Consp. p. 64.
 Borneo.

b. *Hirund-apus*, *Hodgs.* 1836.524. *ACANTHYLIS CAUDACUTA.*

B. M.

Hirundo caudacuta, *Lath.* *H. fusca*, *Steph. Gould, B. of Austr.* ii. pl. 10. *Chætura australis* et *C. fusca*, *Steph.* *C. macroptera*, *Sw. Zool. Illustr. n. s.* pl. 42. *Pallene macroptera* et *P. caudacuta*, *Boie.* *Acanthylis caudacuta*, *G. R. Gr.*

New South Wales and Van Diemen's Land.—England!

525. *ACANTHYLIS NUDIPES.*

B. M.

Chætura (Hirundapus) nudipes, *Hodgs.* *Acanthylis nudipes* *G. R. Gr.* *A. fusca*, *Bl.* *Cypselus leuconotus*, *Deless. Mag. de Zool. Ois.* t. 20. *Souven. Voy. Inde. Or. Ois.* t. 9. *C. nudipes*, *Hartl.* *Pallene leuconota*, *Boie.* *Hemiprocne (Acanthylis) leuconotus*, *Streubel.*

India (Himalaya).

526. *ACANTHYLIS GIGANTEA.*

Cypselus giganteus, *V. Hass. Pl. col.* 364. *Apus (Pallene) gigantea*, *Less.* *Acanthylis gigantea*, *G. R. Gr.* *A. caudacuta*, *Bl.* *Pallene gigantea*, *Boie.* *Hemiprocne (Acanthylis) gigantea*, *Streubel.*

Malayan Peninsula, India (Himalaya) and Ceylon.

527. *ACANTHYLIS LEUCOPYGIALIS.*

Acanthylis leucopygialis, *Bl.*

Malayan Peninsula.

528. *ACANTHYLIS SYLVATICA.*

Acanthylis sylvatica et *A. Sabini* (*Gr.*), *Tick.*

Central India.

529. *ACANTHYLIS CIRIS.*

Hirundo ciris, *Pall.* *Acanthylis ciris*, *G. R. Gr.* *Pallene ciris*, *Boie.*

Siberia.

c. Hemiprocne, *Nitzsch*, 1840.

530. ACANTHYLIS COLLARIS.

B. M.

Hirundo collaris, *Temm.* *Pl. col.* 195. *H. albicollis*, *Vieill.*
H. zonarius, *Shaw*? *Chætura collaris*, *Steph.* *Acanthylis*
collaris, *G. R. Gr.* *Hemiprocne collaris*, *Nitzsch.* *Cypselus*
torquatus, *Licht.* *Apus* (*Pallene*) *collaris*, *Less.* *Pallene col-*
laris. *Boie.* *Hemiprocne* (*Acanthylis*) *torquata*, *Streubel.*

S. America (Guiana, Brazil, Caraccas), and W. Indies (Jamaica, Cuba).

ii. HIRUNDININÆ.

Hirundininae, *Sw.* 1831; *Pr. B.* 1838—49—50; *G. R. Gr.* 1840—41—45.

1. ATTICORA.

Atticora, *Boie*, 1844.

531. ATTICORA FASCIATA.

B. M.

Hirundo fasciata, *Gm.* *Pl. enl.* 724, f. 2. *Sw. Zool. Illustr.*
n. s. pl. *Atticora fasciata*, *Boie.* *Hirundo* (*Cecropis*) *fasciata*,
Less.

S. America (Cayenne).

532. ATTICORA PRISTOPTERA.

B. M.

Hirundo (*Chelidon*) *pristoptera*, *Rüpp. Fauna Abyss.* t. 39, f.
2. *Atticora albiscapulata*, *Boie.* *A. pristoptera*, *G. R. Gr.*

Abyssinia.

533. ATTICORA AMBROSIACA.

B. M.

Hirundo ambrosiaca, *Gm.* *Pl. col.* 460, f. 2. *Atticora ambro-*
siaca, *Boie.* *Apus parvus*, *Less.* *Hirundo* (*Cecropis*) *ambro-*
siaca, *Less.* *Cypselus parvus*, *Licht.* *C. ambrosiacus*, *G. R.*
Gr. *Dendrochelidon ambrosiacus*, *Pr. B.*

W.; N.-E. and E. Africa.

534. ATTICORA VELOX.

Hirundo velox, *Vieill. Levaill. Ois. de l'Afr.* t. 244, f. 2. Apus velox, *Less.* Atticora velox, *Pr. B.*

S. Africa.

535. ATTICORA CRISTATA.

Hirundo cristata, *Steph. Levaill. Ois. de l'Afr.* t. 247. Hirundo (Cecropis) cristata, *Less.* Dendrochelidon cristatus, *Boie.*

S. Africa.

536. ATTICORA LEUCOSTERNON.

B. M.

Hirundo leucosternus et Atticora leucosternon, *Gould, B. of Austr.* ii. pl. 12. Chelidon leucosterna, *Boie.*

New South Wales ; S. and W. Australia.

537. ATTICORA VANIKORENSIS.

Hirundo vanikorensis, *Quoy & Gaim. Voy. de l'Astrol. Ois.* t. 12, f. 3. Atticora? vanikorensis, *G. R. Gr.* Cotyle vanikorensis, *Boie.* Hirundo (Herse) vanikorensis, *Less.*

New Guinea.

Examine Macropteryx spodiopygius, *Peale, Expl. Exped.* viii. p. 176, pl. 49, f. 2.

Samoan and Feejee Islands.

2. HIRUNDO.

a. Hirundo, *L.* 1735.

Cecropis, *Boie*, 1826.

Herse, *Less.* 1837.

538. HIRUNDO RUSTICA.

B. M.

Hirundo rustica, *L. Pl. enl.* 543, f. 1. *Gould, B. of Eur.* pl.

54. *Yarr. Brit. B.* 2 edit. ii. fig. p. 231. *H. domestica*, *Pall.*

H. albifrons, *Rüpp.* Cecropis rustica, *Boie, Brehm.* *C. pagorum*, *Brehm.* Hirundo (Cecropis) rustica, *Less.*

Great Britain ; Europe. W. ; N. and N.-E. Africa.

539. *HIRUNDO CAHIRICA*.

Hirundo cahirica, *Licht.* *H. castanea*, *Sav. Hist. de l'Egypte. Ois.* t. 4, f. 4. *H. Riocouri*, *Sav.* *H. Savignyi*, *Leach.* *H. Boissoneauui*, *Temm.* *H. rustica orientalis*, *Schl.* *Cecropis Savignyi*, *Boie.* *Hirundo (Cecropis) Savignyi*, *Less.*

S. Europe ; W. ; N. and N.-E. Africa.

540. *HIRUNDO SMITHII*.

Hirundo Smithii, *Leach.* *Cecropis Smithii*, *Boie.*

W. Africa (Congo).

541. *HIRUNDO RUTILA*.

Hirundo rutila, *Vieill.* *Cecropis rutila*, *Boie.*

—— ?

542. *HIRUNDO GUTTURALIS*.

B. M.

Hirundo gutturalis, *Scop. Sonn. Voy.* t. 76. *H. panayana*, *Gm.* *H. jewan*, *Sykes.* *H. rustica*, *Bl. Meyen, Nova Acta*, 1834, t. 10, f. 1, *Suppl.* *H. javanica*, *Sparr. Mus. Carls.* t. 100. *Pl. col.* 83, f. 2. *H. rusticoïdes*, *Kuhl.* *Cecropis panayana*, *C. jewan*, et *C. javanica*, *Boie.* *Hirundo (Herse) javanica.* *H. (Cecropis) panayana* et *H. (Herse) jewan*, *Less.*

India, China, Java, Japan and Philippine Islands.

543. *HIRUNDO DOMICOLA*.

Hirundo domicola, *Jerd.* *H. rustica*, *Lath.*

Malacca and Nilgiris.

544. *HIRUNDO FRONTALIS*.

B. M.

Hirundo javanica, *Vig. & Horsf.* *H. frontalis*, *Quoy & Gaim. Voy. de l'Astrol. Ois.* t. 12, f. 1. *H. neoxena*, *Gould, B. of Austr.* ii. pl. 13. *H. pacifica*, *Griff. An. Kingd.* ii. pl. p. 95. *Cecropis frontalis*, *Boie.* *Hirundo (Herse) frontalis*, *Less.*

Australia (except the North).

545. *HIRUNDO RUFIFRONS*.

Hirundo rufifrons, *Shaw. Levaill. Ois. de l'Afr.* t. 245, f. 2. *Cecropis rufifrons*, *Boie.* *Hirundo (Cecropis) rufifrons*, *Less.*

S. and W. Africa.

546. *HIRUNDO ALBIGULARIS*.

Hirundo albigularis, *Strickl. Contr. Ornith.* 1849, pl. 17. *H. rufifrons*, *Less.* *H. albigula*, *Pr. B.*

S. Africa.

547. *HIRUNDO DAURICA*.

B. M.

Hirundo daurica, *L.* *H. alpestris*, *Pall. Zoogr.* t. 30, f. 2. *H. erythropygia*, *Sykes.* *H. nipalensis*, *Hodgs.* *H. europygia*, *Tick.*? *Cecropis daurica* et *C. erythropygia*, *Boie.* *Hirundo* (*Cecropis*) *daurica* et *H. (C) erythropygia*, *Less.*

Siberia, India and China.

548? *HIRUNDO JAPONICA*.

Hirundo alpestris japonica, *Temm. & Schl. Fauna Jap.* t. 11. *H. japonica*, *Pr. B.*

Japan.

549. *HIRUNDO HYPERYTHRA*.

Hirundo hyperythra et *Herse hyperythra*, *Bl.*

Ceylon.

550. *HIRUNDO STRIOLATA*.

Hirundo striolata, *Temm. & Schl.* *Cecropis striolata*, *Boie.*

Java.

551. *HIRUNDO ABYSSINICA*.

B. M.

Hirundo striolata et *H. capensis*, *Rüpp. Syst. Uebers. Vög. von N. Ost. Afr.* t. 6. *H. abyssinica*, *Guér.*

N.-E. and W. Africa.

552. *HIRUNDO KORTHALSI*.

Hirundo Korthalsi, *Pr. B. Consp.* p. 340.

—— ?

553. *HIRUNDO CUCULLATA*.

B. M.

Hirundo cucullata, *Bodd. Pl. enl.* 723, f. 2. *H. capensis*, *Gm.* *Cecropis capensis*, *Boie.* *Hirundo* (*Cecropis*) *capensis*, *Less.*

S. Africa.

554. *HIRUNDO RUFULA*.

B. M.

Hirundo rufula, *Temm. Levaill. Ois. de l'Afr.* t. 245, f. 1.
H. daurica, *Savi.* *H. alpestris*, *Pr. B.* *H. melanocrissus*,
G. R. Gr. *Cecropis melanocrissus*, *Rüpp. Syst. Uebers. Vög.*
N. Ost. Afr. t. 5. *C. rufula*, *Boie.*

Africa and S. Europe.

555. *HIRUNDO SENEGALENSIS*.

B. M.

Hirundo senegalensis, *L. Pl. enl.* 310. *Sw. B. of W. Afr.*
 pl. 6. *H. rufula*, *Gould, B. of Eur.* ii. pl. 55. *Hirundo* (*Ce-*
cropis) *senegalensis*, *Less.* *Cecropis senegalensis*, *Boie.*

W. and N.-E. Africa.

556. *HIRUNDO NIGRICANS*.

B. M.

Hirundo nigricans, *Vieill.* *H. pyrrhonota*, *Lath. MSS. Vig.*
& Horsf. Voy. de l'Astrol. Ois. t. 12, f. 2. "*H. pygialis*,
Temm." *Pr. B.* *Cecropis nigricans* et *C. pyrrhonota*, *Boie.*
Collocalia arborea, *Gould, B. of Austr.* ii. pl. 14. *Chelidon*
arborea, *Gould.* *Hirundo* (*Herse*) *nigricans* et *H. (H) pyr-*
rhonota, *Less.* *Herse nigricans*, *Pr. B.*

Australia.

557. *HIRUNDO ARIEL*.

B. M.

Collocalia ariel, *Gould, B. of Austr.* ii. pl. 15. *Chelidon ariel*,
Gould. *Hirundo ariel*, *G. R. Gr.* *Herse ariel*, *Pr. B.*

New South Wales; S. and W. Australia.

558. *HIRUNDO TAHITICA*.

Hirundo tahitica, *Gm. Lath. Gen. Syn. pl. in titlepage.* *H.*
pyrrhomæla, *Forst.* *H. taitensis*, *Less.* *Hirundo* (*Herse*)
taitensis, *Less.* *Cecropis taitensis*, *Boie.* *Herse tahitica*,
Pr. B.

Society Islands (Otaheite).

559. *HIRUNDO PUELLA*.

Hirundo puella, *Schl. Fauna Jap.* p. 33.

W. Africa (Gold Coast).

560. *HIRUNDO LEUCOSOMA.*

B. M.

Hirundo leucosoma, Sw. *Chelidon leucosoma*, Boie.
W. Africa.

561. *HIRUNDO NIGRITA.*

B. M.

Hirundo nigrita, G. R. Gr. & Mitch. *Gen. of B.* pl. 20. *Atticora nigrita*, Pr. B.
W. Africa.

562. *HIRUNDO FILIFERA.*

B. M.

Hirundo? *filifera*, Steph. *Lath. Hist. of B.* pl. 113. *H. filicaudata*, Frankl. *H. ruficeps*, Licht. *Chelidon ruficeps*, Boie. *Hirundo* (*Cecropis*) *filifera*, Less.
India and Abyssinia.

563. *HIRUNDO ERYTHROCEPHALA.*

B. M.

Hirundo erythrocephala et *H. indica?* Gm. *Lath. Gen. Syn.* iv. pl. 56. *Hirundo* (*Cecropis*) *indica*, Less. *Chelidon erythrocephala* et *C. indica*, Boie. *Herse erythrocephala*, Pr. B.
India.

564. *HIRUNDO WILSONI.*

B. M.

Hirundo americana, Wils. *Amer. Orn.* pl. 38, f. 1, 2. *H. rufa*, Vieill. *Ois. de l'Amer. Sept.* t. 30. *H. rustica*, Audub. *B. of Amer.* pl. 173.
N. America.

565. *HIRUNDO ERYTHROGASTER.*

Hirundo erythrogaster, Bodd. *Pl. enl.* 724, f. 1. *H. rufa*, Gm. *Cecropis rufa*, Boie. *Hirundo* (*Cecropis*) *rufa*, Less.
S. America (Cayenne).

566. *HIRUNDO AMERICANA.*

Hirundo americana, Gm. *H. platensis*, Steph. *Cecropis americana*, Boie.
S. America.

Examine, *Hirundo ruficollaris*, Peale, *U. S. Expl. Exped.* viii. p. 175, pl. 49, f. 1.

S. America (Peru).

567. *HIRUNDO FULVA*. B. M.
Hirundo fulva, Vieill. *Ois. de l'Amer. Sept.* t. 32. *H. pæciloma*, Gosse. *H. respublicana*, Clyton. *Cecropis fulva*, Boie, *Hirundo* (*Cecropis*) *fulva*, Less.
 W. Indies (Jamaica).
568. ? *HIRUNDO MELANOGASTER*.
Hirundo melanogaster, Sw. *Cecropis fulva*, p. Boie. *Hirundo* (*Biblis*) *melanogaster*, Less.
 Central America (Mexico).
569. *HIRUNDO LUNIFRONS*.
Hirundo lunifrons, Say. *Pr. B. Amer. Orn.* pl. 7, f. 1. *Audub. B. of Amer.* pl. 68. *Cecropis lunifrons*, Boie.
 N. America (Rocky Mountains).
570. *HIRUNDO THALASSINA*. B. M.
Hirundo thalassina, Sw. *Audub. B. of Amer.* pl. 385, f. 4, 5. *H. viridis*, Licht.? *Chelidon thalassina*, Boie. *Hirundo* (*Cecropis*) *thalassina*, Less.
 Central America (Mexico).
571. *HIRUNDO EUCHRYSEA*. B. M.
Hirundo euchrysea, Gosse, *B. of Jam.* pl. 12.
 W. Indies (Jamaica).
572. *HIRUNDO BICOLOR*. B. M.
Hirundo bicolor, Vieill. *Ois. de l'Amer. Sept.* t. 31. *H. viridis*, Wils. *Amer. Orn.* pl. 38, f. 3. *H. leucogaster*, Steph. *Hirundo* (*Chelidon*) *bicolor*, Less. *Chelidon viridis et Chelidon leucogastra*, Boie. *Hirundo* (*Chelidon*) *bicolor*, Less. *Audub. B. of Amer.* pl. 98.
 N. America and Mexico.
573. *HIRUNDO ALBIVENTER*. B. M.
Hirundo albiventer, Bodd. *Pl. enl.* 546, f. 2. *H. leucoptera*, Gm. *Chelidon leucoptera*, Boie. *Hirundo* (*Chelidon*) *leucoptera*, Less.
 S. America (Para, Demerara, Bolivia, Peru).

574. *HIRUNDO MACULATA*.

Hirundo maculata, *Bodd. Pl. enl.* 546. f. 1. *H. leucoptera* var. β ., *Lath.* *H. maculosa*, *Kuhl.* *Chelidon maculata*, *Boie*.
S. America.

575. *HIRUNDO MELANOLEUCA*.

Hirundo melanoleuca, *Pr. Max. Pl. col.* 209, f. 2. *Chelidon melanoleuca*, *Boie.* *Hirundo* (*Cecropis*) *melanoleuca*, *Less.*
S. America (Brazil, Chili).

576. *HIRUNDO CYANOLEUCA*.

B. M.

Hirundo cyanoleuca, *Vieill. Pl. col.* 209, f. 1. *H. melampyga*, *Licht.* *H. minuta*, *Pr. Max.* *Hirundo* (*Chelidon*) *cyanoleuca*, et *H. (Herse) minuta*, *Less.* *Chelidon cyanoleuca*, *Boie.*

S. America (Brazil, Para, Bolivia, La Planta, Argentina, Peru).

577. *HIRUNDO LEUCORRHŌA*.

Hirundo leucorrhŏa, *Vieill.* *H. leucopyga*, *Licht. Nova Acta*, 1834, pl. 10, *Suppl.* *Chelidon leucorrhŏa*, *Boie.*
S. America (Chili, Paraguay).

578. *HIRUNDO FRONTALIS*.

Hirundo frontalis, *Gould.* *Chelidon frontata*, *Boie.*
S. America.

579. *HIRUNDO PATAGONICA*.

Hirundo patagonica, *D'Orb. & Lafr.* *Chelidon patagonica*, *Boie.*
S. America (Patagonia).

580. *HIRUNDO ANDICOLA*.

Hirundo andicola, *D'Orb. & Lafr.* *Chelidon andicola*, *Boie.*
S. America (Bolivia, Peru).

581. *HIRUNDO CINEREA*.

Hirundo cinerea, *Gm. Forst. Icon. ined.* 168. *Cecropis* ??
cinerea, *Boie.*
S. America (Peru) and Society Islands.

Examine, *Macropteryx leucophæus*, *Peale, U. S. Expl. Exped.* viii.
p. 178, pl. 49, f. 3.

Island of Tahiti.

582. *HIRUNDO PERUVIANA.*

Hirundo peruviana, *Gm.* *Cecropis*?? *peruviana*, *Boie.*

S. America (Peru).

583. *HIRUNDO CYANOPYRRHA.*

Hirundo cyanopyrrha, *Vieill.* *Cecropis cyanopyrrha*, *Boie.*

S. America (Brazil).

584. *HIRUNDO UNALASCHKENSIS.*

Hirundo unalaschkensis, *Gm.* *H. aonalaschkensis*, *Lath.*
Chelidon unalaschkensis, *Boie.*

Kamtchatka.

c. *Cotyle*, *Boie*, 1822.

Biblis, *Less.* 1837.

? *Ptyonoprogne*, *Reichenb.* 1850.

585. *HIRUNDO RIPARIA.*

B. M.

Hirundo riparia, *L. Pl. enl.* 543, f. 2. *Gould, B. of Eur.* pl.
58. *Yarr. Brit. B.* 2 edit. ii. fig. p. 251. *H. cinerea*, *Vieill.*
Cotyle riparia, *Boie, Brehm.* *C. fluviatilis* et *C. microrhyn-*
chos, *Brehm.* *Hirundo (Cotyle) riparia*, *Keys. & Bl.*

Great Britain; Europe, N. & Central India, Persia, N. & N.-E.
Africa.

586. *HIRUNDO PALUSTRIS.*

Hirundo palustris, *Steph. Levaill. Ois. de l'Afr.* t. 246, f. 2.
H. paludicola, *Vieill.* *Cotyle palustris*, *Boie.* *C. paludibula*,
Rüpp.

N.-E. and S. Africa.

587. *HIRUNDO RUPESTRIS.*

B. M.

Hirundo rupestris et *H. montana*, *Gm.* *Gould, B. of Eur.* pl.
56. *H. rupicola*, *Hodgs.* *H. inornata*, *Jerd.* *Cotyle rupe-*
stris et *Chelidon rupestris*, *Boie.* *Hirundo (Biblis) rupestris*,
Less.

Europe, India (Himalaya, Nilgiris), and Egypt.

588. *HIRUNDO FULIGULA.* B. M.

Hirundo fuligula, *Licht.* *Levaill. Ois. de l'Afr.* t. 246, f. 1.
H. rupestris, juv. *Licht.* *H. torquata*? *Steph.* *Cotyle fuligula*, *G. R. Gr.* *Hirundo* (*Cecropis*) *torquata*, *Less.* *Cecropis torquata*, *Boie.*

S. Africa.

589. *HIRUNDO CINCTA.* B. M.

Hirundo cincta, *Bodd.* *Pl. enl.* 723, f. 1. *H. torquata*, *Gm.*
Cotyle cincta, *G. R. Gr.* *C. torquata*, *Boie.*

N.-E. and S. Africa.

590. *HIRUNDO SINENSIS.* B. M.

Hirundo sinensis, *Gr. Ill. Ind. Zool.* pl. 35, f. 3. *H. brevicaudata*, *Mac'Clell. & Horsf.* *H. subsoccata* et *H. minuta*, *Hodgs.* *Cotyle brevicaudata*, *Boie.* *C. sinensis*, *G. R. Gr.*

India, Burmah and China?

591. *HIRUNDO CONCOLOR.* B. M.

Hirundo concolor, *Sykes.* *Cotyle concolor*, *Boie.* *Hirundo* (*Biblis*) *concolor*, *Less.*

Central India.

592. *HIRUNDO BORBONICA.*

Hirundo borbonica, *Gm.* *Cotyle borbonica*, *Boie.*

Isle of France.

593. *HIRUNDO VIRESCENS.*

Hirundo borbonica, var. *Gm.* *Pl. enl.* 544, f. 2. *H. virescens*, *Vieill.* *Cotyle*, sp. 4, *Boie.*

Isle of France.

594. *HIRUNDO SERRIPENNIS.*

Hirundo riparia, *Wils. Amer. Orn.* pl. 38, f. 4. *H. serripennis*, *Audub. B. of Amer.* pl. 385, f. 1, 2, 3. *Cotyle serripennis*, *Boie.*

N. America.

595. *HIRUNDO TAPER*.

Hirundo tapera, *L.* *Briss. Orn.* ii. t. 45, f. 3. *Hirundo* (*Cecropis*) *tapera*, *Less.* *Cotyle tapera*, *Boie.* *Hemiproene* (*Acanthylis*) *acuta*, p. ?? *Streubel.*

S. America (Cayenne, Brazil), and W. Indies, (Jamaica).

596. *HIRUNDO FUCATA*.

B. M.

Hirundo fucata, *Temm. Pl. col.* 161, f. 1. *H. pyrrhonota*, *Vieill.* *Cotyle fucata et Cecropis pyrrhonota*, *Boie.* *Hirundo* (*Herse*) *fucata*, *Less.*

S. America (Brazil).

597. *HIRUNDO FLAVIGASTRA*.

B. M.

Hirundo flavigastrea, *Vieill. Pl. col.* 161, f. 2. *H. jugularis*, *Pr. Max.* *H. hortensis*, *Frey.* *Cotyle flavigastrea*, *Boie.* *C. jugularis*, *G. R. Gr.* *Hirundo* (*Herse*) *jugularis*, *Less.*

S. America (Bahia, Caraccas, Brazil, Argentina).

598. ? *HIRUNDO RUFICOLLIS*.

H. ruficollis, *Vieill.* *Cotyle ? ruficollis*, *G. R. Gr.* *Cecropis ruficollis*, *Boie.*

S. America (Brazil).

d. *Chelidon*, *Boie*, 1822.

599. *HIRUNDO URBICA*.

B. M.

Hirundo urbica, *L. Pl. enl.* 542, f. 2. *H. lagopoda*, *Pall.* *H. domestica*, *Leach.* *Chelidon urbica*, *Boie, Brehm.* *C. fenestrarum et C. rupestris*, *Brehm.* *Hirundo* (*Chelidon*) *urbica*, *Keys. & Bl. Gould, B. of Eur.* pl. 57. *Yarr. Brit. B.* 2 edit. ii. fig. p. 245.

Great Britain ; Europe, India (Nilgiris), N. & N.-E. Africa.

600. *HIRUNDO DASYPUS*.

Hirundo dasypus, *Temm.* *Chelidon dasypus*, *Pr. B. Consp.* p. 343.

Borneo.

3. PROGNE.

Progne, *Boie*, 1826.

601. PROGNE PURPUREA. B. M.
Hirundo purpurea et *H. subis*, *L. Pl. enl.* 722. *Edw. B.* pl. 120. *H. violacea*, *Gm.* *H. cærulea*, *Vieill. Ois. de l'Amer. Sept.* t. 26, 27. *H. versicolor*, *Vieill.* *H. ludoviciana*, *Cuv.* *Progne purpurea*, *Boie.* *Hirundo (Cecropis) violacea*, *Less.* *H. (C) subis*, *Less.* *Wils. Amer. Orn.* pl. 39, f. 1, 2. *Yarr. Brit. B.* 2 edit. ii. fig. p. 257.

Great Britain? N. America and S. America (Bahia, Bolivia, La Plata, Patagonia, Peru).

602. PROGNE DOMESTICA. B. M.
Hirundo domestica, *Vieill.* *Progne chalybea*, p. *Boie.*
Progne domestica, *G. R. Gr.*

S. America (Bolivia).

603. PROGNE MODESTA. B. M.
Hirundo concolor, *Gould.* *Progne modesta*, *Gould, Voy. of Beagle*, pl. 5.

S. America (Chili).

604. PROGNE DOMINICENSIS. B. M.
Hirundo dominicensis, *Gm. Pl. enl.* 545, f. 1 *H. albiventris*, *Vieill. Ois. de l'Amer. Sept.* t. 28, 29. *Progne dominicensis*, *Boie.*

S. America, (Para); Central America and W. Indies (St. Domingo, Jamaica).

605. PROGNE CHALYBEA. B. M.
Hirundo chalybea, *Gm. Pl. enl.* 545, f. 2. *Briss. Orn.* ii. t. 46, f. 1. *Progne chalybea* et *Cecropis chalybea*, *Boie.* *Hirundo (Cecropis) chalybea*, *Less.*

S. America (Para, Cayenne).

606. PROGNE FUSCA. B. M.
Hirundo fusca, *Vieill.* *Progne fusca*, *G. R. Gr.*

South America (Brazil, La Plata, Bolivia).

607. PROGNE PASCUUM.

Hirundo pascuum, *Pr. Max.* *Progne pascuum*, *Boie*.
S. America (Brazil).

III. CORACIADÆ.

Coraciadæ, *G. R. Gr.* 1845; *Cab.* 1847; *Pr. B.* 1849—50.
Todidæ, *Vig.* 1825; *Sw.* 1831; *G. R. Gr.* 1840—41; *Selys*, p.
1842; *Pr. B.* 1849—50.
Meropidæ, p. *Sw.* 1837.
Corvidæ, p. *Vig.* 1825.
Ampelidæ, p. *Pr. B.* 1831—38.
Eurylaimidæ, *Selys*, 1842; *Pr. B.* 1850.
Momotidæ, *Pr. Max.*; *Selys*, 1842; *Bl.* 1849.
Prionitidæ, *Pr. B.* 1849—50.
Buceridæ, p. *Vig.* 1825; *Pr. B.* 1831.
Coracidæ et *Pipridæ*, p. *Bl.* 1849.
Platyrhynchides, p. et *Coraciades*, *Sundev.* 1835.

i. CORACIANÆ.

Coracianæ, *G. R. Gr.* 1840—41—45; *Cab.* 1847; *Pr. B.* 1849—
50.
Coraciana, *Vig.* 1825.
Corvinæ, p. et *Ampelinæ*, p. *Pr. B.* 1831.

1. BRACHYPTERACIAS.

a. *Brachypteracias*, *Lafr.* 1834.
Chloropygia, *Sw.* 1837.

608. BRACHYPTERACIAS LEPTOSOMUS.

B. M.

Colaris leptosomus, *Less. Illustr. de Zool.* t. 20. *Brachyptera-*
cias leptosomus, *Lafr. Mag. de Zool.* 1844, *Ois.* t. 31. *Chlo-*
ropygia leptosomus, *Sw.*

Madagascar.

b. *Atelornis*, *Lafr.* 1846.

609. BRACHYPTERACIAS PITTOIDES.

B. M.

Brachypteracias pittoides, *Lafr. Mag. de Zool.* 1834, t. 32.
Atelornis pittoides, *Pucher.*

Madagascar.

610. BRACHYPTERACIAS SQUAMIGERA.

Brachypteracias squamigera, *Lafr.* *O. des Murs*, *Icongr. Ornith.* t. 39. *Atelornis squamigera*, *Pucher.*

Madagascar.

2. CORACIAS.

Coracias, *L.* 1735.

Galgulus, *Br.* 1760.

611. CORACIAS GARRULA.

B. M.

Coracias garrula, *L.* *Pl. enl.* 486. *C. germanicus* et *C. planiceps*, *Brehm.* *Galgulus garrulus*, *Vieill.* *Levaill. Ois. de Parad.* t. 32, 33. *Gould, B. of Eur.* pl. 60. *Yarr. Brit. B.* 2 ed. ii. fig. p. 211.

Great Britain; Europe, India (Moulton, Afghanistan) and N. and W. Africa.

612. CORACIAS INDICA.

B. M.

Coracias indica et *C. bengalensis*, *L.* *Pl. enl.* 285. *Edw. B.* pl. 326. *C. nævia*, *Wagl.* *C. affinis*, *McClell.* *G. R. Gr. & Mitch. Gen. of B.* pl. 21. *Garrulus* (*Galgulus*) *nævius* et *Galgulus nævius*, *Vieill.* *Levaill. Ois. de Parad.* t. 27.

India (Assam, Birmah, Tanasserim).

613. CORACIAS PILOSA.

B. M.

Coracias pilosa, *Lath.* *Levaill. Ois. de Parad.* t. 28, 29. *C. crinita*, *Shaw.* *C. nuchalis*, *Sw.* *C. Levaillantii*, *Rüpp.* *Coracias* (*Galgulus*) *pilosa* et *Galgulus pilosus*, *Vieill.*

N. and W. Africa.

614. CORACIAS CAUDATA.

B. M.

Coracias caudata, *L.* *Pl. enl.* 88, 626. *C. abyssinica* et *C. senegalensis*, *Gm.* *C. senegala*, *Lath.* *C. albifrons* et *C. angolensis*, *Shaw.* *C. natalensis*, *Licht.* *Galgulus caudatus*, *Vieill.* *Levaill. Ois. de Parad.* t. 25. *Edw. B.* pl. 327. *O. des Murs*, *Icongr. Ornith.* t. 28.

N. and W. Africa.

615. CORACIAS CYANOASTER. B. M.
Coracias cyanogaster, *Cuv. Levaill. Ois. de Parad. t. 26.*
Garrulus (Galgulus) cyanogaster et Galgulus cyanogaster,
Vieill. Jard. & Selby, Illustr. Orn. pl. 123. Sw. B. of W.
Afr. pl. 13.

W. Africa.

616. CORACIAS TEMMINCKII. B. M.
Coracias Temminckii, *Wagl. Levaill. Ois. de Parad. t. 6.*
C. papuensis et C. D'Urvillei, *Quoy et Gaim. Voy. de l'Astrol.*
Ois. t. 16. C. pileata, Reinw. Garrulus (Galgulus) Tem-
minckii et Galgulus Temminckii, Vieill.

Celebes and Moluccas.

3. SIGMODUS.

Sigmodus, *Temm. 1850.*

617. SIGMODUS CANICEPS. B. M.
Sigmodus caniceps, *Temm. Pr. B. Consp. p. 365.*

W. Africa (Ashantee).

4. EURYSTOMUS.

Eurystomus, *Vieill. 1816.*
Colaris, *Cuv. 1817.*

618. EURYSTOMUS ORIENTALIS. B. M.
Coracias orientalis, *L. Pl. enl. 619. Eurystomus orientalis*,
Steph. E. fuscicapillus et E. cyanicollis, Vieill. E. calornyx,
Hodgs. Colaris orientalis, Cuv. C. cyanicollis, Wagl. Le-
vaill. Ois. de Parad. t. 36. Gal. des Ois. t. 111.

India, China (?), Malacca and Ceylon.

619. EURYSTOMUS PACIFICUS. B. M.
Coracias pacifica, *Lath. Eurystomus pacificus, G. R. Gr.*
E. orientalis, Vig. & Horsf. E. australis, Sw. Gould, B. of
Austr. ii. pl. 17. Coracias (Galgulus) pacifica et Galgulus
pacificus, Vieill.

New South Wales and N. Australia.

620. EURYSTOMUS AFER. B. M.
Coracias afra, *Lath.* *Shaw, Nat. Misc.* pl. 401. *Eurystomus*
purpurascens et *E. rubescens*, *Vieill.* *E. afer*, *Steph. Levaill.*
Ois. de Parad. t. 35. *Colaris afra*, *Cuv.* *C. purpurascens*,
Wagl.

Africa.

621. EURYSTOMUS GULARIS. B. M.
Eurystomus gularis, *Vieill.* *Levaill. Ois. de Parad.* t. 56. *E.*
collaris, *Vigors.* *Colaris gularis*, *Wagl.*

New Guinea.

622. EURYSTOMUS MADAGASCARIENSIS.
Coracias madagascariensis, *Gm. Pl. enl.* 501. *Eurystomus*
madagascariensis, *G. R. Gr.* *E. violaceus*, *Vieill.* *Colaris*
violaceus, *Wagl. Levaill. Ois. de Parad.* t. 34.

Madagascar.

623. EURYSTOMUS VIRIDIS.
Coracias viridis, *Cuv. Levaill. Ois. de Parad.* t. 31. *C.*
cyanea, *Gm.*? *C. vivida*, *Lath.*? *Colaris viridis*, *Wagl.*
Eurystomus viridis, *Hartl.* *Galgulus viridis*, *Vieill. Gal. des*
Ois. t. 110.

Africa.

ii. EURYLAIMINÆ.

Eurylaiminæ, *Sw.* 1837; *G. R. Gr.* 1840—41—47; *Cab.* 1847;
Pr. B. 1849—50; *Bl.* 1849.

1. EURYLAIMUS.

- a. *Eurylaimus*, *Horsf.* 1820.
Platyrrhynchus, *Vieill.* 1825.

624. EURYLAIMUS JAVANICUS. B. M.
Eurylaimus javanicus, *Horsf. Zool. Res.* pl. *E. Horsfieldii*,
Temm. Pl. col. 130, 131. *Platyrrhynchus Horsfieldi*, *Vieill.*
Gal. des Ois. t. 125. *Sw. Nat. Libr. Flyc.* pl. 30.

Malayan Peninsula and Archipelago.

625. EURYLAIMUS OCHROMALUS. B. M.
Eurylaimus ochromalus, *Raffl.* *E. cucullatus*, *Temm. Pl.*
col. 261. *E. Rafflesii*, *Less.*

Malayan Peninsula and Archipelago.

- b. *Serilophus*, *Sw.* 1837.
Sericolophus, *Reichenb.* 1850.

626. EURYLAIMUS LUNATUS. B. M.
Eurylaimus lunatus, *Gould, Tr. Zool. Soc.* i. pl. 25. *Serilo-*
phus lunulatus, *Sw.*

Malayan Peninsula and Archipelago.

627. EURYLAIMUS RUBROPYGIUS. B. M.
Raya rubropygia. *Simornis rubropygia* et *Serilophus rubropy-*
gius, *Hodgs.* *Eurylaimus rubropygius*, *G. R. Gr. & Mitch.*
Gen. of B. pl. 23. *E. lunatus*, *McClell.*

India (Himalayah Mountains).

- c. *Psarisomus*, *Sw.* 1837.
Crossodera, *Gould*, 1837.
Raya, 1839; *Simus*, 1841 et *Simornis*, 1844, *Hodgs.*

628. EURYLAIMUS DALHOUSIÆ. B. M.
Eurylaimus Dalhousiæ, *James.* *E. psittacinus*, *Müll. Pl. col.*
598. *Raya seriogula* et *R. nipalensis*, *Hodgs.* *Simornis*
(*Raya*) *seriogula*, *Hodgs.* *Psarisomus Dalhousiæ*, *Sw.* *Cros-*
sodera Dalhousiæ, *Gould, Icon. Av. pl. Royle, Illustr. of Bot.*
pl. 7, f. 2.

India (Himalayah Mountains).

- d. *Corydon*, *Less.*

629. EURYLAIMUS SUMATRANUS. B. M.
Coracias sumatranus, *Raffl.* *Eurylaimus sumatranus*, *Vig.*
E. corydon, *Temm. Pl. col.* 297. *Corydon Temmincki*, *Less.*
C. sumatranus, *Strickl.*

Malayan Peninsula and Archipelago.

2. PELTOPS.

Peltops, *Wagl.* 1829.

Erolla, *Less.* 1831.

Platystomus, *Sw.* 1837.

630. PELTOPS BLAINVILLII.

Eurylaimus Blainvillii, *Garn. Voy. de la Coqu.* t. 19, f. 2.
Nat. Libr. x. Flycatch. pl. 31. Erolla Blainvillii, *Less.* Platystomus Blainvillii, *Sw.* Peltops Blainvillii, *Wagl.*

New Guinea.

3. CYMBIRHYNCHUS.

Cymbirhynchus, *Vigors*, 1831.

631. CYMBIRHYNCHUS MACRORHYNCHUS.

B. M.

Todus macrorhynchus, *Gm.* T. nasutus, *Lath. Gen. Syn.* pl. 30. Platyrhynchus nasutus, *Desm.* Eurylaimus nasutus, *Tem. Pl. col.* 154. E. lemniscatus, *Raffl.* Cymbirhynchus nasutus, *Vig.* C. macrorhynchus, *G. R. Gr.* C. affinis, *Bl.* Erolla nasica, *Less.*

Malayan Peninsula and Archipelago.

iii. TODINÆ.

Todinæ, *G. R. Gr.* 1840—41—47; *Pr. B.* 1849—50.

Muscicapinæ, p. *Pr. B.* 1831; *Sw.* 1837.

1. TODUS.

Todus, *L.*, 1766.

632. TODUS VIRIDIS.

B. M.

Todus viridis, *L. Vieill. Ois. de l'Amer. Sept.* t. 56. *Sw. Zool. Illustr. n. s.* pl. 96.

W. Indies (Jamaica).

633. **TODUS MULTICOLOR.** B. M.
Todus multicolor, *Gould, Icon. Av. pl.* *T. portoricensis*, *Less.*
T. viridis, *Vig. Voy. de l'Isle de Cuba, Ois. t. 22.*

Cuba.

634. **TODUS MEXICANUS.** B. M.
Todus mexicanus, *Less.* *T. viridis*, *Vieill. Atl. de Dict. Sci. Nat. t. 32, f. 1.*

Central America.

635. **TODUS SUBULATUS.**
Todus subulatus, *Gould.* *T. dominicensis*, *Lafr. Vieill. Gal. des Ois. t. 124?* *Pl. enl. 585, f. 1, 2?*

St. Domingo.

iv. MOMOTINÆ.

Momotinæ, *G. R. Gr. 1840—41—47.*
Prionitinæ, *Cab. 1847; Pr. B. 1849—50.*

1. MOMOTUS.

- a. *Momotus*, *Briss. 1760.*
Baryphonus, *Vieill. 1816.*
Prionites, *Ill. 1811.*

636. **MOMOTUS BRASILIENSIS.** B. M.
Momotus brasiliensis, *Lath. Edw. B. pl. 370. Lervill. Prom. t. 37, 38.* *Ramphastos momota*, *L. Pl. enl. 370.* *Baryphonus cyanocephalus*, *Vieill. Prionites mormota*, *Illig.*

S. America (Brazil, Cayenne, Peru).

637. **MOMOTUS BAHAMENSIS.** B. M.
Prionites bahamensis, *Sw. Jard. & Selby, Illustr. Orn. n. s. pl. 45.* *Momotus bahamensis*, *G. R. Gr.*

Bahama Islands, Trinidad and Tobago.

638. MOMOTUS CÆRULEICEPS. B. M.
Prionites cæruleiceps, Gould. *P. cæruleocephalus*, Jard. & Selby, *Illustr. Orn. n. s.* pl. 42. *Momotus cæruleiceps*, G. R. Gr.

Central America (Mexico).

639. MOMOTUS RUFICAPILLUS.
Prionites ruficapillus, Illig. *Levaill. Roll.* t. 39. *P. Dombeyanus*, Ranz. *Momotus rubricapillus*, Steph. *M. ruficapillus*, G. R. Gr. *M. Dombeyi*, Less. *Baryphonus cyanogaster*, Vieill.

S. America (Brazil, Peru).

640. MOMOTUS LEVAILLANTII. B. M.
Momotus Levaillantii, Less. *Levaill. Hist. Nat. Prom. Suppl.* t. B. *Baryphonus ruficapillus*, Vieill. *Gal. des Ois.* t. 190. *Prionites Levaillantii*, Pr. B.

S. America.

641. MOMOTUS MEXICANUS. B. M.
Momotus mexicanus, Sw. *Zool. Illustr. n. s.* pl. 81. *M. Martii*, Jard. & Selby, *Illustr. Orn.* pl. 23. *Prionites mexicanus*, Pr. B.

Central America (Mexico).

642. MOMOTUS YUCATENSIS.
Momotus yucatanensis, Cabot. *Prionites yucatanensis*, Pr. B.

Central America.

643. MOMOTUS GULARIS.
Prionites gularis, Lafr. *Momotus gularis*, G. R. Gr.

Central America (Guatemala).

644. MOMOTUS LESSONII.
Momotus Lessonii, Less. *O. Des Murs, Iconogr. Ornith.* pl. *Prionites Lessonii*, Pr. B.

Central America (Guatemala).

b. *Hylomanes*, *Licht.* 1838.

645. *MOMOTUS MOMOTULA*. B. M.
Hylomanes momotula, *Licht. Abhandl. Akad. zu Berl.* 1838, p.
 444, t. 4. *Momotus momotula*, *G. R. Gr.*
 Central America (Mexico).

c. *Crypticus*, *Sw.* 1837.

646. *MOMOTUS SUPERCILIARIS*. B. M.
Prionites (Crypticus) superciliaris, *Sandb. Jard. & Selby,*
Illustr. Orn. n. s. pl. 18. *Crypticus superciliosus*, *Sw. C.*
apiaster, Less. Momotus superciliaris, G. R. Gr.
 Central America (Honduras).
647. *MOMOTUS MARTII*.
Prionites Martii, Spix, Av. Bras. t. 60. *Momotus platyrhyn-*
chus, Leadb. Jard. & Selby, Illustr. of Orn. pl. 106. *Cryp-*
ticus platyrhynchus, G. R. Gr. C. Martii, Pr. B.
 S. America (Brazil, Peru, Columbia).
648. *MOMOTUS CARINATUS*.
Prionites carinatus, DuBus. Crypticus carinatus, Lafr.
Momotus carinatus, G. R. Gr.
 Central America (Guatemala).

II. TROGONIDÆ.

- Trogonidæ, *Sw.* 1831—37; *G. R. Gr.* 1840—41—45; *Cab.* 1847;
Pr. B. 1849—1850; *Bl.* 1849.
 Cuculidæ, p. *Vig.* 1825; p. *Pr. B.* 1831.
 Trogonides, *Sundev.* 1835.

i. TROGONINÆ.

- Trogoninæ, *Pr. B.* 1849—50.
 Bucconinæ, p. *Pr. B.* 1831.

1. TROGON.

a. Trogon, *L.* 1766; *Mæhr*, 1752.

649. TROGON MEXICANUS. B. M.
Trogon mexicanus, *Sw. Zool. Illustr. n. s.* pl. 82, 83. *T. glaucitans*, *Licht.* *Gould, Monogr. of Trog.* pl. 1, 2. *T. capistratus*, *Less.*?

Central America (Mexico).

650. TROGON ELEGANS. B. M.
Trogon elegans, *Gould, Monogr. of Trog.* pl. 3.
 Central America (Guatemala, Mexico).

651. TROGON AMBIGUUS.
Trogon ambiguus, *Gould, Monogr. of Trog.* pl. 4.
 Central America (Mexico).

652. TROGON XALAPENSIS.
Trogon xalapensis, *DuBus, Esquis. Ornith.* t. 2. *T. auratus*, *Lafr.*
 Central America (Mexico).

653. TROGON COLLARIS. B. M.
Trogon collaris, *Vieill. Levaill. Hist. Nat. Courc.* t. 6. *T. rosalba*, *Cuv.* *T. auratus*, *Sw. Gould, Monogr. of Trog.* pl. 5. *T. castaneus*, *Spix, Av. Bras.* t. 37.
 S. America (Cayenne, Brazil, Guiana, Venezuela).

654. TROGON PUELLA.
Trogon puella, *Gould.*
 Central America (Escuintla).

655. TROGON VARIEGATUS. B. M.
Trogon variegatus, *Spix, Av. Bras.* t. 37. *Gould, Monogr. Trog.* pl. 6.
 S. America (Brazil, Paraguay).

656. TROGON PURPURATUS.

Trogon purpuratus, *Sw. B. of Braz.* pl. 63, 64.

S. America (Brazil).

657. TROGON LEUCURUS.

Trogon leucurus, *Sw.*

S. America (Brazil).

658. TROGON CALIGATUS.

B. M.

Trogon caligatus, *Gould, Monogr. of Trog.* pl. 7.

S. America (Venezuela? Guiana?).

659. TROGON ATRICOLLIS.

B. M.

Trogon rufus, *Gm. Pl. enl.* 736. T. lepturus, *Sw. Pl. enl.* 195. T. atricollis, *Vieill. Gould, Monogr. of Trog.* pl. 8. *Levaill. Hist. Nat. Courc.* t. 7, 8, 9, 15? *Lath. Gen. Syn.* pl. 21. T. scalaris, *Licht.*

S. America (Guiana, Cayenne).

660. TROGON PERSONATUS.

Trogon personatus, *Gould.*

Cordillerian Andes.

661. TROGON SULPHUREUS.

B. M.

Trogon sulphureus, *Spix, Av. Bras.* t. 38. T. meridionalis, *Sw.?* *Gould, Monogr. of Trog.* pl. 9?

Trinidad; S. America (Cayenne, Brazil), and Bahama Islands.

662. TROGON VIRIDIS.

B. M.

Trogon viridis, *L. Pl. enl.* 765, 766. T. violaceus et T. strigilatus, *Gm.* T. melanopterus, *Sw. Levaill. Hist. Nat. Courc.* t. 3, 4. *Gould, Monogr. of Trog.* pl. 10, 11. T. leve-rianus, *Shaw, Lev. Mus.* pl. T. albiventer, *Cur.*

S. America (Brazil, Cayenne, Guyana), and W. Indies.

663. TROGON RAMONIANA.

Trogon ramoniana, *Dev. et O. Des Murs, Rev. & Mag. de Zool.* 1849, p. 332.

S. America.

664. TROGON MELANOCEPHALUS. B. M.
Trogon melanocephalus, *Gould, Monogr. of Trog.* pl. 12.
Central America (Mexico, Honduras).
665. TROGON HELIOTHRIX.
Trogon heliothrix, *Tschudi*.
S. America (Peru).
666. TROGON ASSIMILIS.
Trogon assimilis, *Gould*.
S. America (Peru).
667. TROGON CITREOLUS.
Trogon citreolus, *Gould, Monogr. of Trog.* pl. 13. T. chrysogaster, *Sw*.
Central America (Mexico).
668. TROGON AURANTIUS. B. M.
Trogon aurantius, *Spix, Av. Bras.* t. 36. *Gould, Monogr. of Trog.* pl. 14.
S. America (Brazil).
669. TROGON SURUCURA. B. M.
Trogon surucura, *Vieill. Gould, Monogr. of Trog.* pl. 15.
Azara, Hist. Nat. t. 24.
S. America (Paraguay, Brazil, Str. of Magellan(?)).
670. TROGON MASSENA. B. M.
Trogon Massena, *Gould, Monogr. of Trog.* pl. 16.
Central America (Mexico, Honduras).
671. TROGON MACROURA. B. M.
Trogon macroura, *Gould, Monogr. of Trog.* pl. 17. T. macurus, *Pr. B*.
S. America (Venezuela), and Central America (Mexico).

672. TROGON MELANURUS.

B. M.

Trogon curucui, *L. Pl. enl.* 752, 737. *Levaill. Hist. Nat. Courc.* t. 1, 2. T. melanurus, *Sw. Gould, Monogr. of Trog.* pl. 18. T. nigricauda, *Gould.*^p

S. America (Demerara, Para).

673. TROGON ROSEIGASTER.

Trogon roseigaster, *Vieill. Levaill. Courc.* t. 13. *Gould, Monogr. Trog.* pl. 20. T. domicellus, *Cuv.* T. rhodogaster, *Temm.* Temnurus? roseigaster, *Gould.*

St. Domingo.

b. Priotelus, *G. R. Gr.* 1840.

Temnurus, *Sw.* 1837.

Prionotelus, *Reichenb.* 1850.

674. TROGON TEMNURUS.

B. M.

Trogon temnurus, *Temm. Pl. col.* 326. *Sagra, Voy. l'Isle de Cuba*, t. 26. Temnurus albicollis, *Sw.* Trogon (Temnurus) albicollis, *Gould, Monogr. of Trog.* pl. 19. Priotelus temnurus *G. R. Gr.*

Cuba.

c. Apaloderma, *Sw.* 1837.

Hapaloderma, *Reichenb.* 1850.

675. TROGON NARINA.

B. M.

Trogon narina, *Vieill. Levaill. Ois. d'Afr.* t. 228, 229. *Levaill. Hist. Nat. Courc.* t. 10, 11. Apaloderma narina, *Sw.* Trogon (Apaloderma) narina, *Gould, Monogr. of Trog.* pl. 26.

S. Africa.

d. Harpactes, *Sw.* 1837.

Harpalurus, *Reichenb.* 1850.

676. TROGON RUTILUS.

B. M.

Trogon rutilus, *Vieill. Levaill. Hist. Nat. Courc.* t. 14. T. cinnamomeus et T. Duvaucelii, *Temm. Pl. col.* 291. Harpactes Duvaucelii, *Sw.* H. rutilus, *G. R. Gr.* Trogon (Harpactes) Duvaucelii, *Gould, Monogr. of Trog.* pl. 32.

Sumatra and Borneo.

677. TROGON DIARDI. B. M.
Trogon Diardii, *Temm. Pl. col.* 541. Harpactes Diardii,
Sw. Trogon (Harpactes) Diardii, *Gould, Monogr. of Trog.*
pl. 30.

Sumatra and Borneo.

678. TROGON MALABARICUS. B. M.
Trogon malabaricus, *Gould.* Harpactes malabaricus, *Sw.*
Trogon (Harpactes) malabaricus. *Gould, Monogr. of Trog.*
pl. 31.

Malabar.

679. TROGON KASUMBA. B. M.
Trogon fasciatus, *Temm. Pl. col.* 321. T. kasumba, *Raffl. T.*
flagrans, Kuhl.? Harpactes Temminckii, *Sw.* Trogon (Har-
pactes) Temminckii, *Gould, Monogr. of Trog.* pl. 29.

Sumatra, Java and Borneo?

680. TROGON ARDENS. B. M.
Trogon ardens, *Temm. Pl. col.* 404. Trogon (Harpactes)
ardens, *Gould, Monogr. of Trog.* pl. 35. Harpactes rodioster-
nus, *Peale, U. S. Expl. Exped.* viii. p. 166, pl. 41, f. 3?

Phillippine Islands.

681. TROGON HODGSONI. B. M.
Trogon fasciatus, var. *Lath.* T. erythrocephalus, p. *Gould.*
Trogon (Harpactes) Hodgsoni, *Gould, Monogr. of Trog.* pl.
34. Trogon (Harpactes) erythrocephalus, *Sw.*

India (Nepal).

682. TROGON FLAGRANS.
Trogon flagrans, *Müll. Tijdsch. Nat. Gesch.* 1835, t. 8, f. 2.
T. erythrocephalus, *Gould, Monogr. of Trog.* pl. 33. Harpac-
tes flagrans, *G. R. Gr.*

Sumatra and India (Birmah).

683. TROGON ORESKIOS.

B. M.

Trogon oreskios, *Temm. Pl. col.* 131. Trogon (Harpactes) oreskios, *Gould, Monogr. of Trog.* pl. 36. Harpactes Gouldii, *Sw.*

Java and Sumatra?

684. TROGON REINWARDTII.

B. M.

Trogon Reinwardtii, *Temm. Pl. col.* 124. T. sulphureus, *Bezzie.* Apaloderma Reinwardtii, *Sw.* Trogon (Apaloderma) Reinwardtii, *Gould, Monogr. of Trog.* pl. 29. Harpactes Reinwardtii, *G. R. Gr.*

Java, Sumatra and Molucca.

685. TROGON MACKLOTI.

Trogon Mackloti, *Müll. Tijdsch. Nat. Gesch.* 1835, t. 8, f. 1. Harpactes Mackloti, *G. R. Gr.*

Sumatra.

686 ? TROGON GIGAS.

Trogon gigas, *Vieill. Levaill. Courc.* t. 12. T. Temminckii, *Cuv.* Apaloderma Cuvieri, *Sw.* A. gigas, *Gould.* Harpactes gigas, *G. R. Gr.*

Molucca?

687. ? TROGON INDICUS.

Trogon indicus, *Lath.* Harpactes? indicus, *G. R. Gr.*

India.

e. Pharomachrus, *Llave*, 1801.

Calurus, *Sw.* 1837.

688. TROGON MOCINNO.

B. M.

Pharomachrus mocinno, *Llave.* Trogon resplendens, *Gould,* T. pavoninus, *Temm. Pl. col.* 372. T. paradiseus, *Pr. B.* Calurus resplendens, *Sw.* *Gould, Monogr. of Trog.* pl.

Central America (Guatemala).

689. TROGON PAVONINUS.

B. M.

Trogon pavoninus, *Spix, Av. Bras.* t. 35. *Gould, Monogr. of Trog.* pl. 23. Calurus pavoninus, *Sw.*

S. America (Brazil).

690. TROGON AURICEPS. B. M.
Calurus auriceps, *Gould*. *G. R. Gr. & Mitch. Gen. of B.*
 pl. 25.

S. America (Sta. Fé de Bogota).

691. TROGON FULGIDUS. B. M.
Trogon (Calurus) fulgidus, *Gould*, *Monogr. of Trog.* pl. 24.

S. America (Guiana ? Venezuela).

692. TROGON NEOXENUS. B. M.
Trogon (Calurus) neoxenus, *Gould*, *Monogr. of Trog.* pl. 25.

Central America (Mexico).

f. *Cosmurus*, *Reichenb.* 1850.

693. TROGON ANTISIANUS. B. M.
Trogon antisianus, *D'Orb. Mag. de Zool.* 1837, *Ois.* t. 85. *T.*
peruvianus, *Gould*, *MSS.* *Trogon (Calurus) pulchellus*, *Gould*,
Monogr. of Trog. pl. 22. *Calurus antisianus*, *G. R. Gr.*

S. America (Peru, Sta. Fé de Bogota).

III. ALCEDINIDÆ.

Alcedinidæ, *Pr. B.* 1838—49; *G. R. Gr.* 1841—46.

Haleyonidæ, *Vig.* 1825; *Sw.* 1831—37; *G. R. Gr.* 1840; *Bl.* 1849.

Meropidæ, *Pr. B.* 1831.

Cuculidæ, p. *Pr. B.* 1831; *Cab.* 1847.

Capitonidæ, *Selys*, 1842; *Pr. B.* 1849—50.

Galbulidæ, *Pr. B.* 1831—49—50; *Selys*, 1842; *Cab.* 1847; *Bl.* 1849.

Jacamaciridæ, *Pr. Max.* 1832.

Bucconidæ, *Pr. Max.* 1832.

Tamatiadæ, *Bl.* 1849.

Galbulæ, Alcyonides, Meropides et Cuculides, p. *Sunder.* 1835.

i. BUCCONINÆ.

Bucconinæ, *Pr. B.* 1831; *G. R. Gr.* 1846; *Cab.* 1847.
 Tamatianæ, *G. R. Gr.* 1840—41.
 Capitoninæ, *Pr. B.* 1849—50.

1. BUCCO.

a. Bucco, *L.* 1766.
 Tamatia, *Cuv.* 1817.
 Cyphos, *Spix*, 1824.

694. BUCCO COLLARIS. B. M.
 Bucco capensis, *L. Pl. enl.* 395. *B. collaris*, *Lath. Levaill.*
Barb. t. 42. *Tamatia collaris*, *Cuv.* *Capito collaris*, *Temm.*
 S. America (Guiana, Peru).

695. BUCCO MACRORHYNCHOS. B. M.
 Bucco macrorhynchos, *Gm. Pl. enl.* 689. *Levaill. Barb.* t.
 39. *Tamatia macrorhynchos*, *Cuv.* *Capito macrorhynchos*,
Temm. *Cyphos macrorhynchos*, *Strickl.*
 S. America (Cayenne, Brazil, Peru), and Central America, (Honduras).

696. BUCCO SWAINSONI. B. M.
 Tamatia macrorhyncha, *Sw. Zool. Illustr.* pl. 99. *Bucco*
Swainsoni, *G. R. Gr.* *Capito Swainsoni*, *Pr. B.*
 S. America (Brazil).

697. BUCCO PECTORALIS. B. M.
 Bucco pectoralis, *G. R. Gr. & Mitch. Gen. of B.* pl. 26. *Capito pectoralis*, *Pr. B.*
 S. America.

698. BUCCO TECTUS. B. M.
 Bucco tectus, *Bodd. Pl. enl.* 688, f. 2. *B. melanoleucos*,
Gm. Levaill. Barb. t. 40. *Tamatia melanoleucos*, *Cuv.*
Capito melanoleucos, *Wagl.*
 S. America (Cayenne).

699. **BUCCO BICINCTUS.** B. M.
Tamatia bicincta, *Gould*. *T. bitorquata*, *Sw*. *Bucco bicinctus*, *G. R. Gr.* *Capito bicinctus*, *Pr. B.*
 S. America (Venezuela, Columbia).
700. **BUCCO MACRODACTYLUS.**
Cyphos macrodactylus, *Spix*, *Av. Bras.* t. 39, f. 2. *Capito cyphos*, *Wagl.* *C. macrodactylus*, *Pr. B.* *Bucco macrodactylus*, *G. R. Gr.*
 S. America (Brazil, Peru).
701. **BUCCO GULARIS.**
Tamatia gularis, *D'Orb. & Lafr.* *Bucco gularis*, *G. R. Gr.* *Capito gularis*, *Pr. B.*
 S. America (Venezuela).
702. **BUCCO RUFICOLLIS.**
Bucco ruficollis, *Licht.* *Capito ruficollis*, *Wagl.*
 Central America (Mexico).
703. **BUCCO PANAMENSIS.**
Malacoptila panamensis, *Lafr.* *Capito panamensis*, *Pr. B.* *Bucco panamensis*, *G. R. Gr.*
 Central America.
704. **BUCCO LANCEOLATA.**
Bucco lanceolata, *Déville*, *Rev. et Mag. de Zool.* 1849, p. 56.
 South America.
- b. *Chaunornis*, *G. R. Gr.* 1841.
Nyctactes, *Strickl.* 1841.
705. **BUCCO TAMATIA.** B. M.
Bucco tamatia, *Gm. Pl. enl.* 746, f. 1. *Tamatia maculata*, *Cuv.* *Chaunornis tamatia*, *G. R. Gr.* *Capito tamatia*, *Steph.* *Nyctactes tamatia*, *Strickl.* *Sw. B. of Braz.* pl. 11. *Levaill. Barb.* t. 41.
 S. America (Brazil, Cayenne).

706. **BUCCO CHACURA.** B. M.
Bucco chacura, Vieill. *B. strigilatus*, Licht. *Capito chacura*, Strickl. *C. melanotis*, Temm. *Pl. col.* 94. *Tamatia melanotis*, Cuv. *T. chacura*, Pr. B.

S. America (Brazil, Peru).

707. **BUCCO MACULATUS.** B. M.
Alcedo maculata, Gm. *Levaill. Guep. Suppl.* t. F. *Bucco somnolentus*, Licht. *B. maculatus*, G. R. Gr. *Capito maculatus*, Temm. *C. somnolentus*, Sw. *B. of Braz.* pl. 9. *Tamatia tamajac*, Less. *T. maculatus*, Pr. B.

S. America (Brazil, Peru).

708. **BUCCO LEUCOTIS.**
Capito leucotis, Sw. *B. of Braz.* pl. 10. *Bucco leucotis*, G. R. Gr.

S. America (Brazil).

2. MONASA.

- a. *Monasa*, Vieill. 1816.
Lypornis, Wagl. 1827.
Monassa, Sw.
Scotocharis, Glog. 1827.
Monastes, Nitzsch, 1840.
Monasta, Cab. 1848.

709. **MONASA ATRA.** B. M.
Cuculus ater, Bodd. *Pl. enl.* 512. *C. tranquillus*, Gm. *Levaill. Barb.* t. 44, 45. *Bucco cinereus*, Gm. *B. calcaratus*, Lath. *Corvus australis*, Gm. *C. affinis*, Shaw. *Monasa tranquilla*, Vieill. *M. atra*, G. R. Gr. *Lypornix tranquilla*, Wagl. *Capito calcaratus*, Temm.

S. America (Guiana).

710. **MONASA LEUCOPS.** B. M.
Bucco leucops, Licht. *B. albifrons*, Spix, *Av. Bras.* t. 41, f. 1. *Monasa leucops*, Sw. *B. of Braz.* pl. 12. *M. personata*, Vieill. *Gal. des Ois.* t. 36. *Capito leucops*, Temm. *Lypornix leucops*, Wagl.

S. America (Brazil).

711. *MONASA NIGRIFRONS.*

B. M.

Bucco nigrifrons, *Spix*, *Av. Bras.* t. 43, f. 2. *Lypornix unicolor*, *Wagl.* *Monasa nigrifrons*, *G. R. Gr.*

S. America (Brazil).

712. *MONASA FLAVIROSTRIS.*

Monasa flavirostris, *Strickl.* *Jard. Contr. Ornith.* 1850, pl. S. America (Peru).

b. *Malacoptila*, *G. R. Gr.* 1841.

Lypornis, *Sw.*

713. *MONASA FUSCA.*

B. M.

Bucco fuscus, *Gm.* *B. torquatus*, *Hahn.* *B. striatus*, *Spix*, *Av. Bras.* t. 40, f. 2. *Tamatia fusca*, *Less.* *Monastes fuscus*, *Nitzsch.* *Lypornix torquata*, *Wagl.* *L. striata*, *Sw. B. of Braz.* pl. 34. *Monasa fusca*, *G. R. Gr.* *Levaill. Barb.* t. 43.

S. America (Brazil).

714. ? *MONASA UNITORQUES.*

Monasa unitorques, *DuBus.*

S. America (Peru).

715. ? *MONASA INORNATA.*

Monasa inornata, *DuBus.*

Central America (Guatemala).

716. *MONASA RUFa.*

B. M.

Bucco rufus, *Spix*, *Av. Bras.* t. 40, f. 1. *Monasa rufa*, *G. R. Gr.* *Lypornix rufa*, *Wagl.*

S. America (Brazil, Peru).

717. *MONASA RUBECULA.*

B. M.

Bucco rubecula, *Spix*, *Av. Bras.* t. 39, f. 1. *Monasa rubecula*, *Less.* *M. phaioleucus*, *Temm.* *Pl. col.* 323, f. 2. *Sw. B. of Braz.* pl. 35. *Lypornix rubecula*, *Wagl.*

S. America (Brazil).

718. *MONASA RUFICAPILLA.*

Bucco ruficapillus et *Lypornix ruficapilla*, *Tschudi, Fauna Per.* t. 24, f. 1. *Monasa ruficapilla*, *G. R. Gr.*

S. America (Peru).

719. *MONASA MYSTICALIS.*

Monasa mysticalis, *Lafr. Rev. & Mag. Zool.* 1850, p. 215, t. 3.

South America.

3. CHELIDOPTERA.

Chelidoptera, *Gould*, 1836.

Brachypetes, *Sw.* 1837.

720. *CHELIDOPTERA TENEBROSA.*

B. M.

Cuculus tenebrosus, *Pall. Pl. enl.* 505. *Pl. col.* 323, f. 1.

Capito tenebrosus, *Temm. Chelidoptera tenebrosa*, *Gould.*

Brachypetes tenebrosa, *Sw. B. of Braz.* pl. 36. *Lypornis tenebrosa*, *Wagl. Monasa tenebrosa*, *Vieill.*

S. America (Brazil, Guiana).

ii. DACELOININÆ.

Daceloninæ, *Pr. B.* 1849—50.

Alcedininæ, p. *Pr. B.* 1831.

Halcyoninæ, *G. R. Gr.* 1840—41—46; *Cab.* 1847.

1. DACELO.

a. *Dacelo*, *Leach*, 1815.

Paralecyon, *Glog.* 1827.

Choucalecyon, *Less.* 1831.

721. *DACELO GIGAS.*

B. M.

Alcedo gigas, *Bodd. Pl. enl.* 663. *A. fusca*, *Gm. A. gigantea*, *Lath. Gal. des Ois.* t. 188. *A. undulata*, *Scop. Voy. Ind.*

t. 106. *Dacelo gigantea*, *Leach, Zool. Misc.* pl. 104. *Gould,*

B. of Austr. ii. pl. 18. *D. gigas*, *G. R. Gr. Choucalecyon australe*, *Less.*

New South Wales and S. Australia.

722. DACELO LEACHII.

B. M.

Dacelo Leachii, *Lath. Gould, B. of Austr.* ii. pl. 19.
N. Australia.

723. DACELO CERVINA.

B. M.

Dacelo cervina, *Gould, B. of Austr.* ii. pl. 20. *Voy. au Pole*
Sud. t. 23, f. 1.
N. Australia.

724. DACELO GAUDICHAUDII.

B. M.

Alcedo Gaudichaudii, *Quoy et Gaim. Voy. de l'Uranie, Ois.* t.
21. Dacelo Gaudichaudii, *G. R. Gr.* Choucaleyon Gaudi-
chaudii, *Less.*
New Guinea.

725. DACELO CYANOTIS.

B. M.

Dacelo cyanotis, *Temm. Pl. col.* 262.
Sumatra and Celebes.

b. Melidora, *Less.* 1831.

726. DACELO MACRORHYNCHA.

Dacelo macrorhynchus, *Less. Voy. de la Coqu.* t. 31, bis. f. 2.
Melidora euphrosiæ, *Less.*
New Guinea.

2. HALCYON.

a. Halcyon, *Less.* 1821.

Entomothera, *Horsf.* 1820.

Entomophila, *Leach. MSS.*

Paralecyon, *Glog.* 1827.

Cancrophaga, *Pr. B.* 1850.

Calialcyon, *Pr. B.* 1850.

727. HALCYON CONCRETA.

B. M.

Dacelo concreta, *Temm. Pl. col.* 346. Halcyon concreta,
G. R. Gr. H. monacha, p. *Bl.*
Sumatra.

728. HALCYON LINDSAYI.

B. M.

Dacelo Lindsayi et D. Lessoni, *Vig.* *Halcyon Lindsayi*,
G. R. Gr. & Mitch. Gen. of B. pl. 27. *Voy. de la Bonite, Ois.*
 t. 7. *H. rufula, Lafr.?*

Philippine Islands.

729. HALCYON MONACHA.

B. M.

Dacelo monacha, *Temm.* *D. cyanocephala* et *D. princeps*,
Forst. *Halcyon monacha*, *G. R. Gr.*

Celebes.

730. HALCYON PULCHELLA.

B. M.

Dacelo pulchella, *Horsf.* *Pl. col.* 277. *D. buccoides*, *Temm.*
Pl. col. 586. *Halcyon pulchella*, *G. R. Gr.*

Java and Sumatra.

731. HALCYON MELANOPS.

Dacelo melanops, *Temm.* *Halcyon melanops*, *Pr. B. Consp.*
 p. 154.

Borneo.

732. HALCYON MELANORHYNCHA.

Alcedo melanorhyncha, *Temm.* *Pl. col.* 391. *Halcyon melano-*
rhyncha, *G. R. Gr.*

Celebes.

733. HALCYON PILEATA.

B. M.

Alcedo pileata, *Bodd.* *Pl. enl.* 673. *A. albiventris*, *Scop. Voy.*
Ind. t. 31. *A. atricapilla*, *Gm.* *A. brama*, *Less. Cent. de Zool.*
 t. 8. *Halcyon pileatus*, *G. R. Gr.* *H. atricapillus*, *Steph.*
Dacelo atricapilla, *Less.*

Malayan Peninsula and Archipelago.

734. HALCYON MELANOPTERA.

B. M.

Alcedo melanoptera, *Horsf.* *A. omnicolor*, *Temm.* *Pl. col.*
 135. *A. cyanoventris*, *Vieill.* *Halcyon melanopterus*, *Steph.*
Dacelo omnicolor, *Less.*

Java.

735. HALCYON LEUCOCEPHALA. B. M.
Alcedo leucocephala, *Gm.* *A. javanica*, *Shaw. Pl. enl.* 757.
Halcyon capensis, *Jerd.* *H. leucocephala*, *Steph.* *H. gurial*
 et *H. amauropterus*, *Pears.* *H. brunniceps*, *Jerd.*

India. Malayan Peninsula and Archipelago.

736. HALCYON CANCROPHAGA.
Alcedo canerophaga, *Bodd. Pl. enl.* 334. *Halcyon canerophaga*, *G. R. Gr.*

W. Africa.

737. HALCYON CINEREIFRONS. B. M.
Alcedo cinereifrons, *Vieill. Gal. des Ois.* t. 187. *Halcyon torquatus*, *Sw.* *H. cinereifrons*, *G. R. Gr.* *Todiramphus cinereifrons*, *Bl.*

W. Africa and Fernando Po.

738. HALCYON FUSCICAPILLA. B. M.
Dacelo fuscicapilla, *Lafr. Mag. de Zool.* 1833, t. 18. *Halcyon fuscicapilla*, *G. R. Gr.*

S. Africa.

739. HALCYON SEMICÆRULEA. B. M.
Alcedo semicærulea, *Forst. Pl. enl.* 356, f. 2. *A. senegalensis*, var. *Lath.* *A. canerophaga*, *Forst.* *A. erythrogaster*, *Temm.* *A. rufiventer*, *Sw. B. of W. Afr.* ii. pl. 12. *Halcyon erythrogaster* et *H. semicærulea*, *G. R. Gr.* *H. Swainsoni*, *A. Smith.* *H. erythrorhynchus*, *Gould, Voy. of Beagle*, pl. *H. semicærulea*, *Kaup.* *H. senegaloides*, *A. Smith, Ill. S. Afr. Zool.* pl. 63. *Dacelo acteon*, *Less.*

Africa.

740. HALCYON SENEGALENSIS. B. M.
Alcedo senegalensis, *L. Pl. enl.* 594. *Halcyon senegalensis*, *Sw. Zool. Illustr.* pl. 27. *Dacelo senegalensis*, *Less.*

W. Africa.

741. HALCYON CYANOLEUCA.
Alcedo cyanoleuca, *Vieill.* *Halcyon cyanoleuca*, *G. R. Gr. Hartl.*

W. Africa (Angola).

742. HALCYON CHELICUTI.

B. M.

Alcedo chelicuti, *Stanl.* *A. variegata*, *Vieill.* *Halcyon chelicuti* et *H. variegata*, *G. R. Gr.* *Dacelo pygmæa*, *Cretschm.*?
Rüpp. Atl. Zool. t. 28, b.

N.-E. and W. Africa.

743. HALCYON STRIOLATA.

B. M.

Alcedo striolata, *Licht.*

W. Africa.

744. HALCYON SMYRNSIS.

B. M.

Alcedo smyrnsis, *L.* *Halcyon smyrnsis*, *Steph.* *Dacelo smyrnsis*, *Less.*

Asia Minor.

745. HALCYON FUSCA.

B. M.

Alcedo fusca, *Bodd.* *Pl. enl.* 894. *A. smyrnsis*, var. *Lath.*
A. smyrnsis, var. *albogularis*, *Bl.*? *A. rufirostris*, *Licht.*
Kittl. Kupf. Vog. t. 14, f. 2? *A. macroura*, *Merr.* *Halcyon fusca*, *G. R. Gr.*

India and Malayan Peninsula.

746. HALCYON GULARIS.

Alcedo gularis, *Kuhl.* *Pl. enl.* 232. *A. melanoptera*, *Temm.*
Halcyon ruficollis, *Sw.* *H. gularis*, *G. R. Gr.*

India and Malayan Peninsula.

747. HALCYON COROMANDELIANA.

B. M.

Alcedo coromandeliana, *Scop. Sonn. Voy.* t. 118. *A. coromanda*, *Lath.* *Halcyon coromandeliana*, *G. R. Gr.* *H. coromandus*, *Steph.* *H. coromandelicus*, *Vig.* *H. coromanda minor*, *Temm. & Schl.* *H. coromanda major*, *Temm. & Schl. Fauna, Jap.* t. 39. *Halcyon (Calialeyon) lilacina* et *H. Schlegeli*, *Pr. B.* *Dacelo coromanda*, *Less.*

India and Malayan Peninsula.

748. HALCYON CAPENSIS.

Alcedo capensis, *L.* *Pl. enl.* 590. *Halcyon capensis*, *G. R. Gr.*

S. Africa.

b. *Todiramphus*, *Less.* 1828.

749. *HALCYON TUTA*. B. M.
Alcedo tuta et *A. sacra*? *Gm.* *A. collaris*, *Forst.* *Todiram-*
phus sacer et *T. divinus*, *Less.* *Mem. Soc. d'Hist. Nat. Paris*,
 iii. t. 11, 12.
 Society Islands.
750. ? *HALCYON NULLITORQUIS*.
Dacelo nullitorquis, *Peale*, *U. S. Expl. Exped.* viii. p. 150, pl.
 42, f. 1.
 Society Islands (*Otaheite*).
751. *HALCYON VENERATA*.
Alcedo venerata, *Gm.* *Halcyon venerata*, *G. R. Gr.* *Todi-*
ramphus veneratus, *Pr. B.*
 Friendly Islands.
752. *HALCYON SUPERCILIOSA*. B. M.
Dacelo albicilla, var. *Less.* *Halcyon superciliosa*, *G. R. Gr.*
 & *Mitch. Gen. of B.* pl. 27, f. 4.
 Friendly Islands (*Tongataboo*).
753. *HALCYON VITIENSIS*.
Dacelo vitiensis, *Peale*, *U. S. Expl. Exped.* viii. p. 156,
 pl. 44.
 Feejee Islands (*Ovolau*, *Venua-levu*).
754. *HALCYON PLATYROSTRIS*. B. M.
Halcyon platyrostris, *Gould.* *Todiramphus recurvirostris*, *Lafr.*
T. platyrostris, *Pr. B.* *Dacelo minima*, *Peale*, *U. S. Expl.*
Exped. viii. p. 159, pl. 45.
 Navigators' Islands (*Upolu*).
755. *HALCYON PEALEI*.
Dacelo coronata, *Peale*, *U. S. Expl. Exped.* viii. p. 160,
 pl. 46.
 Navigators' Islands (*Tutuila*).

756. HALCYON SANCTA. B. M.
Halcyon sanctus, *Vig. & Horsf. Gould, B. of Austr.* ii. pl. 21.
H. sacra, *Steph. Dacelo chlorocephala*, var. *Less.* *Alcedo*
australasiæ, *Vieill. Toderamphus sanctus*, *Pr. B. T. sacer*,
Bl. Phillips' Bot. Bay, pl. in p. 156. *Jard. & Selby's Ill.*
Orn. pl. 96.

Australia (except Van Diemen's Land).

757. HALCYON COLLARIS.
Halcyon collaris, *Sw. Zool. Illustr.* pl. 27. *Toderamphus*
collaris, *Bl.*

Philippine Islands? Malayan Archipelago.

758. HALCYON CHLORIS. B. M.
Alcedo chloris, *Bodd. Pl. enl.* 783, f. 2. *A. chlorocephala*,
Gm. A. collaris, *Scop. Sonn. Voy.* t. 33. *Halcyon chloris*,
G. R. Gr. H. occipitalis, *Bl.*^p *Toderamphus collaris* et *T.*
occipitalis, *Bl. Toderamphus chlorocephalus*, *Pr. B. Kittl.*
Kupf. Vog. t. 14, f. 1.

India ; Malayan Peninsula and Archipelago.

759. HALCYON VARIA.
Halcyon varia, *Eyton. Toderamphus varius*, *Bl.*

Malayan Peninsula and Archipelago.

760. HALCYON SORDIDA. B. M.
Halcyon sordidus, *Gould, B. of Austr.* ii. pl. 23. *Toderamphus*
sordidus, *Pr. B.*

N. Australia.

761. HALCYON VAGANS. B. M.
Alcedo sacra, var. *Lath. A. cyanea*, *Forst. A. vagans*, *Less.*
Dacelo chlorocephala, var. γ . *Less. Halcyon vagans*, *G. R.*
Gr. Voy. Ereb. & Terr. pl. 1. *H. cinnamominus*, *Sw. Zool.*
Illustr. pl. 67. *Toderamphus vagans* et *T. cinnamominus*, *Bl.*

New Zealand.

762. HALCYON CORONATA.
Halcyon coronata, *Müll. Verh. Nat. Gesch. Ned.* p. 175. *To-*
diramphus coronatus, *Pr. B.*

Timor.

763. HALCYON PYRRHOPYGIA. B. M.
Halcyon pyrrhopygia, *Gould, B. of Austr.* ii. pl. 22. *Todiramphus pyrrhopygius*, *Bl.*
 New South Wales; W. and S. Australia.
764. HALCYON MACLEAYII. B. M.
Halcyon MacLeayii, *Jard. & Selby, Illustr. of Orn.* pl. 101.
H. incinctus, *Gould, B. of Austr.* ii. pl. 24. *Todiramphus MacLeayii* et *T. incinctus*, *Bl.*
 New South Wales and N. Australia.
765. HALCYON DIOPS.
Alcedo diops, *Temm. Pl. col.* 272. *Halcyon diops*, *G. R. Gr.*
Todiramphus diops, *Pr. B.*
 Amboina, Timor and Celebes.
766. HALCYON LAZULI.
Alcedo lazuli, *Temm. Pl. col.* 500. *Halcyon lazuli*, *G. R. Gr.* *Todiramphus lazuli*, *Pr. B.*
 Sumatra.
767. HALCYON FUNEBRIS.
Halcyon funebris, *Forst.* *Todiramphus funebris*, *Pr. B. Consp.* p. 157.
 Celebes.
768. HALCYON FORSTENI.
Halcyon Forsteni, *Temm.* *Todiramphus Forsteni*, *Pr. B. Consp.* p. 157.
 Celebes.
769. HALCYON ALBICILLA. B. M.
Alcedo albicilla, *Cuv.* *A. cyanoleuca*, *Temm.* *Dacelo albicilla*, *Less.* *Halcyon albicilla*, *G. R. Gr.* *H. saurophaga*, *Gould, Voy. of Sulphur, Birds*, pl. 19. *Todiramphus saurophagus*, *Pr. B.*
 New Guinea.

c. Actenoides, *Homb. & Jacq.* 184 ?.

770. HALCYON ACTENOIDES.

Halcyon actenoides, *Pr. B. H.* (sp. 47). *G. R. Gr.* Actenoides Hombroni, *Pr. B. Voy. au Pole Sud, Ois.* t. 23, f. 2.

—— ?

d. Syma, *Less.* 1828.

771. HALCYON TOROTORO.

Halcyon torotoro, *Less. Voy. de la Coqu.* t. 31, bis. f. 1. Syma torotoro, *Less.* S. Lessonia, *Sw.* Dacelo syma, *Müll.*

New Guinea.

772. HALCYON FLAVIROSTRIS.

B. M.

Halcyon (Syma?) flavirostris, *Gould.*

N. Australia (Cape York).

e. Tanysiptera, *Vig.* 1823.

773. HALCYON DEA.

B. M.

Alcedo dea, *L. Pl. enl.* 116. Tanysiptera dea, *Vig.*

Moluccas and New Guinea.

774. HALCYON SYLVIA.

B. M.

Tanysiptera sylvia, *Gould.*

N. Australia (Cape York).

775. HALCYON NYMPHA.

B. M.

Tanysiptera Nympha, *G. R. Gr.*

—— ?

2. CEYX.

Ceyx, *Lacep.* 1800—1801.

776. CEYX TRIDACTYLA.

B. M.

Alcedo tridactyla, *L. Sonn. Voy.* t. 32. Ceyx tridactyla, *Cuv.* C. luzoniensis, *Steph.*

India and Malayan Archipelago.

777. CEYX RUBRA. B. M.
Alcedo rubra, *Bodd. Pl. enl.* 778, f. 2. *A. purpurea*, *Gm. Jerd. Ill. Ind. Orn.* pl. 25. *Ceyx rubra*, *G. R. Gr.* *C. purpurea*, *Less.* *C. microsoma*, *Burt.* *C. erythaca*, *Bl.*

Philippine Islands.

778. CEYX RUFIDORSA.
Ceyx tridactyla, *Jard. & Selby, Ill. Orn.* pl. 55, f. 2. *C. rufidorsa*, *Strickl.* *Alcedo madagascariensis*, *Lath.?*

Malayan Peninsula and Archipelago.

779. CEYX MELANURA. B. M.
Ceyx malanura, *Kaup.*

Malayan Archipelago.

780. CEYX LEPIDA. B. M.
Alcedo lepida, *Temm.* *Alcyone lepida*, *G. R. Gr.* *Ceyx lepida*, *Temm. Pl. col.* 595, f. 1.

Amboina.

iii. ALCEDININÆ.

Alcedininæ, *G. R. Gr.* 1840—41—47; *Pr. B.* 1849—50.

Halcyoninæ, *Sw.* 1831.

Alcedininæ, p. *Pr. B.* 1831.

1. ALCEDO.

a. *Alcedo*, *L.* 1756.

Ispida, *L.* 1735.

781. ALCEDO ISPIDA. B. M.
Alcedo ispida, *L. Pl. enl.* 77. *Yarr. Brit. B.* 2 edit. ii. fig. p. 223. *A. subispida* et *A. advena*, *Brehm.* *Gracula Atthis*, *Gm.* *Turdus Atthis*, *Steph. Kittl. Kupf. Vög.* t. 29, f. 1. *Gould, B. of Eur.* pl. 61.

England; Europe, India (Afghanistan?). W. and N. Africa.

782. *ALCEDO BENGALENSIS.* B. M.
Alcedo bengalensis, *Gm. Edw. B.* pl. 11. *A. hispidioides*
Less. Fauna Jap. t. 38. *Kittl. Kupf. Vög.* t. 29, f. 2.
 India, Malacca and China.
783. *ALCEDO MOLUCCENSIS.*
Alcedo moluccensis, *Bl.*
 Moluccas and Celebes.
784. *ALCEDO EURYZONA.* B. M.
Alcedo euryzona, *Temm.* *A. nigricans*, *Bl.*?
 Malayan Archipelago.
785. *ALCEDO MENINTING.* B. M.
Alcedo meninting, *Horsf. Pl. col.* 239, f. 2. *A. asiatica*, *Sw.*
Zool. Illustr. pl. 50. *Ceyx meninting*, *Cuv.*
 Malayan Peninsula and Archipelago.
786. *ALCEDO BIRU.* B. M.
Alcedo biru, *Horsf. Pl. col.* 239, f. 1.
 Java.
787. *ALCEDO SEMITORQUATA.* B. M.
Alcedo semitorquata, *Sw. Illustr. Zool.* pl. 151. *Rüpp. Syst.*
Uebers. Vög. t. 7.
 W. and N.-E. Africa.
788. *ALCEDO LEUCOGASTER.* B. M.
Halcyon leucogaster, *Fras. Zool. Typica*, pl. *Alcedo leuco-*
gaster, *Kaup.*
 Fernando Po.
789. *ALCEDO QUADRIBRACHYS.*
Alcedo quadribrachys, *Temm. Pr. B. Consp.* p. 158.
 W. Africa.

b. *Corythornis*, *Kaup*, 1848.

790. *ALCEDO CÆRULEOCEPHALA*. B. M.
Alcedo cæruleocephala, *Gm. Pl. enl.* 356, f. 1. *A. cyanocephala*, *Shaw*. *Alcedo (Corythornis) cæruleocephala*, *Kaup*.
 S. and W. Africa and Madagascar.

791. *ALCEDO CYANOSTIGMA*. B. M.
Alcedo cyanostigma, *Rüpp. Fauna Abyss.* t. 24, f. 2. *Alcedo (Corythornis) cyanostigma*, *Kaup*.
 N.-E. Africa.

792. *ALCEDO NAIS*. B. M.
Alcedo nais et *A. (Corythornis) nais*, *Kaup*.
 Africa.

793. *ALCEDO CRISTATA*. B. M.
Alcedo cristata, *L. Pl. enl.* 756, f. 1. *Alcedo (Corythornis) cristata*, *Kaup. Kittl. Kupf. Vög.* t. 29, f. 3.
 W. Africa.

794. *ALCEDO VINTSIOIDES*. B. M.
Alcedo vintsioides, *Eyd. & Gerv. Voy. de la Favor. Mag. de Zool.* 1836, *Ois.* t. 74. *Edw. B.* pl. 336? *Alcedo (Corythornis) vintsioides*, *Kaup*.
 Madagascar.

c. *Ispidina*, *Kaup*, 1848.

795. *ALCEDO PICTA*. B. M.
Todus pictus, *Bodd. Pl. enl.* 783, f. 1. *Alcedo cærulea*, *Gm. A. capistrata*, *Shaw*. *A. ultramarina*, *Daud. Shaw, Nat. Misc.* pl. 901. *A. pusilla*, *Shaw, Nat. Misc.* pl. 159. *Halcyon cyanotis*, *Sw. Aleyone coronata*, *A. Smith*. *Alcedo (Ispidina) picta*, *Kaup*. *A. (Ispidina) cyanotis*, *Pr. B.*
 W. Africa.

796. *ALCEDO MADAGASCARIENSIS*.

Alcedo madagascariensis, *L. Pl. enl.* 778, f. 1. *Alcedo* (*Ispidina*) *madagascariensis*, *Kaup*.

Malayan Peninsula and Archipelago.

797. *ALCEDO CÆRULEA*.

Alcedo cærulea, *Gm. Briss. Orn.* iv. t. 37, f. 2, A. *A. grandis*, *Bl.*? *Alcedo* (*Ispidina*) *cærulea*, *Pr. B.*

India.

798. *ALCEDO NITIDA*.

B. M.

Alcedo nitida, *Kaup*. *Alcedo* (*Ispidina*) *nitida*, *Kaup*.

W. Africa.

2. *ALCYONE*.

Alcyone, *Sw.* 1837.

Halcyone, *Agass.*

Therosa, *Müll.*

799. *ALCYONE AZUREA*.

B. M.

Alcedo azurea, *Lath. Jard. & Selby, Ill. Orn.* pl. 55, f. 1. *Gould, B. of Austr.* ii. pl. 25. *Ceyx azurea*, *Steph.* *C. tribrachys*, *Cuv.* *C. cyanea*, *Less.* *Alcyone azurea*, *G. R. Gr.* *A. australis*, *Sw. Zool. Illustr.* pl. 26. *A. tribrachys*, *Shaw, Nat. Misc.* pl. 681. *A. pulchra* et *A. diemensis*, *Gould*.

Australia (except the West).

800. *ALCYONE SOLITARIA*.

Ceyx solitaria, *Temminck. Pl. col.* 595, f. 2. *Therosa solitaria*, *Müll.* *Alcyone solitaria*, *G. R. Gr.*

New Guinea.

801. *ALCYONE PUSILLA*.

Ceyx pusilla, *Temminck. Pl. col.* 595, f. 3. *Gould, B. of Austr.* ii. pl. 26. *Alcyone pusilla*, *Gould*.

New Guinea and N. Australia.

802. *ALCYONE CYANIPECTUS*.

Ceyx cyanipectus, *Lafr.* *Alcyone cyanipectus*, *Pr. B.* *A. cincta*, *Jard. Contr. Ornith.* 1850, pl.

Philippine Islands.

3. CERYLE.

Ceryle, *Boie*, 1828.
Ispida, *Sw.* 1837.

803. CERYLE RUDIS. B. M.
Alcedo rudis, *L.* *Pl. enl.* 716, 62. *Edw. B.* pl. 9. Ceryle
rudis, *Boie*. *C. varia*, *Strickl.* Ispida bicincta et I. bitor-
quata, *Sw.*

S.-E. Europe, Asia and Africa.

804. CERYLE GUTTATA. B. M.
Alcedo guttata, *Vig.* *Gould, Cent. of B.* pl. A. lugubris,
Temm. *Pl. col.* 548. *Fauna Jap.* t. 38, B. Ceryle guttata,
G. R. Gr. & Pr. B. C. lugubris, *Pr. B.*

India (Himalayah Mountains) and Japan.

805. CERYLE MAXIMA. B. M.
Alcedo maxima, *Pall.* *Pl. enl.* 679. A. guttata, *Bodd.* A.
afra, *Shaw.* Ispida gigantea, *Sw.* Ceryle maxima, *G.*
R. Gr.

W. Africa.

806. CERYLE SUPERCILIOSA. B. M.
Alcedo superciliosa, *L.* *Edw. B.* pl. 245. *Pl. enl.* 756, f. 3.
Ceryle superciliosa, *G. R. Gr.*

S. America (Guiana).

807. CERYLE ALCYON. B. M.
Alcedo alcyon, *L.* *Pl. enl.* 715. A. guacu, *Vieill.* Ceryle
alcyon, *Boie.* Ispida alcyon, *Sw.* *Wils. Amer. Orn.* pl. 23, f.
1. *Audub. B. of Amer.* pl. 77.

Ireland! N. America.

808. CERYLE TORQUATA. B. M.
Alcedo torquata, *L.* *Pl. enl.* 284. A. cinerea, *Bonn.* A. cya-
nea, *Vieill.* A. stellata, *Meyen, Nova Acta, Bonn,* ii. t. 14,
Suppl. Ceryle torquata, *G. R. Gr.*

Central America (Mexico) and S. America (Guiana, Peru).

809. CERYLE AMAZONA. B. M.
Alcedo amazona, *Lath.* *A. rubescens*, *Vieill.* *Ceryle amazona*, *Boie.*
 S. America (Guiana, Peru).
810. CERYLE VIRIDIRUFA. B. M.
Alcedo viridirufa, *Bodd.* *Pl. enl.* 592, f. 1, 2. *A. bicolor*, *Gm.*
Ceryle viridirufa, *G. R. Gr.* *C. bicolor*, *Boie.*
 S. America (Guiana).
811. CERYLE AMERICANA. B. M.
Alcedo americana, *Gm.* *Pl. enl.* 591. *A. viridis*, *Vieill.* *Ceryle americana*, *Boie.*
 S. America (Guiana).
812. CERYLE CABANISI.
Alcedo americana et A. Cabanisi, *Tschudi.*
 S. America (Peru).
813. ? CERYLE INDA.
Alcedo inda, *L. Edw. B.* pl. 335. *Shaw, Nat. Misc.* pl. 889.
Ceryle? *inda*, *G. R. Gr.*
 S. America (Guiana).
814. ? CERYLE LEUCORHYNCHA.
Alcedo leucorhyncha, *Gm.* *Seba, Thes.* i. t. 58, f. 3. *Ceryle??*
leucorhyncha, *G. R. Gr.*
 America.
815. ? CERYLE CAYANENSIS.
Alcedo cayanensis, *Gm.* *A. taparara*, *Bonn.* *Ceryle??* *cayanensis*, *G. R. Gr.*
 S. America (Guiana).
816. ? CERYLE BRASILIENSIS.
Alcedo brasiliensis, *Gm.* *Ceryle??* *brasiliensis*, *G. R. Gr.*
 S. America (Brazil).

817. CERYLE SURINAMENSIS.

Alcedo surinamensis, *Gm.* *Ceryle*?? *surinamensis*, *G. R. Gr.*

S. America (Guiana).

818. ? CERYLE TRICOLOR.†

Alcedo tricolor, *Vieill.* *Ceryle* (?) *tricolor*, *Hartl.*

W. Africa (Senegal).

iv. GALBULINÆ.

Galbulinæ, *G. R. Gr.* 1840—41—47; *Cab.* 1847; *Pr. B.* 1849—50.

1. GALBULA.

a. *Galbula*, *Mæhr*, 1752.

819. GALBULA VIRIDIS.

B. M.

Alcedo galbula, *L.* *Pl. enl.* 238. *Edw. B.* pl. 334. *Galbula viridis*, *Lath.* *G. viridicauda*, *Sw.* *G. rubricollis*, *Shaw.* *Levaill. Jacam.* t. 47, 48, 49. *Vieill. Ois. dor.* t. 1, 2.

S. America (Guiana, Brazil).

820. GALBULA RUFICAUDA.

B. M.

Galbula ruficauda, *Cuv.* *Levaill. Jacam.* t. 50.

S. America (Brazil, Columbia).

821. GALBULA MACROURA.

B. M.

Galbula macroura, *Vieill. Gal. des Ois.* t. 29.

S. America.

822. GALBULA LEPTURA.

B. M.

Galbula leptura, *Sw.* *Lath. Gen. Syn.* ii. pl. 26.

S. America (Brazil).

823. GALBULA LEUCOGASTRA. B. M.
Galbula leucogastra, Vieill. *Levaill. Jacam. Suppl. t. H.*
G. albiventer, Cuv. *G. albiventris*, Less.
 S. America.
824. GALBULA ALBIROSTRIS. B. M.
Galbula albirostris, Lath. *Levaill. Jacam. t. 51.* *G. flaviro-*
stris, Vieill. *G. flavirostra*, Sw. *Ois. dor. t. 4, 5.*
 S. America (Guiana).
825. GALBULA LUGUBRIS. B. M.
Galbula lugubris, Sw. *G. albigularis*, Spix, *Av. Bras. t. 57,*
f. 1. Jacamaralecyon lugubris, G. R. Gr.
 S. America (Guiana, Brazil).
826. GALBULA PARADISEA. B. M.
Galbula paradisea, Lath. *Alcedo paradisea*, L. *Pl. enl. 271.*
Ois. dor. t. 3. Levaill. Jamar. t. 52.
 S. America (Cayenne).
827. GALBULA TOMBACEA.
Galbula tombacea, Spix, *Av. Bras. t. 58.*
 S. America (Brazil, Peru).
828. GALBULA CHALCOCEPHALA.
Galbula chalcocephala, Deville, *Rev. & Mag. de Zool. 1849, p.*
55.
 S. America.
829. GALBULA CYANESCENS.
Galbula cyanescens, Deville, *Rev. & Mag. de Zool. 1849, p. 56.*
 S. America.
 b. *Jacamaralecyon*, Cuv. 1829.
 Cauax, Cab. 1847.
830. GALBULA TRIDACTYLA. B. M.
Galbula tridactyla, Vieill. *Levaill. Guép. Suppl. t. L. G.*
ceycoïdes, Such. *G. armata*, Sw. *Jacamaralecyon brasili-*
ensis, Less. *J. tridactyla*, G. R. Gr. *Cauax tridactyla*, Cab.
Jard. & Selby, Illustr. Orn. pl. 22. Spix, Av. Bras. t. 52,
f. 2.
 S. America (Brazil).

2. GALBULCYRHYNCHUS.

Galbulcyrhynchus, *O. Des Murs*, 1845.

Jacamaralcyonides, *O. Des Murs*, 1849.

831. GALBULCYRHYNCHUS LEUCOTIS.

Galbulcyrhynchus et Jacamaralcyonides leucotis, *O. Des Murs*,
Icongr. Ornith. pl. 17.

S. America (Sta. Fé de Bogota).

3. JACAMEROPS.

Jacamerops, *Cuv.* 1817.

Lamprotila, *Sw.* 1837.

832. JACAMEROPS GRANDIS.

B. M.

Alcedo grandis, *Gm. Levaill. Jacam.* t. 54. Galbula jacamarici et G. grandis, *Shaw, Nat. Misc.* pl. 833. Jacamerops grandis, *Cuv.* Lamprotila platyrhyncha, *Sw.*

S. America (Surinam, Brazil).

833. JACAMEROPS ISIDORI.

Jacamerops Isidori, *Déville, Rev. & Mag. de Zool.* 1849, p. 53.

S. America.

834. ? JACAMEROPS BOERSII.

Galbula Boersii, *Ranz. Levaill. Jacam.* t. 53. Jacamerops Boërsii, *G. R. Gr.*

S. America.

IV. MEROPIDÆ.

Meropidæ, *Leach*, ; *Vig.* 1825 ; *Sw.* 1831—37 ; *Pr. B.* 1831—38—49—50 ; *G. R. Gr.* 1840—41 ; *Cab.* 1847 ; *Bl.* 1849.

i. MEROPINÆ.

Meropinæ, *Pr. B.* 1831—49—50 ; *G. R. Gr.* 1846 ; *Cab.* 1847.

1. MEROPS

- a. Merops, *L.* 1756.
 Apiastur, *Br.* 1760.
 Ispida, p. *L.* 1735.

835. MEROPS APIASTER. B. M.
 Merops apiaster, *L.* *Pl. enl.* 938. *M. chrysocephalus*, *Gm.*
M. schœghagha, *Forsk.* *M. hungariæ*, *Brehm.* *Gould, B. of*
Eur. pl. 59. *Yarr. Brit. B.* 2 edit. ii. fig. p. 217.
 England; Europe, India (Afghanistan) and N. Africa.

836. MEROPS ÆGYPTIUS. B. M.
 Merops ægyptius, *Forsk.* *M. persicus*, *Pall.* *M. Savignyi*,
Cuv. *M. ruficollis*, *Vieill.* *Levaill. Guép.* t. 6, 6*, 16. *M.*
superciliosus, *Licht. Kittl. Kupf. Vög.* t. 7, f. 1. *Pr. B. Fauna*
Ital. t. 25, f. 1. *B. of W. Afr.* pl. 7. *M. Vaillantii*, *Pr. B.*
 Europe, Africa and Madagascar.

837. MEROPS SUPERCILIOSUS.
 Merops superciliosus, *L.* *Pl. enl.* 259. *Levaill. Guép.* t. 19.
M. Bonelli, *Lev.* *M. patirich* et *M. ruficapillus*, *Vieill.*
 Africa and Madagascar.

838. MEROPS ALBICOLLIS. B. M.
 Merops albicollis, *Vieill.* *Levaill. Guép.* t. 9. *M. Cuvieri*,
Licht. *M. Savignyi*, *Sw. Zool. Illustr.* pl. 75.
 W. Africa.

839. MEROPS NUBICUS. B. M.
 Merops nubicus, *Gm.* *Pl. enl.* 649. *M. cæruleocephalus*,
Lath. *M. superbus*, *Penn. Shaw, Nat. Misc.* pl. 78, 613.
Levaill. Guép. t. 3. *Sw. B. of W. Afr.* pl. 9.
 W. Africa.

840. MEROPS NUBICOIDES. B. M.
 Merops nubicoides, *O. Des Murs, Iconogr. Ornith.* pl. 35.
 Africa.

841. MEROPS MALIMBICUS.

Merops bicolor, *Daud. Ann. du Mus.* ii. t. 62, f. 1. M. malimbicus, *Shaw, Nat. Misc.* pl. 71. *Vieill. Gal. des Ois.* t. 186.

E. Africa.

842. MEROPS LAMARKII.

Merops viridis, p. *L. Pl. enl.* 740. *Briss. Orn.* t. 42, f. 2. M. Lamarkii, *Cuv. Levaill. Guép.* t. 10. M. viridissimus, *Sw.*

Africa and Madagascar.

843. MEROPS VIRIDIS.

B. M.

Merops viridis, p. *L. Edw. B.* pl. 183. M. orientalis, M. torquatus et M. coromandus, *Lath.* M. torquatus et M. ferrugiceps, *Hodgs.* M. indicus, *Jerd.* M. luteus, *Scop.*^p M. citrinella, *Vieill.*^p M. flavicans, *Gm. Sonn. Voy.* t. 119. *Levaill. Guép.* t. 11.^p

India, Burmah and Ceylon.

844. MEROPS ORNATUS.

B. M.

Merops ornatus, *Lath. Levaill. Guép.* t. 4. M. melanurus, *Lewin, B. of N. Holl.* pl. 2. M. Thouini, *Kuhl.* Philemon ornatus, *Vieill. Levaill. Guép.* t. 4. *Gould. B. of Austr.* ii. pl. 16.

Australia (except Van Diemen's Land).

845. MEROPS BICOLOR.

B. M.

Merops bicolor, *Bodd.* M. badius, *Gm. Pl. enl.* 252. M. castaneus, *Lath.* M. sumatranus, *Raffl.* M. Latreillii, *Vieill.* M. cyanopygius, *Less. Levaill. Guép.* t. 12.

Malayan Archipelago.

846. ? MEROPS SENEGALENSIS.

Merops senegalensis, *Shaw. Pl. enl.* 314. M. longicauda, *Vieill.* M. Adansoni, *Levaill. Guép.* t. 13.

W. Africa (Senegal).

847. ?MEROPS ERYTHROCEPHALUS.

Merops erythrocephalus, *Gm.* *Briss. Orn.* iv. t. 44, f. 3.
Shaw, Nat. Misc. pl. 357.

India.

848. MEROPS JAVANICUS.

Merops javanicus, *Horsf.* *M. cyanorrhous* et *M. Savignyi*,
Temm.

Java.

849. MEROPS PHILIPPINUS.

B. M.

Merops philippinus, *L.* *Pl. enl.* 57. *M. Daudini*, *Cuv.* *M.*
typicus, *Hodgs.* *Levaill. Guép.* t. 14.

Philippine Islands; India (Nepal).

850. MEROPS QUINTICOLOR.

B. M.

Merops quinticolor, *Vieill.* *Levaill. Guép.* t. 15, 18. *M.*
urica, *Horsf.* *M. erythrocephalus*, *Bl.* *Sw. Zool. Illustr.* pl.
 8. *M. Leschenaultii*, *Vieill.*

Java, India, Malayan Peninsula and Ceylon.

851. ?MEROPS ANGOLENSIS.

Merops angolensis, *Lath.*

W. Africa.

b. *Melittophagus*, *Boie*, 1828.

Nyctiornis, p. *Pr. B.* 1850.

852. MEROPS ERYTHROPTERUS.

B. M.

Merops erythropterus, *Gm.* *Pl. enl.* 318. *M. minutus*, *Vieill.*
M. minus, *Cuv.* *M. pusillus*, *Sw.* *Melittophagus erythro-*
pterus, *Boie.* *Levaill. Guép.* t. 17. *Lath. Gen. Syn.* pl. 31.

W. Africa.

853. MEROPS VARIEGATUS.

B. M.

Merops Sonnini, *M. variegatus*, et *M. collaris*, *Vieill.* *Levaill.*
Guép. t. 7. *Melittophagus variegatus*, *G. R. Gr.* *Briss. Orn.*
 t. 44, f. 1. *Kittl. Kupf. Vög.* t. 7, f. 3.

N.-E. Africa.

854. ? MEROPS LAFRESNAYI.

Merops Lafresnayi, *Guer.* M. Lefebvrei, *O. Des Murs, Icongr. Ornith.* t. 34. ? Melittophagus Lafresnayi, *Pr. B.*

N.-E. Africa.

855. MEROPS HIRUNDINACEUS.

B. M.

Merops hirundinaceus, *Vieill.* M. taiva, *Cuv.* M. chrysolaimus, *Jard. & Selby, Ill. Orn.* pl. 99. M. furcatus, *Stanl.* M. azuror, *Less. Sw. B. of W. Afr.* ii. pl. 10. *Levaill. Guép.* t. 8. Melittophagus taiva, *Boie.* M. hirundinaceus, *G. R. Gr.*

S. Africa.

856. MEROPS BULLOCKII.

B. M.

Merops Bullockii, *Vieill. Donovan. Nat. Repos.* pl. 45. M. cyanogaster, *Sw. B. of W. Afr.* pl. 8. *Levaill. Guép.* t. 20. Melittophagus Bullockii, *G. R. Gr.*

S. Africa.

857. MEROPS BULLOCKOIDES.

B. M.

Merops Bullockoides, *A. Smith, Ill. S. Afr. Zool.* pl. 9. Melittophagus Bullockoides, *G. R. Gr.*

S. Africa.

858. MEROPS GULARIS.

B. M.

Merops gularis, *Shaw, Nat. Misc.* pl. 337. Melittophagus gularis, *G. R. Gr.* Nyctiornis gularis, *Pr. B.*

W. Africa.

c. Meropogon, *Pr. B.* 1850.

859. MEROPS FORSTENI.

Merops Forsteni, *Temm.* Meropogon Forsteni, *Pr. B. Consp.* p. 164.

Celebes.

2. NYCTIORNIS.

Nyctiornis, *Sw.* 1831.

Alcemerops, *J. Geoffr.* 1832.

Bucia (1836) et Napophila (1841), *Hodgs.*

860. NYCTIORNIS ATHERTONI.

B. M.

Merops Athertoni, *Jard. & Selby, Ill. Orn.* pl. 53. *M.?* *cyanogularis*, *Jerd.* *Nyctiornis Athertoni*, *Hodgs.* *N. cærulea*, *Sw.* *N. Amherstianus*, *Royle.* *Bucia nipalensis*, *Hodgs.* *B. Athertonii*, *Bl.* *Napophila meropina*, *Hodgs.* *N. Athertonii*, *Bl.*

India (Nepal, Assam) and Malayan Peninsula.

861. NYCTIORNIS AMICTA.

B. M.

Merops amictus, *Temm. Pl. col.* 310. *Nyctiornis amicta*, *Sw. Zool. Illustr. n. s.* pl. 56.

Malayan Peninsula.

Tribe 2. TENUIROSTRES.

- Picæ, p. *Linn.* 1735 ; *Mæhr*, 1752 ; *Lath.* 1790.
 Plumipedes, p. *Schæff.* 1774.
 Fissipedes anisodactyles, cuneirostres—F. a. filirostres—F. a. falciro-
 rostres, *Schæff.* 1774.
 Scutipedes, p.—Negliges, p. *Scop.* 1777.
 Tenuirostres, p.—Dentirostres, p.—Plenirostres, p. *Cuv.* 1799—
 1800.
 Tenuirostres—Gregarii, p.—Pygarrhichi—Suspensi—Gallinacei, p.
Illiger, 1811.
 Anthomyzi—Epopsides—Anerpontes—Lyriferi, *Vieill.* 1816.
 Scansores, p. *Temm.* 1815.
 Tenuirostres—Conirostres, p.—Dentirostres, p. *Cuv.* 1817.
 Anisodactyli—Insectivores, p. *Temm.* 1820.
 Anerponti—Antomisi—Epopsidi—Rafioramfi—Metrioramfi, *Ranz.*
 1823.
 Tenuirostres—Scansores, p.—Rasores, p. *Vigors*, 1826.
 Fissirostres, conirostres anisodactyles, p. *Less.* 1831.
 Tenuirostres—Anthomyzi—Canori, p. *Pr. Bonap.* 1831.
 Volucres, p.—V. oscines, p.—V. coraces, p.—Gessores, p. *Sundev.*
 1835.
 Scansores, p.—Oscines, p. *Keys. & Bl.* 1840.
 Raptatrices, *Macgill.* 1840.
 Clamatores, p.—Oscines, p. *Cabanis*, 1847.

1. UPUPIDÆ.

- Upupidæ, *Pr. B.* 1838—49—50 ; *G. R. Gr.* 1840—41—47 ; *Cab.*
 1847 ; *Bl.* 1849.
 Promeropidæ, *Steph.* 1826 ; *Sw.* 1831—37 ; *Pr. B.* 1849—50.
 Trochilidæ, p. *Pr. B.* 1831.
 Paradiseidæ, p. *Sw.* 1837 ; *Cab.* 1847.
 Bucerotidæ, p. *Bl.* 1849.
 Epimachidæ, *Selys*, 1842.
 Meliphagidæ, p. *Vigors*, 1825.
 Epimachides, *Sundev.* 1835.
 Irrisoridæ, *Pr. B.* 1850.

i. UPUPINÆ.

Upupinæ, *Pr. B.* 1831—49—50 ; *G. R. Gr.* 1840—41—47 : *Cab.* 1847.

Meropinæ, *p. Pr. B.* 1831.

Promeropinæ, *G. R. Gr.* 1840 ; *Pr. B.* 1850.

Irrisorinæ, *Bl.* 1849—50.

I. UPUPA.

a. Upupa, *L.* 1735.

862. UPUPA EPOPS.

B. M.

Upupa Epps, *L. Pl. enl.* 52. *Edw. B.* pl. 345. *U. vulgaris*, *Pall.* *U. bifasciata*, *Brehm.* *U. macrorhyncha*, *Landb.* *Gould, B. of Eur.* pl. 238. *Naum. Vög. Deuts.* v. t. 142. *Yarr. Brit. B.* 2 edit. fig. p. 175. *Levaill. Prom.* t. 22.

Great Britain ; Europe, N.-W. Asia, and N. Africa.

863. UPUPA MINOR.

B. M.

Upupa minor, *Shaw.* *U. africana*, *Bechst.* *U. capensis*, *Sw.* *U. cristatellus*, *Vieill. Gal. des Ois.* t. 184. *Ois. dor.* t. 2. *Jard. Ill. of Orn.* pl. 142.

S. and W. Africa.

864. UPUPA MONOLOPHOS.

Upupa monolophos, *Wagl.* *Levaill. Prom.* t. 9 vel 23. *U. senegalensis*, *Sw.?*

W. Africa (Congo).

b. Fregilupus, *Less.* 1831.

865. UPUPA VARIA.

Upupa varia, *Bodd. Pl. enl.* 697. *U. capensis*, *Gm.* *U. madagascariensis*, *Shaw.* *Levaill. Prom.* t. 18. *Vieill. Ois. dor. Prom.* t. 3. *Pastor? capensis*, *Temm.* *P. upupa*, *Wagl.* *Coracia cristata*, *Vieill.*

S. and E. Africa ; Madagascar.

2. IRRISOR.

a. Irrisor, *Less.* 1831.

866. IRRISOR ERYTHORHYNCHUS. B. M.
Upupa erythrorhynchos, *Lath.* *U. viridis*, *Licht.* *Levaill.*
Prom. t. 1, 2, 3. *Vieill. Ois. dor.* t. 6. *Promerops erythro-*
rhynchos, *Shaw, Nat. Misc.* pl. 533. *Falcinellus erythrorhyn-*
chos, *Vieill.* *Irrisor capensis*, *Less.* *I. erythrorhynchos*,
G. R. Gr. *Epimachus erythrorhynchos*, *Temm.* *Nectarinia*
erythrorhynchos, *Licht.*

S. Africa.

867. IRRISOR MELANORHYNCHUS. B. M.
Epimachus melanorhynchos, *Wagl.* *Levaill. Prom.* t. 4.
Falcinellus senegalensis, *Vieill.* *Nectarinia melanorhynchos*,
Licht. *Irrisor melanorhynchos*, *G. R. Gr. & Mitch. Gen. of*
B. pl. 31. *Promerops senegalensis*, *Sw.*

W. Africa.

868. IRRISOR ATERRIMUS. B. M.
Promerops aterrimus? *Steph.* *P. pusillus*, *Sw.* *P. cyanome-*
las, *Rüpp.?* *Irrisor aterrimus*, *G. R. Gr.* *Rhinopomastes pu-*
sillus, *Pr. B.*

W. and N.-E. Africa.

869. IRRISOR UNICOLOR.
Epimachus unicolor, *Licht.* *Irrisor unicolor*, *G. R. Gr.*

S. Africa.

870. IRRISOR LAMPROLOPHOS.
Epimachus lamprolophos, *Wagl.* *Levaill. Prom.* t. 11, 12.
Irrisor lamprolophos, *G. R. Gr.*

Madagascar? E. Africa.

871. IRRISOR INDICUS.
Upupa indica, *Lath.* *Vieill. Ois. dor. Prom.* t. 9. *Promerops*
cæruleus, *Shaw, Nat. Misc.* pl. 985. *Falcinellus cæruleus* et
F. cyaneus, *Vieill.* *Levaill. Prom.* t. 7. *Epimachus cæruleus*,
Wagl. *Irrisor indicus*, *G. R. Gr.* *I. cæruleus*, *Pr. B.*

S. Africa.

872. IRRISOR CAUDACUTUS.

Epimachus caudacutus, Vieill. *E. obscurus*, Wagl. *Irrisor caudacutus*, G. R. Gr.

Madagascar.

873. IRRISOR SIBILATOR.

Falcinellus sibilator, Vieill. *Levaill. Prom. t. 10. Epimachus sibilatrix*, Wagl.

S. Africa.

b. *Rhinopomastes*, A. Smith, 1828.

874. IRRISOR CYANOMELAS.

B. M.

Falcinellus cyanomelas, Vieill. *Levaill. Prom. t. 5, 6. Upupa purpurea*, Burch. *Rhinopomastes Smithii*, Jard. Zool. Journ. iv. pl. 1. *R. cyanomelas* et *R. Levaillantii*, Less. *Promerops purpuratus*, Sw. *Epimachus cyanomelas*, Wagl. *Irrisor cyanomelas*, G. R. Gr.

S. Africa.

875. IRRISOR MINOR.

B. M.

Epimachus vel *Promerops minor*, Rüpp. *Syst. Uebers. Vög. N. Ost. Afr. t. 8. Rhinopomastes minor*, Pr. B. *Irrisor minor*, G. R. Gr.

N.-E. Africa.

3. FALCULIA.

Falculia, J. Geoffr. 1836.

876. FALCULIA PALLIATA.

B. M.

Falculia palliata, J. Geoffr. *Mag. de Zool. (1836) Ois. t. 49.*

Madagascar.

ii. EPIMACHINÆ.

Epimachinæ, G. R. Gr. 1848; *Pr. B.* 1849—50.

Upupinæ, p. *Pr. B.* 1831; *G. R. Gr.* 1840—41.

Paradiseana, p. *Vigors*, 1825.

Promeropinæ, G. R. Gr. 1841.

Paradiseinæ, p. *Cab.* 1847; *Bl.* 1849.

Fregilinæ, p. *Pr. B.* 1850.

1. NEOMORPHA.

Neomorpha, *Gould*. 1836.

877. NEOMORPHA GOULDII.

B. M.

Neomorpha acutirostris et *N. crassirostris*, *Gould*, *B. of Austr.* iv. pl. 19. *Neomorpha Gouldii*, *G. R. Gr.* *O. Des Murs*, *Icogr. Ornith.* t. 2.

New Zealand.

2. EPIMACHUS.

a. Epimachus, *Cuv.* 1817.

Cinnamolegus, *Less.* 1835.

878. EPIMACHUS SPECIOSUS.

B. M.

Upupa speciosa et *U. striata*, *Bodd.* *Pl. enl.* 638, 639. *U. magna*, *Gm.* *U. superba* et *U. papuensis*, *Lath. Sonn. Voy.* t. 100, 101. *Merops fusca*, *Gm.* *Promerops superbus* et *P. striatus*, *Shaw.* *Falcinellus superbus* et *F. fuscus*, *Vieill. Ois. dor. Prom.* t. 7. *Epimachus magnus*, *Cuv.* *E. superbus*, *Steph.* *E. speciosus*, *G. R. Gr.* *Levaill. Prom.* t. 13, 14, 15, *Cinnamolegus papuensis*, *Less. Ois. de Parad.* t. 39, 40.

New Guinea.

b. Seleucides, *Less.* 1835.

Nematophora, *G. R. Gr.* 1840.

879. EPIMACHUS ALBUS.

B. M.

Paradisea alba, *Blum.* *P. nigricans*, *Shaw.* *P. violacea*, *Bechst.* *P. candida*, *Forst.* *Levaill. Prom.* t. 17. *Falcinellus resplendens*, *Vieill. Gal. des Ois.* t. 185. *Ois. dor.* t. 13. *Epimachus albus*, *Temm.* *Seleucides acanthylis*, *Less. Hist. Nat. Parad.* t. 36, 37, 38. *S. albus* et *Nematophora alba*, *G. R. Gr.*

New Guinea.

c. *Craspedophora*, *G. R. Gr.* 1840.

880. *EPIMACHUS MAGNIFICUS*. B. M.
Falcinellus magnificus, *Vieill. Cuv. Règ. Anim.* t. 4, f. 2.
Levaill. Prom. t. 16. *Epimachus splendidus*, *Steph. E.*
magnificus, *G. R. Gr.* *Craspedophora magnifica*, *G. R. Gr.*
Voy. de la Coqu. Ois. t. 28. *Less. Ois. de Parad.* t. 32, 33, 34.
Lath. Hist. of B. iv. pl. 67*. *G. R. Gr. & Mitch. Gen. of B.*
 pl. 32. (*E. paradiseus*, by error).

New Guinea and N. Australia (Cape York).

d. *Ptilornis*, *Sw.* 1825.

881. *EPIMACHUS PARADISEUS*. B. M.
Ptilornis paradiseus, *Sw. Gould, B. of Austr.* iv. pl. 100.
Epimachus regius, *Less. Cent. Zool.* t. 3. *Voy. de la Coqu. t.*
 28. *Hist. Nat. Parad.* t. 29, 30. *E. Brisbani*, *Wils. Ill. of*
Zool. pl. 9. *E. paradiseus*, *G. R. Gr.*

New South Wales.

882. *EPIMACHUS VICTORIÆ*. B. M.
Ptilornis Victoriæ, *Gould, Proc. Zool. Soc.* 1849, pl. 12.
 N. Australia (Cape York) and Barnard's Isles.

II. NECTARINIDÆ.

- Nectarinidæ*, *Vigors*, 1825 ; *G. R. Gr.* 1840—41 ; *Cab.* 1847 ; *Bl.*
 1849.
Promeropidæ, *Vigors*, 1825 ; *G. R. Gr.* 1847.
Cinnyridæ, *Vigors*, 1825 ; *Sw.* 1831—37 ; *Selys*, 1842.
Trochilidæ, p. *Pr. B.* 1831.
Cærebidæ, *Bl.* 1849 ; *Pr. B.* 1849—50.
Meliphagidæ, p. *Sw.* 1837.
Meliphagides, p., *Cinnyrides*, *Dacnides*, *Epimachides*, p. *Sundev.*
 1835.

i. NECTARININÆ.

- Nectarininæ*, *G. R. Gr.* 1841 ; *Cab.* 1847 ; *Pr. B.* 1849—50.
Promeropinæ, *G. R. Gr.* 1847.
Drepaninæ et Myzomelinæ, p. *Cab.* 1847.
Upupinæ, p. *Pr. B.* 1831.

1. DREPANIS.

- a. Drepanis, *Temm.* 1820.
Vestiaria, *Flem.* 1822.

883. DREPANIS PACIFICA. B. M.
Certhia pacifica, *Gm.* *Levaill. Guép.* t. 19. *Vieill. Ois. dor.*
t. 63. Drepanis pacifica, *Temm.* Melithreptus pacificus,
Vieill. Vestiaria hoho, *Less.*

Friendly Islands.

884. DREPANIS COCCINEA. B. M.
Certhia coccinea et C. obscura, *Gm.* *Vieill. Ois. dor.* t. 52, 53.
C. vestiaria, *Lath. Gen. Syn.* pl. 33, f. 1. Melliphaga coccinea,
Merr. Av. Icon. t. iv. Drepanis obscura et D. vestiaria,
Temm. D. coccinea, *Gr.* Melithreptus obscurus et M. vestiarius,
Vieill. Hemignathus obscurus, *Licht. Berl. Trans.*
1838, t. v. f. 1. Vestiaria evi et V. akaroa, *Less.* *Shaw,*
Nat. Misc. pl. 75.

Sandwich Islands.

885. ? DREPANIS FALCATA.
Certhia falcata, *Gm.* Drepanis falcata, *G. R. Gr.*

———?

886. DREPANIS SANGUINEA. B. M.
Certhia sanguinea et C. virens, *Gm.* *Vieill. Ois. dor.* t. 66,
67, 68. Nectarinia sanguinea et N. virens, *Cuv.* N. Byronensis
et N. flava, *Blox. Griff. An. Kingd.* ii. pl. p. 390. Melithreptus virens,
Vieill. Furnarius? virens, *Steph.* Phyllornis tonganensis,
Less. Drepanis flava, *Gr.* D. sanguinea et Myzomela? sanguinea,
G. R. Gr.

Sandwich Islands.

887. DREPANIS OLIVACEA.
Merops olivaceus, *Shaw.* *Vieill. Ois. dor. (Prom.)* t. 5. Furnarius olivaceus,
Steph. Drepanis olivascens, *G. R. Gr.*

Islands of the South Pacific Ocean?

- b. *Hemignathus*, *Licht.* 1838.
Heterorhynchus, *Lafr.* 1839.

888. *DREPANIS LUCIDA.*

B. M.

Nectarinia lucida, *Licht.* *Heterorhynchus olivaceus*, *Lafr. Mag. de Zool.* 1839. *Ois.* t. 10. *Vestiaria heterorhyncha*, *Less.* *Drepanis lucida* et *D. olivacea*, *G. R. Gr.* *Hemignathus lucidus*, *Licht. Berl. Trans.* 1838, t. v. f. 2, 3. *H. olivaceus*, *Licht. Voy. de la Venus. Ois.* t. 1.

Sandwich Islands.

- c. *Moho*, *Less.* 1831.
Acrulocercus, *Cab.* 1847.

889. *DREPANIS NIGRA.*

B. M.

Merops niger, *Gm.* *M. fasciculatus*, *Lath. Dixon's Voy.* pl. 19. *Pl. col.* 471. *Gracula nobilis*, *Merr. Av. Icon.* t. 2. *Epimachus pacificus*, *Licht.* *Meliphaga fasciculata*, *Temm.* *Philemon fasciculatus*, *Vieill.* *Moho niger*, *G. R. Gr.* *Acrulocercus niger*, *Cab.* *Ptiloturus fasciculatus*, *Peale.*

Sandwich and Friendly Islands.

2. *NECTARINIA.*

- a. *Nectarinia*, *Illig.* 1811.
Cinnyris, *Cuv.* 1817; *Vieill.* 1818.
Mellisuga, *Vieill.* 1816.

890. *NECTARINIA FAMOSA.*

B. M.

Certhia famosa, *L. Pl. enl.* 83, f. 1. *Vieill. Ois. dor.* t. 37, 38. *Trochilus afer*, *L. Nectarinia famosa*, *Illig. N. formosa*, *Pr. B.* *Cinnyris famosa*, *Cuv. Levaill. Ois. de l'Afr.* t. 289, 290. *Shaw, Nat. Misc.* pl. 19. *Nat. Libr.* xvi. pl. 17.

S. and N.-E. Africa.

891. *NECTARINIA PULCHELLA.*

B. M.

Certhia pulchella, *L. Pl. enl.* 670, f. 1. *Vieill. Ois. dor.* t. 40. *Cinnyris caudatus*, *Vieill. C. pulchella*, *Cuv. Nectarinia pulchella*, *Jard. Levaill. Ois. de l'Afr.* t. 293, f. 1. *Nat. Libr.* xvi. pl. 18. *Sw. B. of W. Afr.* pl. 14.

S.-W. and N.-E. Africa.

892. NECTARINIA MELANOPOGON.

Nectarinia melanopogon, *Licht.*

W. Africa (Senegal).

893. NECTARINIA CARDINALIS.

Cinnyris cardinalis, *Vieill.* *Levaill. Ois. de l'Afr.* t. 291.

Nectarinia cardinalis, *G. R. Gr.* *N. cardinalinus*, *Jard.* *Cinnyris violacea*, *p. Cuv.*

S. Africa.

894. NECTARINIA VIOLACEA.

B. M.

Certhia violacea, *L. Pl. enl.* 670, f. 2. *Vieill. Ois. dor.* t. 39.

C. crocata, *Shaw, Nat. Misc.* pl. 210. *Nectarinia violacea*, *Illig.* *Cinnyris violacea*, *Cuv.* *C. croceus*, *Less.* *Levaill. Ois. de l'Afr.* t. 292. *Nat. Libr.* xvi. pl. 16.

S. Africa.

895. NECTARINIA PLATURA.

B. M.

Cinnyris platurus, *Vieill.* *Levaill. Ois. de l'Afr.* t. 293, f. 2.

C. ? saccharina, *Steph.* *Nectarinia sylvicola*, *Temm.* *N. platura*, *Jard. Nat. Libr.* xvi. pl. 19. *N. cyanopygos*, *Licht.*² *Cinnyris* — *Cuv.*

S. and W. Africa.

896. NECTARINIA TACAZZE.

B. M.

Certhia tacazze, *Stanl. Rüpp. Fauna Abyss.* t. 31, f. 3. *Nectarinia tacazze*, *G. R. Gr.*

N.-E. Africa.

897. NECTARINIA GOALPARIENSIS.

B. M.

Certhia goalpariensis, *Royle, Illustr. of B.* pl. 7, f. 1. *Lath.*

Hist. of B. iv. pl. 74. *Cinnyris Vigorsii* et *C. concolor*, *Sykes.*

C. miles, *Hodgs.* *C. labecula*, *McClell.* *Nectarinia scheriæ*, *Tick.* *N. Lathamii* et *N. goalpariensis*, *Jard. Nat. Libr.* xvi. pl. 27.

India (Goulparah, Nepal).

898. NECTARINIA GOULDIÆ.

B. M.

Cinnyris Gouldiæ, *Vigors.* *Gould, Cent. of B.* pl. 56. *Nectarinia Gouldiæ*, *Jard.*

India (Himalayah Mountains).

899. NECTARINIA IGNICAUDA.

B. M.

Cinnyris ignicaudus et *C. epimecurus*, *Hodgs.* *C. rubricaudata*, *Bl.* *Nectarinia phænicura*, *Jard. Nat. Libr.* xvi. pl. 29.
N. ignicauda, *Hodgs.*

India (Nepal, Silhet).

900. NECTARINIA NIPALENSIS.

B. M.

Cinnyris nipalensis, *Hodgs.* *Nectarinia nipalensis*, *Jard. Nat. Libr.* xvi. pl. 27.

India (Nepal).

901. NECTARINIA HORSFIELDII.

Nectarinia Horsfieldii, *Bl.*

India (Himalaya).

902. NECTARINIA SIPARAJA.

Certhia siparaja, *Raffl.* *Nectarinia mystacalis*, *Temm. Pl. col.* 126, f. 3. *N. siparaja*, *Jard.* *Cinnyris mystacalis*, *Cuv.* *C. siparaja*, *Vig. & Horsf. Verh. Nat. Gesch. Nederl.* t. 9, f. 1.

Sumatra.

903. NECTARINIA SATURATA.

B. M.

Cinnyris saturata, *Hodgs.* *C. assamensis*, *Me'Clell.* *Nectarinia Hodgsonis*, *Jard. Nat. Libr.* xvi. pl. 28. *N. saturata*, *Bl.*

India (Nepal).

904. NECTARINIA TEMMINCKII.

Nectarinia Temminckii, *Müll. Verh. Nat. Gesch. Nederl.* t. 8, f. 2.

Sumatra.

905. NECTARINIA EXIMIA.

B. M.

Nectarinia eximia, *Horsf.* *N. Kuhlii*, *Temm. Pl. col.* 376, f. 1. *Cinnyris Kuhlii*, *Cuv.*

Java.

b. *Cinnyris*, *Pr. B.* 1850.906. *NECTARINIA CUPREA.*

B. M.

Certhia cuprea et *C. rubrofusca*, *Shaw.* *Vieill. Ois. dor.* t. 23, 27. *Cinnyris tricolor* et *C. nibeus*, *Vieill.* *C. cuprea* et *C. rubrofusca*, *Cuv.* *C. erythronotus*, *Sw. B. of W. Afr.* pl. 15. *Nectarinia cuprea*, *Jard.*

W. Africa (Cape Coast, Accra, Malemba and Senegal).

907. *NECTARINIA AMETHYSTINA.*

B. M.

Certhia amethystina, *Shaw.* *Vieill. Ois. dor.* t. 5, 6. *C. aurifrons*, *Bechst.*? *Cinnyris auratifrons*, *Vieill.* *C. amethystina*, *Cuv.* *C. aurifrons*, *Less.* *Nectarinia aurifrons*, *Licht.*? *N. amethystina*, *Jard. Nat. Libr.* xvi. pl. 13. *Levaill. Ois. de l'Afr.* t. 294, f. 1.

S. Africa.

908. *NECTARINIA CYANOCEPHALA.*

B. M.

Certhia cyanocephala, *Gm.* *Vieill. Ois. dor.* t. 7. *Cinnyris chloronotus*, *Sw. B. of W. Afr.* pl. 16. *C. cyanocephala*, *Cuv.* *Nectarinia cyanocephala*, *Jard. Nat. Libr.* xvi. pl. 10.

W. Africa (Malemba, Sierra Leone).

909. *NECTARINIA COLLARIS.*

B. M.

Cinnyris collaris, *Vieill.* *Levaill. Ois. de l'Afr.* t. 299. *Nectarinia collaris*, *Jard. Nat. Libr.* xvi. pl. 6.

S. Africa and Fernando Po.

910. *NECTARINIA CRUENTATA.*

B. M.

Nectarinia cruentata, *Rüpp. Syst. Uebers. Vög. N.-Ost. Afr.* t. 9. *N. proteus*, *Rüpp.* *Cinnyris cruentata*, *Pr. B.*

N.-E. Africa.

911. *NECTARINIA FULIGINOSA.*

B. M.

Certhia fuliginosa et *C. maculata*, *Shaw.* *Vieill. Ois. dor.* t. 20, 21. *Nectarinia fuliginosa*, *Jard. Nat. Libr.* xvi. pl. 14. *Cinnyris fuliginosa* et *C. maculata*, *Cuv.*

W. Africa (Malemba).

912. NECTARINIA STANGERI.

B. M.

Nectarinia Stangeri, *Jard. Illustr. of Orn. n. s.* pl. 48. *Nat. Libr.* xvi. pl. 15. Cinnyris Stangeri, *Pr. B.*

W. Africa (Niger).

913. NECTARINIA RUBESCENS.

Cinnyris rubescens, *Vieill.* Nectarinia rubescens, *Jard.*

W. Africa (Congo).

914. NECTARINIA METALLICA.

B. M.

Nectarinia metallica, *Licht. Pl. col.* 347, f. 1, 2. *Hempr. et Ehrenb. Symb. Phys.* t. 1. *Rüpp. Zool. Atlas*, t. 7. Cinnyris metallica, *Cuv.*

N.-E. Africa (Abyssinia, Nubia) and Arabia.

915. NECTARINIA AFFINIS.

B. M.

Nectarinia affinis, *Rüpp. Fauna Abyss.* t. 31, f. 1. Cinnyris affinis, *Rüpp.*

N.-E. Africa.

916. NECTARINIA ÆNEA.

Cinnyris æneus, *Vieill.* *Levaill. Ois. de l'Afr.* t. 297. Nectarinia æneus, *Jard.*

S. Africa.

917. NECTARINIA GULARIS

Nectarinia gularis, *Rüpp. Fauna Abyss.* t. 31, f. 2. Cinnyris gularis, *Rüpp.*

N.-E. Africa.

918. NECTARINIA RECTIROSTRIS.

Certhia rectirostris, *Shaw.* *Vieill. Ois. dor.* t. 75. C. elegans, *Vieill. Gal. des Ois.* t. 178. Nectarinia rectirostris, *Jard.* Cinnyris? rectirostris, *Steph.* C. elegans, *Cuv.*

Africa or India?

919. NECTARINIA PURPURATA.

Nectarinia purpurata, *Illig.* *Cinnyris purpurata*, *Pr. B. Kittl. Kupf. Vög.* t. 28, f. 1.

N.-E. Africa.

920. NECTARINIA SOUI-MANGA.

Certhia soui-manga, *Gm.* *Briss. Orn.* t. 32, f. 2, 3. *C. madagascariensis*, *Lath. Vieill. Ois. dor.* t. 18, 19. *Nectarinia soui-manga*, *G. R. Gr.* *Cinnyris soui-manga*, *Pr. B. C. madagascariensis*, *Cuv.*

Madagascar.

921. NECTARINIA VIRESCENS.

Cinnyris virescens, *Vieill. Ois. dor.* t. 34. *Nectarinia virescens*, *G. R. Gr.*

——— ?

922. NECTARINIA SPLENDENS.

Cinnyris splendens, *Vieill. Ois. dor.* t. 2. *Nectarinia splendens*, *G. R. Gr.*

W. Africa (Congo).

923. NECTARINIA CANORA.

Certhia canora, *Scop. Sonn. Voy.* ii. t. 116, f. 2. *C. viridis*, *Lath.* *C. scarlatina*, *Sparr. Mus. Carls.* t. 58. *Nectarinia canora*, *G. R. Gr.* *Cinnyris canora*, *Pr. B.*

S. Africa.

924. NECTARINIA ANGALADIANA.

Certhia angaladiana, *Shaw. Vieill. Ois. dor.* t. 3, 4. *C. lotenia*, *L.^p Pl. enl.* 575, f. 2, 3. *Briss. Orn.* t. 33, f. 4, 5. *Cinnyris madagascariensis*, *Quoy & Gaim. Voy. de l'Astrol. Ois.* t. 5, f. 3. *C. angladiana*, *Pr. B.* *C. lotenia*, *Cuv.* *Nectarinia angladiana*, *G. R. Gr.*

Madagascar.

925. NECTARINIA AFRA.

B. M.

Certhia afra, *L. Edw. B.* pl. 347. *C. erythrogastra*, *Shaw, Nat. Misc.* pl. 387. *Cinnyris smaragdinus* et *C. pectoralis*, *Vieill. Levaill. Ois. de l'Afr.* t. 300. *Vieill. Ois. dor.* t. 10. *C. caffra*, *Cuv.* *Nectarinia afra*, *Jard. Nat. Libr.* xvi. pl. 2.

S. Africa.

926. NECTARINIA CHALYBEA. B. M.
Certhia chalybea, *L. Pl. enl.* 246, f. 2. *C. capensis*, *L.*
Nectarinia chalybea, *Temm.* *Cinnyris chalybea*, *Cuv. Shaw*,
Nat. Misc. pl. 381. *Vieill. Ois. dor.* 80, 14? *Sw. Zool. Ill.*
 pl. 95. *Nat. Libr.* xvi. pl. 1.

S. and W. Africa.

927. NECTARINIA HABYSSINICA.
Nectarinia habyssinica, *Hempr. et Ehrenb. Symb. Phys.* t. 4.
Cinnyris habyssinica, *Pr. B.*

N.-E. Africa.

928. NECTARINIA VERROXI. B. M.
Cinnyris Verroxi, *A. Smith, Ill. S. Afr. Zool.* pl. 57. *C. Ver-*
reauxi, *Pr. B.* *Nectarinia Verroxi*, *Jard. Nat. Libr.* xvi.
 pl. 9.

S. Africa.

929. NECTARINIA OBSCURA. B. M.
Nectarinia obscurus, *Jard. & Selby, Ill. of Orn. n. s.* pl. 51.
Cinnyris obscura, *Pr. B.*

Fernando Po.

930. NECTARINIA OLIVACEA.
Cinnyris olivacea, *A. Smith.* *Nectarinia olivaceus*, *Jard.*

S. Africa (Port Natal).

931. NECTARINIA FUSCA.
Cinnyris fuscus, *Vieill. Levaill. Ois. de l'Afr.* t. 296. *Necta-*
rinia fusca, *Jard. Nat. Libr.* xvi. pl. 8.

S. Africa.

932. NECTARINIA VENUSTA.
Certhia venusta, *Shaw, Nat. Misc.* pl. 369. *Cinnyris pusilla.*
Sw. C. quanticolor, *Less.* *C. venusta*, *Cuv.* *Nectarinia ve-*
nusta, *Jard.*

W. Africa (Sierra Leone).

933. NECTARINIA PUSILLA.

Cinnyris pusillus, Vieill. *Levaill. Ois. de l'Afr.* t. 298. *Nectarinia pusilla*, Jard.

S. Africa.

934. NECTARINIA CHLOROPYGIA.

B. M.

Nectarinia chloropygia, Jard. & Selby, *Ill. of Orn. n. s.* pl. 50. *Nat. Libr.* xvi. pl. 3. *Cinnyris chloropygia*, Pr. B.

Fernando Po.

935. NECTARINIA BIFASCIATA.

B. M.

Certhia bifasciata, Shaw. *Vieill. Ois. dor.* t. 24. *Cinnyris nitens*, Vieill. *C. bifasciata*, Pr. B. *C. chalybea*, p. Cuv. *Nectarinia bifasciata*, Jard. *Nat. Libr.* xvi. pl. 4.

W. Africa (Malemba), Interior of S. Africa.

936. NECTARINIA SENEGALENSIS.

B. M.

Certhia senegalensis, L. *Briss. Orn.* iii. t. 34, f. 2. *Cinnyris senegalensis*, Cuv. *C. discolor*, Vieill. *Ois. dor.* t. 8, 9. *Nectarinia senegalensis*, Jard. *Nat. Libr.* xvi. pl. 11. *Levaill. Ois. de l'Afr.* t. 295, f. 2. *Kittl. Kupf. Vög.* t. 28, f. 2.

S. and W. Africa.

937. NECTARINIA SUPERBA.

Certhia superba, Shaw. *Cinnyris superbus*, Vieill. *Ois. dor.* t. 22. *Nectarinia superbus*, Jard.

W. Africa.

938. NECTARINIA NATALENSIS.

B. M.

Nectarinia natalensis, Jard. *Nat. Libr.* xvi. pl. 12. *Cinnyris natalensis*, Pr. B.

S.-E. Africa (Port Natal).

939. NECTARINIA SPLENDIDA.

B. M.

Certhia splendida, Shaw, *Gen. Zool.* pl. 26. *Vieill. Ois. dor.* t. 82. *Levaill. Ois. de l'Afr.* t. 295, f. 1. *Cinnyris bombycinus*, Vieill. *C. splendida*, Cuv. *C. lucidus* et *C. sugnimbindus*, Less. *Nectarinia splendida*, Jard. *Nat. Libr.* xvi. pl. 5.

S. and W. Africa.

940. NECTARINIA ADELBERTI. B. M.
Cinnyris Adelberti, *Gerv. Mag. de Zool.* 1833, t. 2. C. Eboensis. *Thoms. MSS.* Nectarinia Adelberti, *Jard. & Selby, Ill. of Orn. n. s.* pl. 49. *Nat. Libr.* xvi. pl. 30.
W. Africa (Senegal and Niger).
941. ? NECTARINIA VERTICALIS.
Certhia verticalis, *Lath. Vieill. Ois. dor.* t. 25 ? Nectarinia verticalis, *G. R. Gr.*
Africa.
942. ? NECTARINIA AURANTIA.
Certhia aurantia, *Gm.* Nectarinia aurantia, *G. R. Gr.*
Africa.
943. ? NECTARINIA FRONTALIS.
Certhia frontalis, *Lath.* Nectarinia frontalis, *G. R. Gr.*
Africa.
944. ? NECTARINIA COCCINIGASTRA.
Certhia coccinigastra, *Lath.* Nectarinia coccinigaster, *G. R. Gr.*
Africa.
945. ? NECTARINIA TABACINA.
Certhia tabacina, *Lath.* Nectarinia tabacina, *G. R. Gr.*
Africa?
946. ? NECTARINIA ERYTHROTHORAX.
Cinnyris erythrothorax, *Vieill.* Nectarinia erythrothorax, *G. R. Gr.*
W. Africa (Angola).
947. ? NECTARINIA PERREINI.
Cinnyris Perreini, *Vieill.* Nectarinia Perreini, *Hartl.*
W. Africa (Congo).

948. NECTARINIA MAHRATTENSIS.

B. M.

Certhia asiatica, *C. mahrattensis*, *C. chrysoptera*, *C. currucaria* et *C. cirrhata*, *Lath. Edw. B.* pl. 265. *Vieill. Ois. dor.* t. 12. *Cinnyris cirrhatus*, *Vieill.* *C. orientalis*, *Frankl.* *C. currucaria*, *Cuv.* *C. epauletta* et *C. strigula*, *Hodgs.* *C. iodeus*, *Less.* *C. asiatica*, *Pr. B.* *Nectarinia mahrattensis*, *Jard. Nat. Libr.* xvi. pl. 24. *N. asiatica*, *Bl.*

India and Malayan Peninsula.

949. NECTARINIA SIMPLEX.

Nectarinia simplex, *Müll. Verh. Nat. Gesch. Nederl.* t. 8, f. 4. *N. frontalis*, *Bl.* *Cinnyris simplex*, *Pr. B.*

Sumatra and Borneo.

950. NECTARINIA LOTENIA.

B. M.

Certhia lotenia, *L. Edw. B.* pl. 265, upp. fig. *C. polita*, *Sparr. Mus. Carls.* t. 59. *C. purpurata*, *Shaw. Vieill. Ois. dor.* t. 11. *Cinnyris purpurata*, *Cuv.* *C. lotenia*, *Pr. B.* *C. orientalis*, *Frankl.* *Nectarinia lotenia*, *Jard. Nat. Libr.* pl. 23.

India; Malayan Peninsula and Ceylon.

951. NECTARINIA CINGALENSIS.

B. M.

Certhia cingalensis, *Lath.* *Nectarinia phænicotis*, *Temm. Pl. col.* 108, f. 1, 338, f. 2. *N. cingalensis*, *G. R. Gr.* *Cinnyris phænicotis*, *Pr. B.*

Malayan Peninsula and Archipelago.

952. NECTARINIA FRENATA.

Nectarinia frenata, *Müll. Verh. Nat. Gesch. Nederl.* t. 8, f. 1. *Cinnyris frenata*, *Pr. B.*

Celebes and New Guinea.

953. NECTARINIA AUSTRALIS.

B. M.

Nectarinia australis, *Gould.* *N. pectoralis*, *Macgill.*
N. Australia (Cape York).

954. NECTARINIA SOLARIS.

Nectarinia solaris, *Temm. Pl. col.* 347, f. 3. *Verh. Nat. Gesch. Nederl.* t. 8, f. 5. *Cinnyris solaris*, *Cuv.*

Amboina and Timor.

955. NECTARINIA PECTORALIS.

B. M.

Nectarinia pectoralis, *Horsf.* *N. eximia*, *Temmm.* *Pl. col.* 138, f. 1. *Müll. Verh. Nat. Gesch. Nederl.* t. 9, f. 2. *Nat. Libr.* xvi. pl. 26, f. 1. *Cinnyris eximia*, *Cuv.* *C. pectoralis*, *Steph.* *Pl. enl.* 576, f. 4. *Pr. B. Briss. Orn.* iii. t. 34, f. 4.

Malayan Archipelago (Java).

956. NECTARINIA MACKLOTII.

Nectarinia pectoralis, p. *Temmm.* *Pl. col.* 138, f. 2, 3. *Müll. Verh. Nat. Gesch. Nederl.* t. 9. *Cinnyris Macklotii*, *Pr. B.*

Malayan Archipelago.

957. NECTARINIA FLAMMAXILLARIS.

Nectarinia flammaxillaris et *N. jugularis*, *Bl.* *Cinnyris flammaxillaris*, *Pr. B.*

Malayan Peninsula.

958. NECTARINIA ZEYLONICA.

B. M.

Certhia zeylonica, *L.* *Sonn. Voy.* t. 30, f. A. *C. quadricolor*, *Scop.* *C. dubia*, *Shaw Vieill. Ois. dor.* t. 16, 17. *Cinnyris sola*, *Jerd.* *C. lepida*, *Sykes.* *C. nigralbus*, *Less.* *C. zeylonica*, *Cuv.* *Nectarinia philippensis*, *Meyen.* *N. zeylonica*, *Jard. Nat. Libr.* xvi. pl. 20.

Ceylon, India and Malayan Peninsula

959. NECTARINIA MINIMA.

Cinnyris minima, *Sykes.* *Nectarinia minima*, *Jard. Nat. Libr.* xvi. pl.

India (Deccan, Malabar).

960. NECTARINIA HASSELTII.

B. M.

Certhia sperata, *Raffl.* *C. brasiliensis*, *Shaw.* *Nectarinia Hasseltii*, *Temmm.* *Pl. col.* 376, f. 3. *N. Phayrei*, *Bl. Verh. Nat. Gesch. Nederl.* t. 10, f. 5. *Cinnyris Hasseltii*, *Cuv.* *Nat. Libr.* xvi. pl. 22.

Malayan Peninsula and Archipelago.

961. NECTARINIA AFFINIS.

B. M.

Certhia affinis, *Shaw.* *C. sperata*, *L.*? *C. chalybea*, *Scop.*
Sonn. Voy. t. 30, f. C. *Vieill. Ois. dor.* t. 32, 33. *Cinnyris*
sperata, *Cuv.*? *C. coccinogaster*, *Cuv.* *Nectarinia affinis*,
Jard. Nat. Libr. xvi. pl. 21. *N. coccinigastra*, *Temm. Pl.*
col. 388, f. 3.

Philippine Islands.

962. NECTARINIA JUGULARIS.

B. M.

Certhia jugularis, *L. Pl. enl.* 576, f. 3? *Briss. Orn.* iii. t. 32,
 f. 5. *Vieill. Ois. dor.* t. 29, 30. *Nectarinia jugularis*, *Jard.*
Nat. Libr. xvi. pl. 25, f. 2.

Philippine Islands.

963. NECTARINIA CALCOSTETHIA.

Nectarinia calcostethia, *Jard.*

East India Islands.

964. NECTARINIA ASPASIA.

Cinnyris aspasia, *Less. Voy. de la Coqu.* t. 30, f. 4. *Nectarinia*
aspasia, *G. R. Gr.*

Celebes, Amboina and New Guinea.

965. NECTARINIA ZENOBIA.

Cinnyris zenobia, *Less. Voy. de la Coqu.* t. 30, f. 3. *Nectarinia*
zenobia, *G. R. Gr.*

New Guinea.

966. NECTARINIA EQUES.

Cinnyris eques, *Less. Voy. de la Coqu.* t. 31, f. 1. *Nectarinia*
eques, *G. R. Gr.*

Island of Waigou; New Guinea.

967. ? NECTARINIA MACASSARIENSIS.

Certhia macassariensis, *Gm. Seba, Thes.* i. t. 63, f. 3. *Nec-*
tarinia? macassariensis, *G. R. Gr.*

Islands of Bally and Macassar.

968. ? NECTARINIA MANILLENSIS.

Certhia manillensis, Gm. Nectarinia manillensis, G. R. Gr.

Philippine Islands.

969. ? NECTARINIA AMBOINENSIS.

Certhia amboinensis, Gm. Seba, Thes. t. 26, f. 2. Nectarinia amboinensis, G. R. Gr.

Amboina.

970. ?? NECTARINIA OMNICOLOR.

Certhia omnicolor, Gm. Seba, Thes. t. 69, f. 5. Cinnerys omnicolor, Cuv. Nectarinia omnicolor, G. R. Gr.

Ceylon.

971. ? NECTARINIA PARIETUM.

Certhia parietum, Lath. Sylvia indica, Vieill. Nectarinia parietum, G. R. Gr.

India.

972. ? NECTARINIA SOLA.

Cinnerys sola, Vieill. Nectarinia sola, G. R. Gr.

India (Pondicherry).

973. ? NECTARINIA SUBFLAVA.

Cinnerys subflavus, Vieill. Nectarinia subflava, G. R. Gr.

India.

974. ? NECTARINIA INDICA.

Certhia indica, Gm. Seba, Thes. t. 19, f. 2. Nectarinia indica, G. R. Gr.

India.

975. ? NECTARINIA VIOLACEOFRONS.

Cinnerys violaceofrons, Vieill. Nectarinia violaceofrons, G. R. Gr.

—— ?

976. ? NECTARINIA RUFICOLLIS.

Cinnyris ruficollis, *Vieill.* Nectarinia ruficollis, *G. R. Gr.*

———?

977. ? NECTARINIA CINEREICOLLIS.

Cinnyris cinereicollis, *Vieill.* Nectarinia cinereicollis, *G. R. Gr.*

———?

978. NECTARINIA NIGRESCENS.

Cinnyris nigrescens, *Vieill.* Nectarinia nigrescens, *G. R. Gr.*

———?

979. ? NECTARINIA NIGROGASTER.

Cinnyris nigrogaster, *Vieill.* Nectarinia nigrogaster, *G. R. Gr.*

———?

980. ? NECTARINIA LEUCOGASTER.

Cinnyris leucogaster, *Vieill.* Nectarinia leucogaster, *G. R. Gr.*

Timor.

- c. Promerops, *Br.* 1760.
 Falcinellus, *Vieill.* 1816.
 Ptiloturus, *Sw.* 1837.
 Ptilurus, *Strickl.* 1841.

981. NECTARINIA PROMEROPS.

B. M.

Upupa promerops et Merops cafer, *L. Pl. enl.* 637. *Lervill.*
Ois. de l'Afr. t. 287, 288. Nectarinia promerops, *Temm.* *N.*
caffra, Licht. Cinnyris longicaudatus, *Vieill.* Promerops
 cafer, *Shaw.* P. capensis, *Less.* Ptiloturus capensis, *Sw.* P.
 cafer, *G. R. Gr. Vieill. Ois. dor.* t. 4.

S. Africa.

c. Anthreptes, Sw. 1831.

982. NECTARINIA MALACCENSIS. B. M.
Certhia malaccensis, Scop. *Sonn. Voy.* t. 116, f. 1. *C. lepida*,
Sparr. Mus. Carls. t. 35. *Nectarinia javanica*, Horsf. *N.*
malaccensis, G. R. Gr. *Cinnyris javanica*, Cuv. *C. lepidus*,
Vieill. Gal. des Ois. t. 177. *Anthreptes javanica*, Sw. *Zool.*
Illustr. pl. 121. *Pl. col.* 126, f. 1, 2. *A. lepida*, Pr. B.

Malayan Archipelago.

983. NECTARINIA HYPOGRAMMICA. B. M.
Nectarinia hypogrammica, Müll. *Verh. Nat. Gesch. Nederl.* t.
 8, f. 3. *N. nuchalis*, Bl. *Anthreptes macularia*, Bl. *A.*
hypogrammica, Pr. B.

Malayan Archipelago.

984. NECTARINIA FRASERI. B. M.
Nectarinia Fraseri, Jard. & Selby, *Ill. of Orn. n. s.* pl. 53.
Anthreptes Fraseri, Pr. B.

W. Africa.

985. NECTARINIA LONGUEMARI. B. M.
Cinnyris Longuemari, Less. *Ill. de Zool.* t. 23. *Anthreptes*
leucosoma, Sw. *B. of W. Afr.* pl. 17. *A. Longuemari*, Hartl.
Nectarinia Longuemari, G. R. Gr.

W. Africa.

986. NECTARINIA MELASOMA.
Cinnyris melasoma, Less. *Nectarinia melasoma*, G. R. Gr.
Anthreptes melasoma, Pr. B.

W. Africa.

d. Arachnotheres, Temm. 182?.

987. NECTARINIA LONGIROSTRIS. B. M.
Certhia longirostris, Lath. *Nectarinia et Arachnothera longi-*
rostris, Temm. *Pl. col.* 84, f. 1. *Cinnyris longirostris*, Griff.
An. Kingd. pl. p. 391.

Malayan Archipelago.

988. NECTARINIA INORNATA.

Cinnyris longirostris, *Jerd.* *Arachnothera inornata* aut *A. affinis*, *Bl.* *A. longirostris*, *Pr. B.*

Malayan Peninsula.

989. NECTARINIA AFFINIS.

B. M.

Nectarinia affinis, *Horsf.* *N. inornata*, *Temm.* *Pl. col.* 84, f. 2. *Arachnothera inornata*, *Temm.* *A. affinis*, *G. R. Gr.*

Malayan Archipelago.

990. NECTARINIA CHRYSOGENYS.

B. M.

Certhia longirostra, *Raffl.* *Nectarinia* et *Arachnothera chryso-genys*, *Temm.* *Pl. col.* 388, f. 1. *A. flavigenis*, *Sw.*

Malayan Archipelago.

991. NECTARINIA MAGNA.

B. M.

Cinnyris magna, *Hodgs.* *Arachnothera inornata*, *Mc'Clell.* *A. magna* et *A. chrysopus*, *Hodgs.*

India (Nepal).

992. NECTARINIA MODESTA.

Anthreptes modesta, *Eyton.* *Arachnothera latirostris*, *Bl.* *A. modesta*, *Pr. B.*

Malayan Peninsula.

993. NECTARINIA FLAVIGASTER.

Anthreptes flavigaster, *Eyton.* *Arachnothera flavigaster*, *G. R. Gr.*

Malayan Peninsula.

994. NECTARINIA ROBUSTA.

Arachnothera robusta, *Müll. & Schl. Verh. Nat. Gesch. Nederl.* t. 11, f. 1.

Sumatra.

995. NECTARINIA ARMATA.

Arachnothera armata, *Müll. & Schl. Verh. Nat. Gesch. Nederl.* t. 11, f. 2.

Java and Sumatra.

996. NECTARINIA NOVÆ GUINÆÆ.

Cinnyris novæ guinææ, *Less.* *Arachnothera novæ guinææ*,
Müll. & Schl. Verh. Nat. Gesch. Nederl. t. 11, f. 3.

New Guinea.

997. NECTARINIA UROPYGIALIS.

B. M.

Arachnothera uropygialis, *G. R. Gr. & Mitch. Gen. of B.*
pl. 33.

Malayan Archipelago.

3. DICÆUM.

a. *Dicæum*, *Cuv.* 1817.

Myzanthe, *Hodgs.* 1843.

998. DICÆUM HIRUNDINACEUM.

B. M.

Sylvia hirundinacea, *Shaw.* *Lewin, N. H. Birds.* pl. 7. *S.*
rubricollis et *Pipra gularis*, *Lath. Mag. de Zool.* 1833. *Ois.* t.
14. *Pardalotus gularis*, *Temm.* *Pipra Desmaresti*, *Leach.*
Zool. Misc. pl. 41. *Dicæum pardalotus* et *D. hirundinaceum*,
Cuv. *D. atrogaster*, *Less.* *D. sanguineum*, *Sw.* *Myzanthe*
hirundinacea, *Gould, B. of Austr.* ii. pl. 34. *Shaw, Nat.*
Misc. pl. 19.

New South Wales; S. and W. Australia.

999. DICÆUM IGNIPECTUS.

B. M.

Myzanthe (Micrura) ignipectus, *Hodgs.* *M. ignipectus*, *Bl.*
Dicæum ignipectus, *G. R. Gr.*

India (Nepal).

1000. DICÆUM CRUENTATUM.

B. M.

Certhia cruentata, *L. Edw. B.* pl. 81. *C. coccinea*, *Scop.*
Sonn. Voy. t. 117, f. 1. *Vieill. Ois. dor.* t. 35. *C. erythro-*
nota, *Lath.* *Dicæum rubricapillum*, *Less.* *D. coccineum*,
G. R. Gr. *D. cruentatum*, *Bl.* *D. erythronotum*, *Cuv.*
Nectarinia ignita, *Begbie.*

India. Malayan Peninsula and Archipelago.

1001. *DICÆUM TRIGONOSTIGMA*. B. M.
Certhia trigonostigma, *Scop. Sonn. Voy. t. 117, f. 2.* *C. cantillans*, *Lath. Pl. col. 478, f. 3.* *Dicæum croceiventre*, *Vigors.*
D. trigonostigma, *G. R. Gr.* *D. cantillans*, *Cuv.*

Malayan Peninsula and Archipelago.

1002. *DICÆUM CHRYSORRHÆUM*. B. M.
Dicæum chrysorrhæum, *Temm. Pl. col. 478, f. 1.* *D. chrysochlorum*, *Bl.*

Malayan Peninsula and Archipelago.

1003. *DICÆUM CONCOLOR*. B. M.
Dicæum concolor, *Jerd. Ill. Ind. Orn. pl. 39.*

India (Madras).

1004. *DICÆUM ERYTHORHYNCHOS*. B. M.
Certhia erythrorhyncha, *Lath.* *Nectarinia minima*, *Tick.*
Dicæum Tickellii et *D. minimum*, *Bl.* *D. concolor*, *p. et Nectarinia?* *erythrorhyncha*, *G. R. Gr.* *Myzanthæ inornata*, *Hodgs.*

India.

1005. *DICÆUM CELEBICUM*.
Dicæum celebicum, *Müll.* *D. Leclancherii*, *Lafr.*

Celebes.

1006. *DICÆUM MACKLOTI*.
Dicæum Macklotii, *Müll.*

Timor.

1007. *DICÆUM SANGUINOLENTUM*.
Dicæum sanguinolentum, *Temm. Pl. col. 478, f. 2.*

Java.

1008. *DICÆUM PAPUENSE*. B. M.
Pipra papuensis, *Gm. Pl. enl. 707, f. 2.* *Dicæum papuense*, *G. R. Gr.* *D. rubriventer*, *Less.*

New Guinea.

1009. *DICÆUM PECTORALE*.

Dicæum pectorale, *Müll.*

New Guinea.

1010. *DICÆUM ERYTHROTHORAX*.

Dicæum erythrothorax, *Less. Voy. de la Coqu.* t. 30, f. 1, 2.

Amboina.

1011. *DICÆUM RUBESCENS*.

B. M.

Dicæum cruentatum, *Horsf.* *D. rubescens*, *Vieill.* *D. erythropygia*, p. *Cuv.* *Levaill. Ois. de l'Afr.* t. 136. *D. rubrocana*, *Pr. B.* *Nectarinia rubrocana*, *Temm. Pl. col.* 108, f. 2, 3.

Malayan Archipelago.

1012. *DICÆUM RUBRUM*.

Certhia rubra, *Gm.* *Vieill. Ois. dor.* t. 54. *C. cardinalis*, p. *Shaw.* *Dicæum atripes*, *Vieill.* *D. scarlatinum*, *Schinz.* *D. rubrum*, *G. R. Gr.*

Island of the South Seas.

1013. *DICÆUM GRISEUM*.

Certhia grisea, *Scop. Sonn. Voy.* t. 117, f. 3. *C. tæniata*, *Shaw.* *Dicæum flaviceps*, *Vieill.* *D. griseum*, *G. R. Gr.* *D. tæniatum*, *Cuv.*

China?

1014. *DICÆUM PYGMÆUM*.

Nectarinia pygmæa, *Kittl. Mem. de St. Petersb.* 1835, t. 2.

Philippine Islands.

1015. *DICÆUM CINEREUM*.

Dicæum cinereum, *Kittl. Kupf. Vög.* t. 8, f. 2. *Drepanis cinerea*, *Kittl. Mem. de St. Petersb.* 1835, t. 5.

Philippine Islands.

1016. *DICÆUM MAUGEL*.

Dicæum Maugei, *Less.*

Timor.

1017. *DICÆUM ATERRIMUM.**Dicæum aterrimum*, *Less.*

———?

1018. *DICÆUM NIGRUM.**Dicæum niger*, *Less. Cent. de Zool. t. 27.*

New Guinea.

1019. *DICÆUM SACCHARINUM.**Certhia saccharina*, *Lath.* *Dicæum saccharinum*, *Eyton.*

Malacca.

1020. *DICÆUM?* *RUFUM.*

B. M.

Nectarinia rufa, *Blox. Voy. of Sulphur*, pl. *Drepanis rufa*,
G. R. Gr.

Sandwich Islands.

1021. *DICÆUM* ———?*Dicæum* ———? *Voy. au Pole Sud, Ois. t. 22, f. 4.*b. *Prionochilus*, *Strickl. 1841.**Triglyphidea*, *Reichenb. 1850.*1022. *DICÆUM OBSOLETUM.*

B. M.

Pardalotus obsoletus, *Müll. & Schl.* *Dicæum obsoletum*, *G. R. Gr.*

Timor.

1023. *DICÆUM PERCUSSUM.*

B. M.

Pardalotus percussus, *Temm. Pl. col. 394, f. 2.* *Dicæum ignicapillum*, *Eyton.* *D. percussum*, *G. R. Gr.* *Prionochilus percussus*, *Strickl.*

Malayan Archipelago.

1024. *DICÆUM THORACICUM.*

B. M.

Pardalotus thoracicus, *Temm. Pl. col. 600, f. 1, 2.* *Prionochilus thoracicus*, *Strickl.* *Dicæum thoracicum*, *G. R. Gr.*

Borneo.

1025. *DICÆUM MACULATUM*.

Pardalotus maculatus, *Temm. Pl. col.* 600, f. 3. *Prionochilus thoracicus*, p. *Pr. B.* *Dicæum maculatum*, *G. R. Gr.*

Borneo.

c. *Pachyglossus*, *Hodgs.* 1843.

1026. *DICÆUM MELANOXANTHUM*.

B. M.

Pachyglossus melanoxanthus, *Hodgs.* *Dicæum melanoxanthum*, *G. R. Gr.*

India (Nepal).

d. *Piprisoma*, *Bl.* 1844.

Parisoma, *Jerd.*

1027. *DICÆUM AGILE*.

B. M.

Fringilla agilis, *Tick.* *Pipra squalida*, *Burt.* *Psarisoma vireoides*, *Jerd.* *Piprisoma agile*, *Bl.* *Dicæum agile*, *G. R. Gr.*

India (Himalayah Mountains).

ii. *CÆREBINÆ*.

Cærebinæ, *G. R. Gr.* 1840—41—46; *Pr. B.* 1849—50.

Daenidinæ, *Cab.* 1847.

1. *CÆREBA*.

Cæreba, *Vieill.* 1816.

Nectarinia, *Cuv.* 1817.

Arbelorhina, *Cab.* 1847.

1028. *CÆREBA CYANEA*.

B. M.

Certhia cyanea, *L. Pl. enl.* 83, f. 2. *Vieill. Ois. dor.* t. 41, 42, 43. *C. cayana*, *L. Pl. enl.* 682, f. 2. *C. flavipes*, *Gm.* *C. cyanogastra*, *Lath.* *C. armillata*, *Sparrm. Mus. Carls.* t. 36. *Cæreba cyanea*, *Vieill.* *Nectarinia cyanea*, *Cuv.* *Arbelorhina cyanea*, *Cab.*

S. America (Guiana, Brazil, Bolivia).

1029. CÆREBA CÆRULEA.

B. M.

Certhia cærulea, *L. Edw. B.* pl. 21, f. 1. *Sparr. Mus. Carls.* t. 82. *Vieill. Ois. dor.* t. 44, 45. *C. ochrochlora*, *Gm. Penn. Gen. of B.* pl. 3, f. 2. *C. surinamensis*, *Lath. Fringilla cyanomelas*, *Gm. Nov. Comm. Ptr.* xi. t. 15, f. 6. *Cæreba cærulea*, *Vieill. Nectarinia cærulea*, *Cuv. Arbelorhina cærulea*, *Cab.*

S. America (Brazil).

1030. CÆREBA GUTTURALIS.

B. M.

Certhia gutturalis, *L. Pl. enl.* 578, f. 3. *Cæreba gutturalis*, *G. R. Gr. Cinnerys gutturalis*, *Cuv.*

S. America (Brazil).

1031. CÆREBA GULARIS.

Certhia gularis, *Sparr. Mus. Carls.* t. 79. *Cæreba gularis*, *G. R. Gr.*

Martinico.

1032. CÆREBA TROCHILEA.

Certhia trochilea, *Sparr. Mus. Carls.* t. 80. *Cæreba trochilea*, *G. R. Gr.*

S. America.

1033. CÆREBA NITIDA.

Cæreba nitida, *Hartl.*

S. America.

1034. ? CÆREBA COCCINEA.

Certhia coccinea, *L. C. mexicana*, *Gm. Seba, Thes.* t. 70, f. 8. *Cæreba coccinea*, *G. R. Gr.*

Central America (Mexico).

1035. ? CÆREBA FULVA.

Certhia fulva, *Gm. Cæreba fulva*, *G. R. Gr.*

S. America.

1036. ? CÆREBA PURPUREA.

Certhia purpurea, *Gm. Seba, Thes.* t. 72, f. 2. *Cæreba purpurea*, *G. R. Gr.*

N. America (Virginia).

1037. ? CÆREBA VARIEGATA.

Certhia variegata, *Gm. Seba. Thes.* t. 3, f. 3. *Cæreba variegata*, *G. R. Gr.*

S. America.

2. DACNIS.

a. *Dacnis*, *Cuv.* 1817.

1038. DACNIS CAYANA.

B. M.

Certhia cayana, *L. Pl. enl.* 669, f. 1, 2. *Vieill. Gal. des Ois.* t. 165. *Dacnis cayana*, *Cuv.*

S. America (Guiana, Bolivia).

1039. DACNIS CYANOCEPHALA.

Certhia cyanocephala, *L. Dacnis cyanocephala*, *G. R. Gr. Sw. Zool. Illustr.* pl. 117. *D. cyanater*, *Less.*

S. America (Bolivia, Peru).

1040. DACNIS ANGELICA.

Dacnis angelica, *De Filippi, Pr. B. Consp.* p. 490.

S. America.

1041. DACNIS PLUMBEA.

Sylvia plumbea, *Lath. Dacnis plumbea*, *Cab. Sylvia cærulescens*, *Pr. Max.?* *Minotilla cærulescens*, *G. R. Gr.??*

S. America (Brazil, Peru).

1042. DACNIS FLAVIVENTER.

Dacnis flaviventer, *D'Orb. et Lafr. Voy. dans l'Amer. Mer. Ois.* t. 13, f. 2.

S. America (Bolivia).

1043. DACNIS BICOLOR.

Dacnis bicolor, *Beckl. Mem. de Mosc.* vii. t. 23.

S. America (Guiana).

1044. DACNIS BRASILIENSIS.

Certhia brasiliانا, *Gm.* *Briss. Orn.* iii. t. 32, f. 4. *Dacnis brasiliانا*, *G. R. Gr.*

S. America (Brazil).

1045. DACNIS SPIZA.

Certhia spiza, *L.* *Seba, Thes.* ii. t. 3, f. 4. *Pl. enl.* 578, f. 1, 682, f. 2. *Dacnis spiza*, *G. R. Gr.*

S. America (Brazil, Cayenne).

1046. DACNIS ATRICAPILLA.

Cæreba atricapilla, *Vieill.* *C. spiza*, var. β ., *Lath. Edw. B.* pl. 348. *Pl. enl.* 578. f. 2, et 682. f. 1. *Vieill. Ois. dor.* t. 49. *Merops spiza*, *Merr. Icon. Av.* t. 5. *Nectarinia mitrata*, *Licht.* *Dacnis atricapilla*, *G. R. Gr.*

S. America (Guiana, Brazil, Bolivia).

1047. DACNIS ANALIS.

Dacnis analis, *D'Orb. & Lafr.*

S. America (Bolivia).

1048. DACNIS RUFOCINEREA.

Dacnis rufo-cinerea, *Pr. B. Consp.* p. 401.

S. America (Bolivia).

b. *Conirostrum*, *D'Orb. & Lafr.*

1049. DACNIS CINEREA.

Conirostrum cinereum, *D'Orb. & Lafr. Voy. dans l'Amer. Mer.* *Ois.* t. 59, f. 2.

S. America (Bolivia, Peru).

1050. DACNIS ALBIFRONS.

B. M.

Conirostrum albifrons, *Lafr. Mag. de Zool.* 1843, *Ois.* t. 35.

S. America (Columbia).

1051. DACNIS ATROCYANEA.

Conirostrum atrocyaneum, *Lafr.*

S. America (Columbia).

1052. DACNIS SITTICOLOR.

B. M.

Conirostrum sitticolor, *Lafr.* C. bicolor, *Less.* *G. R. Gr.* & *Mitch. Gen. of B.* pl. 34.

S. America.

1053. DACNIS SUPERCILIOSA.

Conirostrum superciliosum, *Hartl.*

S. America.

1054. DACNIS CÆRULEIFRONS.

B. M.

Conirostrum cæruleifrons, *Lafr.*

S. America.

c. Certhiola, *Sundev.* 1835.

1055. DACNIS FLAVEOLA.

B. M.

Certhia flaveola, *L. Edw. B.* pl. 122, et pl. 362, f. 2. C. bartholemica, *Sparr. Mus. Carls.* t. 57. *Sw. Zool. Illustr.* pl. 52. Nectarinia antillensis, *Less.* *Gosse, B. of Jam.* pl. . N. flaveola, *Cuv.* Furnarius flaveolus, *Steph. Vieill. Ois. dor.* t. 51.

W. Indies and S. America.

III. TROCHILIDÆ.

Trochilidæ, *Vigors*, 1825; *Sw.* 1827—31—37; *Pr. B.* 1831—38—49—50; *G. R. Gr.* 1840—41—44; *Cab.* 1847; *Bl.* 1849. Trochili, *Sundev.* 1835.

i. TROCHILINÆ.

Trochilinæ, *G. R. Gr.* 1840—41—48; *Pr. B.* 1849—50. Lamporninæ, *G. R. Gr.* 1840—41. Lampornithinæ, *Pr. B.* 1849. Grypinæ, *G. R. Gr.* 1848. Phæthorninæ, *G. R. Gr.* 1840—41. Phæthornithinæ, *Pr. B.* 1849. Mellisuginæ, *G. R. Gr.* 1848.

1. TROCHILUS.

Trochilus, *L.* 1748.Troglodytes, *L.* 1735.a. Phæthornis, *Sw.* 1847.Phætornis, *Less.* 1829.Phæthornis, *Jard.* 1833.Phaëthornis, *Strickl.* 1841.

1056. TROCHILUS SUPERCILIOSUS.

B. M.

Trochilus superciliosus, *L. Pl. enl.* 600, f. 3. *Vieill. Ois. dor.*t. 17, 18, 19. *Less. Col.* t. 6, 7. *Nat. Libr.* xv. pl. 26, 27.Tr. malaris, *Nordm.*² Phæthornis superciliosus, *Sw.* P. malaris, *G. R. Gr.*² Trochilus (Phætornis) superciliosus, *Less.*Polytmus superciliosus, *Boie.*

South America (Guiana, Brazil, Bolivia).

1057. TROCHILUS MELANOTIS.

Trochilus melanotis, *Nordm.* Phætornis melanotis, *G. R. Gr.*

S. America.

1058. TROCHILUS LEUCOPHRYS.

Trochilus leucophrys, *Nordm.* Phætornis leucophrys, *G. R. Gr.*

S. America.

1059. TROCHILUS GUY.

B. M.

Trochilus Guy, *Less. Troch.* t. 44. Trochilus (Phætornis)Guy, *Less.* Phæthornis Guy, *Jard.*

S. America (New Granada).

1060. TROCHILUS EMILIÆ.

Trochilus emiliæ, *Bourc.* Phætornis emiliæ, *G. R. Gr.*

S. America (Sta. Fè de Bogota).

1061. TROCHILUS EURYNOMUS.

B. M.

Trochilus eurynomus, *Less. Troch.* t. 31. Phæthornis eurynomus, *Jard. Nat. Libr.* xv. pl. 28. *Gould, Monogr. Troch.* pl.5. P. eurynome, *Pr. B.* Trochilus (Phætornis) eurynomus, *Less.*

S. America (Brazil).

1061. *TROCHILUS PRETREI*. B. M.
Trochilus Pretrei, *De Latr. & Less.* *Phætornis Pretrei*, *G. R. Gr. & Mitch. Gen. of B.* pl. 35.
 S. America (Brazil).
1062. *TROCHILUS BOURCIERI*. B. M.
Trochilus Bourcieri, *Less. Troch.* t. 18. *Trochilus (Phætornis) Bourcieri*, *Less. Phæthornis Bourcieri*, *Jard.*
 S. America (Brazil).
1063. *TROCHILUS HISPIDUS*.
Trochilus (———?) hispidus, *Gould.* *Phætornis hispidus*, *G. R. Gr.*
 S. America (Peru?).
1064. *TROCHILUS APICALIS*.
Trochilus apicalis, *Licht.* *Phætornis apicalis*, *G. R. Gr.*
Trochilus (Polytmus) apicalis, *Tschudi.*
 S. America (Peru).
1065. *TROCHILUS PHILIPPI*.
Trochilus Philippi, *Bourc.* *Phætornis Philippii*, *G. R. Gr.*
 S. America.
1066. *TROCHILUS AUGUSTUS*.
Trochilus Augustus, *Bourc.* *Phætornis Augusta*, *G. R. Gr.*
 S. America (Venezuela).
1067. *TROCHILUS LONGUEMAREUS*. B. M.
Trochilus Longuemareus, *Less. Troch.* t. 2 and 62. *Trochilus (Phætornis) Longuemareus*, *Less. Phæthornis Longuemareus*, *Jard.* *Trochilus leucophrys*, *Nordm.* *Phætornis leucophrys*, *G. R. Gr.*
 S. America (Guiana).
1068. *TROCHILUS INTERMEDIUS*. B. M.
Trochilus intermedius, *Less. Troch.* t. 19. *Trochilus (Phætornis) intermedius*, *Less. Phæthornis intermedius*, *Jard.*
 S. America (Brazil).

1069. *TROCHILUS BRASILIENSIS.*

Trochilus squalidus, *Natt. Pl. col.* 120, f. 1. *Less. Col.* t. 8.
Phætornis brasiliensis (*Briss.*), *G. R. Gr.*

S. America (Brazil, Bolivia).

1070. *TROCHILUS EREMITA.*

Trochilus eremita, *Gould, Monogr. Troch.* t. 6. *T. brasiliensis*, *Temm. Pl. col.* 120, f. 2. *Phaëthornis eremita*, *Pr. B.*

S. America (Brazil).

1071. *TROCHILUS PYGMÆUS.*

B. M.

Trochilus pygmæus, *Spix, Av. Bras.* t. 80, f. 1. *T. Davidianus*, *Less. Troch.* t. 13? *T. rufigaster*, *Less. Col.* t. 9. *Trochilus* (*Phætornis*) *rufigaster* et *T. (P.) Davidianus*? *Less. Phætornis rufigaster*, *G. R. Gr.* *P. Davidianus*, *Jard.*? *Trochilus* (*Polytmus*) *pygmæus*, *Tschudi.*

S. America (Guiana).

1072. *TROCHILUS YARUQUI.*

Trochilus Yaruqui, *Bourc.*

S. America (Ecuador).

1073. ? *TROCHILUS CONURUS.*

Trochilus pavoninus (*MSS.*) et Wedge-tailed Humming-bird, *Lath. Hist.* *T. conurus*, *Steph.* *Phætornis conurus*, *G. R. Gr.*

S. America.

1074. ? *TROCHILUS CILIATUS.*

Trochilus ciliatus (*MSS.*) et Buff-striped Humming-bird, *Lath. Hist.* *Phætornis ciliatus*, *G. R. Gr.*

S. America.

1075. ? *TROCHILUS MAXILLOSUS.*

Trochilus maxillosus, *Nordm.* *Phaëthornis maxillosus*, *Pr. B.*

S. America.

b. *Oreotrochilus*, Gould, 1847.

1076. *TROCHILUS ESTELLA*. B. M.
Trochilus estella, *D'Orb. & Lafr. Voy. dans l'Amer. Mer.*
Ois. t. 61, f. 1. *Ornismya Ceciliae*, *Less.* *Oreotrochilus*
estella, *Gould, Monogr. Troc.* pl. 2.
 S. America (Bolivia).
1077. *TROCHILUS LEUCOPLEURUS*. B. M.
Trochilus leucopleurus et *Oreotrochilus leucopleurus*, *Gould,*
Monogr. Troch. pl. 3.
 S. America (Chilian Cordilleras).
1078. *TROCHILUS CHIMBORAZO*.
Trochilus chimborazo, *Bourc.* *Oreotrochilus chimborazo,*
Gould.
 S. America (Ecuador).
1079. *TROCHILUS ADELA*.
Trochilus adela, *D'Orb. & Lafr. Voy. dans l'Amer. Mer.*
Ois. t. 61, f. 2. *Oreotrochilus adela*, *Gould, Monogr. Troch.*
 pl. 4.
 S. America (Bolivia).
1080. *TROCHILUS MELANOGASTER*.
Oreotrochilus melanogaster, *Gould.*
 S. America (——?)
1081. *TROCHILUS PICHINCHA*. B. M.
Trochilus pichincha, *Bourc.* *Oreotrochilus Jamesoni*, *Jard.*
Contr. Ornith. 1850, pl. *O. pichincha*, *Pr. B.*
 S. America (Ecuador).

- c. *Grypus*, *Spix*, 1824.
Ramphodon, *Less.* 1829.
Phœthornis, p. *Sw.* 1828.

1082. *TROCHILUS NÆVIUS*.

B. M.

Trochilus nævus, *Dum.* *T. squamosus*, *Licht. Pl. col.* 120, f. 3. *Orthorhynchus squamosus*, *Cuv.* *Grypus ruficollis*, *Spix, Av. Bras.* t. 80, f. 3. *G. nævus*, *G. R. Gr.* *Trochilus* (*Ramphodon*) *maculatus*, *Less.* *Ramphodon maculatum*, *Less. Col.* t. 1. *Nat. Libr.* xv. pl. 1. *Mellisuga* ? *nævia*, *Steph.*

S. America (Brazil).

- d. *Eutoxeros*, *Reichenb.* 1849.
Glaucis, p. *Pr. B.* 1850.

1083. *TROCHILUS AQUILA*.

Trochilus aquila, *Lodd.* *Polytmus aquila*, *G. R. Gr. & Mitch. Gen. of B.* i. pl. 36. *Glaucis aquila*, *Pr. B.* *Eutoxeros aquila*, *Reichenb.*

S. America (New Granada).

1084. *TROCHILUS CONDAMINI*.

Trochilus Condamini, *Bourc.*

S. America (Ecuador).

- e. *Campylopterus*, *Sw.* 1827.

1085. *TROCHILUS LARGIPENNIS*.

B. M.

Trochilus largipennis, *Bodd. Pl. enl.* 672, f. 2. *Vieill. Ois. dor.* t. 5, 21. *T. campylopterus* et *T. cinereus*, *Gm.* *T. latipennis*, *Lath. Less. Ois. Mouch.* t. 34. *Sw. Zool. Illustr.* pl. 130, 131. *Campylopterus latipennis*, *Sw.* *Orthorhynchus latipennis*, *Cuv.* *Polytmus largipennis*, *G. R. Gr.* *Ornismya latipennis*, et *Trochilus* (*Campylopterus*) *latipennis*, *Less.* *Mellisuga latipennis*, *Steph.* *Lampornis latipennis*, *Hartl.*

S. America (Guiana); West Indies (Tobago).

1086. *TROCHILUS ENSIPENNIS.*

B. M.

Trochilus ensipennis, Sw. *Zool. Illustr.* pl. 107. *Orthorhynchus ensipennis*, Cuv. *Campylopterus ensipennis*, Sw. *Trochilus* (*Campylopterus*) *ensipennis*, Less. *Polytmus ensipennis*, G. R. Gr. *Mellisuga ensipennis*, Steph. Less. *Ois. Mouch.* t. 35. *Troch.* t. 46, 47.

S. America.

1087. *TROCHILUS LAZULUS.*

B. M.

Trochilus lazulus, Vieill. *Gal. des Ois.* t. 179. *T. falcatus*, Sw. *Zool. Illustr.* pl. 83. Less. *Ois. Mouch.* t. 36. *Hylocharis lazulus*, Boie. *Ornismya falcata*, Less. *Orthorhynchus falcatus*, Cuv. *Mellisuga falcata*, Steph. *Polytmus lazulus*, G. R. Gr. *Trochilus* (*Campylopterus*) *falcatus*, Less. *Campylopterus falcatus*, Sw. *C. lazulus*, Pr. B.

S. America (Venezuela).

1088. *TROCHILUS HYPERYTHRUS.*

Campylorhynchus hyperythrus, Cab.

S. America (Guiana).

1089. *TROCHILUS CIRROCHLORIS.*

B. M.

Trochilus cirrochloris, Vieill. *T. campylostylus*, Licht. *Ornismya simplex*, Less. *Ois. Mouch.* t. 33. *Suppl.* t. 6. *Trochilus* (*Campylopterus*) *simplex*, Less. *Campylopterus cirrochloris*, Jard. *Polytmus cirrochloris*, G. R. Gr.

S. America (Brazil).

1090. *TROCHILUS RUFUS.*

B. M.

Campylopterus rufus, Less. *Polytmus rufus*, G. R. Gr.

Central America (Guatemala).

1091. *TROCHILUS DELATTRE.*

B. M.

Ornismya (*Campylopterus*) *DeLattre*, DeLattre & Less. *Polytmus DeLattre*, G. R. Gr. *Campylopterus DeLattre*, Pr. B.

Central America (Mexico).

1092. *TROCHILUS PAMPA.*

B. M.

Ornismya pampa, Less. *Ois. Mouch. Suppl.* t. 15. *Trochilus* (*Campylopterus*) *pampa*, Less. *Campylopterus pampa*, Jard. *Polytmus pampa*, G. R. Gr.

Central America (Mexico).

1093. *TROCHILUS CUVIERI*.

Trochilus Cuvieri, *DeLattre & Bourc.* *Polytmus Cuvieri*, *G. R. Gr.* *Campylopterus Cuvieri*, *Pr. B.*

Central America (Panama).

1094. *TROCHILUS OBSCURUS*.

Campylopterus obscurus, *Gould.* *Polytmus obscurus*, *G. R. Gr.*

S. America (River Amazon).

1095. *TROCHILUS MACROURUS*.

B. M.

Trochilus macrourus, *Gm.* *T. forcipatus*, *Lath.* *Orthorhynchus forficatus*, *Cuv.* *Ornismya hirundinacea*, *Less. Ois. Mouch.* t. 25. *Suppl.* t. 39. *Trochilus (Campylopterus) hirundinaceus*, *Less.* *Cynanthus macrourus*, *Sw.* *Melisuga macrourus*, *Boie.* *Polytmus macrourus*, *G. R. Gr.*

S. America (Guiana, Brazil, Bolivia).

f. *Glaucis*, *Boie*, 1831.

1096. *TROCHILUS HIRSUTUS*.

B. M.

Trochilus hirsutus, *Gm.* *Vieill. Ois. dor.* t. 20. *Pl. col.* 120, f. 2. *Less. Col.* t. 21. *T. brasiliensis*, *Lath.* *T. ferrugineus*, *Pr. Max.?* *T. mazeppa*, *Less. Troch.* t. 3 (var.). *Glaucis hirsutus*, *Boie.* *Trochilus (Glaucis) hirsutus*, *Less.* *Phætornis hirsutus*, *Jard. Nat. Libr.* xv. pl. 29. *Jard. & Selby, Illustr. Orn.* pl. 143. *Polytmus hirsutus et P. mazeppa*, *G. R. Gr.*

S. America (Brazil).

g. *Lampornis*, *Sw.* 1827.

Polytmus, *Vieill.* 1807.

Anthracothonax, *Boie*, 1831.

1097. *TROCHILUS MANGO*.

B. M.

Trochilus mango, *L.* *Pl. enl.* 671, f. 2. *T. albus*, *Gm.* *T. nitidus*, *Lath.* *T. violicauda*, *Bodd.* *T. fasciatus*, *Shaw.* *T. atricapillus*, *T. quadricolor*, *T. punctatus et T. nigricollis?* *Vieill.* *Lampornis mango*, *Sw.* *Anthracothonax mango*, *Boie.* *Trochilus (Anthracothonax) mango*, *Less. Col.* t. 12? 13, 14, 15. *Polytmus mango*, *Vieill. Ois. dor.* t. 7, 8, 11. *Sw. B. of Braz.* pl. 27, 28. *Nat. Libr.* xv. pl. 20.

S. America (Brazil? Bolivia) ; West Indies (Jamaica).

1098. *TROCHILUS PORPHYRURUS.*

B. M.

Trochilus porphyurus, *Shaw*, *Gen. Zool.* viii. pl. 40. *Nat. Misc.* pl. 333. *T. Floresii*, *Bourc.* *T. bromicolor*, *Less.* *Polytmus porphyurus*, *G. R. Gr.* *Lampornis mango*, *Gosse*, *B. of Jam.* pl. 18. *Lampornis Floresii*, *Pr. B.*

W. Indies (Jamaica).

1099. *TROCHILUS DOMINICUS.*

B. M.

Trochilus dominicus, *L. Pl. enl.* 580, f. 2. 621, f. 1, 671, f. 1. *T. gramineus* et *T. maculatus*, *Gm.* *T. pectoralis* et *T. nitidus*, *Lath.* *T. gularis*, *Lath.* *T. viridigula*, *Bodd.* *T. marmoratus*, *Vieill. Ois. dor.* t. 9, 10, 70. *Anthracothonax gramineus*, *Boie.* *Trochilus (Anthracothonax) gramineus*, *Less. Col.* t. 12, 12, *bis.* *Lampornis gramineus*, *Jard. Nat. Libr.* xv. pl. 32, 33. *L. dominicus*, *Pr. B.* *Polytmus dominicus*, *G. R. Gr.* *P. gramineus*, *Vieill.*

West Indies (St. Domingo, Jamaica).

1100. *TROCHILUS HOLOSERICEUS.*

B. M.

Trochilus holosericeus, *L. Edw. B.* pl. 36. *T. atrigaster*, *Shaw.* *Anthracothonax holosericeus*, *Boie.* *Trochilus (Anthracothonax) holosericeus*, *Less. Col.* t. 20. *Lampornis holosericeus*, *Jard.* *Polytmus holosericeus*, *Vieill.* *Eulampis holosericeus*, *Pr. B.* *Vieill. Ois. dor.* t. 6, 65.

W. Indies (St. Thomas, Martinique, Porto Rico).

1101. ? *TROCHILUS VIRIDIS.*

Trochilus viridis, *Vieill. Ois. dor.* t. 15. *T. aureo-viridis*, *Shaw.* *Trochilus (Anthracothonax) viridis*, *Less. Col.* t. 11. *Polytmus viridis*, *Vieill.* *Lampornis viridis*, *Pr. B.*

West Indies (Porto Rico).

1102. *TROCHILUS MARGARITACEUS.*

B. M.

Trochilus margaritaceus et *T. striatus?* *Gm. Pl. enl.* 680, f. 1. *T. hypophæus*, *Lath.?* *T. aurulentus*, *Vieill. Ois. dor.* t. 12, 13, 16. *Polytmus aurulentus*, *Vieill.* *P. margaritaceus*, *G. R. Gr.* *Lampornis margaritaceus*, *Pr. B.*

W. Indies (St. Domingo, Porto Rico).

1103. TROCHILUS PREVOSTII.

B. M.

Trochilus Prevostii, *Less. Col.* t. 24. *Trochilus* (*Anthraco-thorax*) *Prevostii*, *Less.* *Polytmus Prevostii*, *G. R. Gr.* *Lampornis Prevostii*, *Pr. B.*

Surinam? West Indies (Tobago).

1104. TROCHILUS LEUCURUS.

B. M.

Trochilus leucurus, *L. Edw. B.* pl. 256, f. 2. *Pl. enl.* 600, f. 4. *Less. Col.* t. 22. *T. ruficollis*, *Vieill.* *Trochilus* (*Anthraco-thorax*) *leucurus*, *Less.* *Polytmus leucurus*, *G. R. Gr.* *Glaucis leucurus*, *Pr. B.* *Orthorhynchus ruficollis*, *D'Orb. & Lafr.*

S. America (Guiana, Bolivia).

1105. TROCHILUS ANTONIÆ.

Trochilus Antoniæ, *Bourc. & Muls.* *Polytmus Antoniæ*, *G. R. Gr.* *Lampornis Antoniæ*, *Pr. B.*

S. America (Cayenne).

1106. TROCHILUS RUCKERI.

Trochilus Ruckeri, *Bourc.* *Polytmus Ruckeri*, *G. R. Gr.*

America (———?)

1107. TROCHILUS BUFFONII.

B. M.

Trochilus Buffonii, *Less. Troch.* t. 5. *Trochilus* (*Glaucis*) *Buffonii*, *Less.* *Lampornis Buffonii*, *Jard. Nat. Libr.* xv. pl. 19. *Polytmus Buffonii*, *G. R. Gr.*

S. America (Brazil).

1108. TROCHILUS CÆRULEOGASTER.

Trochilus (*Glaucis*?) *cæruleogaster*, *Gould.* *Polytmus cæruleogaster*, *G. R. Gr.* *Lampornis cæruleogaster*, *Pr. B.*

S. America (———?)

1109. TROCHILUS CYANOPECTUS.

Trochilus (*Lampornis*) *cyanopectus*, *Gould.* *Polytmus cyanopectus*, *G. R. Gr.* *Lampornis cyanopectus*, *Pr. B.*

S. America (Venezuela).

1110. *TROCHILUS SCHREIBERSII*.

Trochilus Schreibersi, *Lodd.* *Calothorax*? *Schreibersi*, *G. R. Gr.* *Thalurania Schreibersi*, *Pr. B.*

S. America (Brazil).

1111. *TROCHILUS AURESCENS*.

Trochilus (Lampornis) aurescens, *Gould.* *Polytmus aurescens*, *G. R. Gr.* *Lampornis aurescens*, *Pr. B.*

S. America (Brazil).

1112. *TROCHILUS CEPHALUS*.

Trochilus cephalus, *Bourc. & Muls.*

Central America.

h. *Eulampis*, *Boie*, 1831.

1113. *TROCHILUS JUGULARIS*.

B. M.

Trochilus jugularis, *L. Edw. B.* pl. 266, f. 1. *T. auratus* et *T. cyanomelas*, *Gm.* *T. granatinus*, *T. Bancroftii* et *T. cyaneus*, *Lath.* *T. violaceus*, *Vieill. Ois. dor. t. 4.* *Eulampis jugularis* et *E. auratus*, *Boie.* *Trechilus (Eulampis) auratus*, *Less. Col. t. 10.* *Cynanthus*? *jugularis*, *Jard.* *Polytmus jugularis*, *G. R. Gr.* *Certhia prasinoptera*, *Sparr. Mus. Carls. t. 81.* *Lampornis granatinus*, *Hartl.*

S. America (Guiana).

i. *Petasophora*, *G. R. Gr.* 1840; *Pr. B.* 1850.

Colibri, *Pr. B.* 1850.

1114. *TROCHILUS SERRIROSTRIS*.

B. M.

Trochilus serrirostris, *Vieill. Pl. col. 203, f. 3.* *T. petasophorus*, *Pr. Max.* *Colibri crispus*, *Spix, Av. Bras. t. 81, f. 1.* *Trochilus (Orthorhynchus) petasophorus*, *Cuv.* *Grypus*? *Vieillotii* et *Melisuga petasophora*, *Steph.* *Ornismya petasophora*, *Less. Ois. Mouch. t. 1.* *Troch. t. 12, 59.* *Trochilus (Ramphodon) petasophora*, *Less.* *Heliothrix petasophorus*, *Boie.* *Trochilus (Lophornis) petasophorus*, *Tschudi.* *Petasophora serrirostris* et *Polytmus serrirostris*, *G. R. Gr. Nat. Libr. xiv. pl. 13, xv. pl. 15.* *Lampornis petasophora*, *Hartl.* *Petasophora Gouldii*, *Pr. B. Consp. p. 69.* *Orthorhynchus petasophorus*, *D'Orb. & Lafr.*

S. America (Brazil, Bolivia).

1115. TROCHILUS CYANOTUS.

B. M.

Trochilus cyanotus, Bourc. & Muls. *Petasophora cyanotus*, Gould. *Polytmus cyanotus*, G. R. Gr. *Colibri cyanotis*, Pr. B.

S. America (Venezuela).

1116. TROCHILUS THALASSINUS.

B. M.

Trochilus thalassinus, Sw. *Less. Troch.* t. 55, 56, 57. *Ois. Mouch.* t. 3. *Petasophora thalassinus*, Gould. *Polytmus thalassinus*, G. R. Gr. *Cynanthus thalassinus*, Jard. Nat. Libr. xv. pl. 1, 2. *Colibri thalassinus*, Pr. B.

Central America (Mexico).

1117. ? TROCHILUS JOLATUS.

B. M.

Petasophora jolata, Gould. *Polytmus jolatus*, G. R. Gr. *Colibri jolata*, Pr. B.

S. America (Bolivia).

1118. ? TROCHILUS CORUSCANS.

Trochilus (*Petasophora*) *coruscans*, Gould. *Petasophora coruscans*, Gould. *Polytmus coruscans*, G. R. Gr. *Colibri coruscans*, Pr. B.

S. America (—— ?)

1119. TROCHILUS ANAIS.

B. M.

Ornismya anais, Less. *Col. Supp.* t. 3. *Trochilus* (*Ramphodon*) *anais*, Less. *T. (Cæligena) anais*, Tschudi. *Petasophora anais*, Gould. *Polytmus anais*, G. R. Gr. *Colibri anais*, Pr. B.

S. America (Venezuela, New Granada).

1120. TROCHILUS DELPHINÆ.

B. M.

Ornismya Delphinæ, Less. *Petasophora delphinæ*, Gould. *Polytmus delphinus*, G. R. Gr. *Colibri delphinæ*, Pr. B.

S. America.

- j. *Polytmus*, *Br.* 1760.
Thaumatias, p. *Pr. B.* 1850.

1121. *TROCHILUS THAUMANTIAS*. B. M.
Trochilus thaumantias, *L. Pl. enl.* 600, f. 1. *T. leucogaster*,
Gm. Pl. enl. 600, f. 2. *T. tephrocephalus*, *Vieill.* *Trochi-*
lus (*Basilinna*) *albiventris* et *T. (B.) tephrocephalon*, *Less.*
Ornismya albiventris, *Less. Ois. Mouch.* t. 76. *Troch.* t. 32.
O. tephrocephalon, *Less. Ois. Mouch.* t. 70. *Glaucis thauman-*
tias, *Boie.* *Polytmus thaumatias* et *P. tephrocephalus*, *G.*
R. Gr. *Thaumatias albiventris*, *Pr. B.*
 S. America (Brazil, Guiana).

1122. *TROCHILUS ALBIROSTRIS*. B. M.
Ornismya albirostris, *Less. Ois. Mouch.* t. 78. *Trochilus*
(Basilinna) albirostris, *Less.* *Trochilus leucogaster*, *Vieill.*
Ois. dor. t. 43.
 S. America (Guiana).

1123. *TROCHILUS ALBICOLLIS*. B. M.
Trochilus albicollis, *Vieill. Pl. col.* 203, f. 2. *Orthorhyn-*
chus albicollis, *Cuv.* *Trochilus (Basilinna) albicollis*, *Less.*
Ornismya albicollis, *Less. Ois. Mouch.* t. 63. *Colibri albogu-*
laris, *Spix, Av. Bras.* t. 82, f. 1. *Basilinna albicollis*, *Boie.*
Polytmus albicollis, *G. R. Gr.* *Thaumatias albicollis*, *Pr. B.*
 S. America (Brazil).

1124. *TROCHILUS BREVIROSTRIS*. B. M.
Ornismya brevirostris, *Less. Ois. Mouch.* t. 77. *O. senex*,
Less. *Trochilus (Basilinna) brevirostris*, *Less.* *Polytmus*
brevirostris et *P. senex*, *G. R. Gr.* *Thaumatias brevirostris*,
Pr. B.
 S. America (Guiana).

1125. *TROCHILUS MILLERII*.
Trochilus Milleri, *Lodd.* *Polytmus Milleri*, *G. R. Gr.*
Thaumatias Milleri, *Pr. B.*
 S. America (Brazil).

1126. TROCHILUS CANDIDUS.

B. M.

Trochilus candidus, *Bourc. & Muls.* *Polytmus candidus*, *G. R. Gr.* *Thaumatias candidus*, *Pr. B.*

Central America (Guatemala).

1127. TROCHILUS AUREOVENTRIS.

Orthorhynchus aureoventris, *D'Orb. & Lafr.* *Polytmus aureoventris*, *G. R. Gr.*

S. America ———?

1128. TROCHILUS VIRIDISSIMUS.

B. M.

Trochilus viridissimus, *Gm.* *T. viridicaudus*, *Saucer.* *Ornismya viridis*, *Less. Troch.* t. 33. *Ornismya* (*Basilinna*) *viridis*, *Less.* *Smaragdites viridissimus*, *Boie.* *Polytmus viridissimus*, *G. R. Gr.* *Amazilius viridissimus*, *Pr. B.*

Trinidad.

1129. TROCHILUS VIRIDIS.

B. M.

Trochilus viridis, *Vieill. Ois. dor.* t. 41. *T. chrysobronchus*, *Shaw.* *T. chlorolencurus*, *Saucer.* *T. virescens*, *Dum.* *Orthorhynchus viridis*, *Cuv.* *Ornismya viridis*, *Less. Ois. Mouch.* t. 60. *Ornismya* (*Basilinna*) *viridis*, *Less.* *Polytmus chrysobronchus*, *G. R. Gr.* *Phæthornis chrysobronchos*, *Sw.*

S. America (Guiana).

1130. TROCHILUS CHLORURUS.

B. M.

Trochilus viridissimus, *Vieill. Ois. dor.* t. 42. *Ornismya viridissima*, *Less. Ois. Mouch.* t. 75. *O. albicollis*, p. *D'Orb. & Lafr.* *Trochilus* (*Basilinna*) *viridissimus*, *Less.* *Polytmus*, sp. No. 51, *G. R. Gr.*

S. America (Brazil).

1131. TROCHILUS HILLII.

Trochilus Mariæ, *Hill. Gosse, B. of Jam.* pl. 22.

W. Indies (Jamaica).

1132. ?TROCHILUS CINEREICOLLIS.

Trochilus cinereicollis, *Vieill.* *Polytmus cinereicollis*, *G. R. Gr.*

S. America (Paraguay).

1133. ? *TROCHILUS CYANOCAUDUS*.

Trochilus cyanurus, Vieill. *Polytmus cyanurus*, G. R. Gr.
S. America (Paraguay).

k. *Leucippus*, Pr. B. 1850.

1134. *TROCHILUS FALLAX*.

B. M.

Trochilus fallax, Bourc. *Trochilus* (*Lampornis*) *fulviventris*,
Gould. *Polytmus fallax*, G. R. Gr. *Leucippus fallax*, Pr. B.
S. America (Venezuela).

1135. *TROCHILUS CHIONOGASTER*.

B. M.

Trochilus leucogaster et *T. chionogaster*, Tschudi, *Fauna Per.*
t. 22, f. 2. *T. (—?) hypoleucus*, Gould. *T. Turneri*,
Bourc. *Polytmus chionogaster* et *P. hypoleucus*, G. R. Gr.
Thaumatias leucogaster et *Leucippus Turneri*, Pr. B.
S. America (Peru).

1136. *TROCHILUS VIRIDI-PALLENS*.

Trochilus viridi-pallens, Bourc. & Muls. *Polytmus viridi-pal-*
lens, G. R. Gr. *Delattria viridi-pallens*, Pr. B.
Central America (Guatemala).

1137. *TROCHILUS GLAUCOPIS*.

B. M.

Trochilus glaucopis, Gm. *Briss. Orn.* iii. t. 36, f. 5. *T. fron-*
talis, Lath. *T. pileatus*, Pr. Max. *Trochilus* (*Mellisuga*)
glaucopis, Less. *Ornismya glaucopis*, Less. *Ois. Mouch.* t. 58,
59. *Mellisuga glaucopis*, Boie. *Cynanthus glaucopis*, Jard.
Polytmus glaucopis, G. R. Gr. *Thalurania glaucopis*, Pr. B.
S. America (Brazil).

1138. *TROCHILUS GLAUCOPOIDES*.

Orthorhynchus glaucopoïdes, D'Orb. & Lafr. *Trochilus* D'Or-
bignyi, Bourc. *Polytmus glaucopoïdes* et *Hylocharis* D'Or-
bignyi, G. R. Gr.
S. America (Bolivia).

1139. *TROCHILUS COLUMBICUS*. B. M.
Ornismya columbica, *Bourc. Ann. Sci. Phys. &c.* 1843, t. 4.
Polytmus columbicus, *G. R. Gr.*

S. America.

—————?

1140. *TROCHILUS QUADRICOLOR*. B. M.
Trochilus quadricolor, *Vieill.* *Ornismya cyanocephala*, *Less.*
Ois. Mouch. Suppl. t. 18. *Polytmus quadricolor*, *G. R. Gr.*

S. America (Brazil).

1141. *TROCHILUS VERTICALIS*. B. M.
Ornismya cyanocephala, *Less. Ois. Mouch. Suppl.* t. 17. *Tro-*
chilus verticalis, *Licht.* *Polytmus verticalis*, *G. R. Gr. Nat.*
Libr. xiv. pl. 9.

S. America (Brazil).

1142. *TROCHILUS FRANCÆ*. B. M.
Trochilus Franciæ, *Bourc. & Muls.* *Polytmus Franciæ*, *G.*
R. Gr.

S. America (New Granada).

1. *Glaucopes*, *Less.* 1829.
Thalurania, *Gould*, 1848.

1143. *TROCHILUS FURCATUS*. B. M.
Trochilus furcatus, *Gm. Pl. enl.* 599, f. 2. *Vieill. Ois. dor.*
t. 34. *T. elegans*, *Shaw, Nat. Misc.* pl. 397. *Trochilus*
(Mellisuga) *furcatus*, *Less.* *T. (Cæligena) furcatus*, *Tschudi.*
Orthorhynchus furcatus, *Cuv.* *Ornismya furcata*, *Less. Ois.*
Mouch. t. 18. *Cynanthus furcatus*, *Jard. Nat. Libr.* xiv. pl.
23. *Polytmus furcatus*, *G. R. Gr.* *Thalurania furcata*,
Gould.

S. America (Guiana, Brazil).

1144. *TROCHILUS NIGROFASCIATUS*.
Trochilus (————) *nigrofasciatus*, *Gould.* *Polytmus nigrofas-*
ciatus, *G. R. Gr.* *Thalurania nigrofasciata*, *Gould.*

S. America (Brazil).

1145. *TROCHILUS VIRIDIPECTUS*.

Thalurania viridipectus, *Gould*. *Polytmus viridipectus*, *G. R. Gr.*

S. America (Columbian Andes).

1146. *TROCHILUS ERIPHILE*.

B. M.

Ornismya eriphile, *Less. Ois. Mouch. Suppl. t. 25.* *Trochilus* (Mellisuga) *eriphile*, *Less.* *Polytmus eriphile*, *G. R. Gr.*
Thalurania eriphile, *Pr. B.*

S. America (Brazil).

1147. *TROCHILUS WATERTONI*,

Trochilus Watertonii, *Bourc.* *Polytmus Watertoni*, *G. R. Gr.*
Thalurania Watertoni, *Gould.*

S. America (Guiana).

1148. *TROCHILUS CYANIFRONS*.

B. M.

Trochilus cyanifrons, *Bourc.* *Polytmus cyanifrons*, *G. R. Gr.*
Thalurania cyanifrons, *Pr. B.*

S. America (New Granada).

1149. *TROCHILUS WAGLERI*.

B. M.

Ornismya Wagleri, *Less. Ois. Mouch. t. 73.* *Trochilus* (Mellisuga) *Wagleri*, *Less.* *Trochilus sapphirinus*, *Vieill. Ois. dor. t. 57.* *Cynanthus Wagleri*, *Jard. Nat. Libr. xv. pl. 16.*
Hylocharis Wagleri, *G. R. Gr.* *Thalurania Wagleri*, *Pr. B.*

S. America (Brazil).

1150. *TROCHILUS FANNY*.

Trochilus Fanny, *Bourc. & Muls.* *Hylocharis Fanny*, *G. R. Gr.*

S. America.

1151. ?*TROCHILUS FURCIFER*.

Trochilus furcifer, *Shaw.* *T. caudacutus*, *Vieill.* *Polytmus furcifer*, *G. R. Gr.*

S. America (Paraguay).

m. *Topaza*, *G. R. Gr.* 1840.
Topazes, *Less.* 1829.

1152. *TROCHILUS PELLA*. B. M.
Trochilus pella et *T. paradiseus*, *L. Pl. enl.* 599, f. 1, 2.
Edw. B. pl. 33. *Ois. dor.* t. 2. *T. violaceus*, *Gm.* *Lampornis pella*, *Sw.* *Polytmus pella* et *Eulampis violaceus*, *Boie.*
Trochilus (Les *Topazes*) *pella*, *Less.* *Less. Col.* t. 2, 3, 4, 5.
Nat. Libr. xv. pl. 24, 25. *Topaza pella*, *G. R. Gr.*
 S. America (Guiana).

1153. *TROCHILUS PYRA*.
Trochilus pyra, *Gould.* *Topaza pyra*, *G. R. Gr.*
 S. America (Brazil).

n. *Florisuga*, *Pr. B.* 1850.

1154. *TROCHILUS FUSCUS*. B. M.
Trochilus ater, *Pr. Max.* *T. fuscus*, *Vieill.* *T. niger*, *Sw.*
Zool. Illustr. pl. 82. *T. atratus*, *Licht.* *Lampornis niger*,
Sw. *L. atratus*, *Hartl.* *Mellisuga atra*, *Steph.* *Ornismya*
lugubris, *Less.* *Ois. Mouch.* t. 38, 39. *Colibri leucopygius*,
Spix, Av. Bras. t. 81, f. 3. *Trochilus* (*Eulampis*) *lugubris*,
Less. *Eulampis niger*, *Boie.* *Topaza atra*, *G. R. Gr.* *Florisuga atra*, *Pr. B.*
 S. America (Brazil).

1155. *TROCHILUS OPACUS*.
Trochilus opacus, *Licht.* *Topaza opaca*, *G. R. Gr.* *Trochilus* (*Lampornis*) *opacus*, *Tschudi.*
 S. America (Peru).

1156. *TROCHILUS MELLIVORUS*. B. M.
Trochilus mellivorus, *L. Pl. enl.* 640, f. 2. *T. fimbriatus*,
Gm.? *Pl. enl.* 276, f. 2? *Edw. B.* pl. 35, f. 1. *Mellisuga*
surinamensis, *Steph.* *Basilinna mellivorus*, *Boie.* *Vieill. Ois.*
dor. t. 22, 23, 24. *Ornismya mellivora*, *Less. Ois. Mouch.*
 t. 21, 22. *Trochilus* (Les *Jacobines*) *mellivorus*, *Less.* *Orthorhynchus mellivorus*, *Cuv.* *Lampornis mellivorus*, *Jard.*
Nat. Libr. xiv. pl. 30. *Topaza mellivora*, *G. R. Gr.* *Florisuga mellivora*, *Pr. B.*

S. America (Guiana); W. Indies (Martinique).

1157. *TROCHILUS FLABELLIFERUS*.

Trochilus (——?) *flabelliferus*, *Gould*. *Topaza flabellifera*,
G. R. Gr. *Florisuga flabellifera*, *Pr. B.*

Central America (Mexico).

———?

1158. *TROCHILUS HENRICA*.

B. M.

Ornismya Henrica, *Less. & DeLatr.* *Topaza henrica*, *G. R.*
Gr. *Delatiria henrica*, *Pr. B.* *Trochilus henrica*, *Hartl.*

Central America (Mexico).

1159. *TROCHILUS CAROLI*.

Trochilus Caroli, *Bourc.* *Hylocharis Caroli*, *G. R. Gr.*

S. America.

o. *Lafresnaya*, *Pr. B.* 1850.

1160. *TROCHILUS LAFRESNAYI*.

B. M.

Trochilus Lafresnayi, *Bross.* *T. flavicaudatus*, *Fras.* *Calo-*
thorax Lafresnayi, *G. R. Gr.* *Lafresnaya flavicaudatus*,
Pr. B. *Phætornis Lafrenagi*, *Hartl.*

S. America (New Granada).

1161. *TROCHILUS GAYI*.

Trochilus Gayi, *Bourc. & Muls.* *T. Saulii*, *DeLatr. & Bourc.*
Calothorax Gayi et *C. Saulii*, *G. R. Gr.* *Lafresnaya Gayi* et
L. Saulæ, *Pr. B.*

S. America (Ecuador)

p. *Thaumastura*, *Pr. B.* 1850.

1162. *TROCHILUS CORA*.

B. M.

Orthorhynchus cora, *Less. & Garn. Voy. de la Coqu.* t. 31, f.
4. *Trochilus (Heliactin) cora*, *Less.* *T. (Phætornis) cora*,
Tschudi. *Ornismya cora*, *Less. Ois. Mouch.* t. 6. *Troch.*
t. 39, 40. *Heliactin cora*, *Boie.* *Calothorax cora*, *G. R. Gr.*
Thaumastura cora, *Pr. B.* *Nat. Libr.* xiv. pl. 25.

S. America (Peru).

1163. *TROCHILUS LABRADOR.*

Ornismya fanny, *Less.* *Trochilus labrador*, *Bourc. An. Sc. Phys. &c. de Lyon*, 1838, t. *Calothorax fanny*, *G. R. Gr.* *Thaumastura fanny*, *Pr. B.*

Central America (Mexico).

1164. *TROCHILUS YARRELLII.*

Trochilus Yarrellii, *Bourc.* *Calothorax Yarrellii*, *G. R. Gr.*

S. America (Banda Oriental).

————— ?

1165. *TROCHILUS VESPER.*

B. M.

Ornismya vesper, *Less. Ois. Mouch.* t. 19. *Troch.* t. 6, 48. *Trochilus* (Les Lucifers) *vesper*, *Less.* *Cynanthus vesper*, *Jard. Nat. Libr.* xiv. pl. 24. *Calothorax vesper*, *G. R. Gr.* *Thaumastura vesper*, *Pr. B.*

Central America (Mexico); S. America (Peru).

1166. *TROCHILUS ANGELÆ.*

B. M.

Ornismya angelæ, *Less. Illustr. de Zool.* t. 49, 50. *Trochilus Leadbeateri*, *Lodd. MSS.* T. *Buquetii*, *Par. Mus.* *Calothorax angelæ*, *G. R. Gr.* *Heliomaster angelæ*, *Pr. B.*

S. America (Chili).

q. *Calothorax*, *G. R. Gr.* 1840.
Lucifers, *Less.* 1829.

1167. *TROCHILUS ENICURUS.*

B. M.

Trochilus enicurus, *Vieill. Pl. col.* 66, f. 3. *Ornismya heteropygia*, *Less. Ois. Mouch.* t. 15. *Trochilus* (*Heliactin*) *heteropygia*, *Less.* *Orthorhynchus enicurus*, *Cuv.* *Cynanthus enicurus*, *Jard. Nat. Libr.* xiv. t. 27. *Calothorax enicurus*, *G. R. Gr.* *Steph. Gen. Zool.* xiv. pl. 28.

S. America (Brazil); West Indies (Trinidad?).

1168. TROCHILUS LUCIFER. B. M.
Cynanthus lucifer, Sw. *Nat. Libr.* xv. pl. 14. *Ornismya*
cyanopogon, Less. *Ois. Mouch.* t. 5. *Col. Suppl.* t. 9, 10.
Trochilus simplex, Less. *Col.* t. 23. *Trochilus* (Les Lucifers)
cyanopogon et Tr. (*Glaucis*) *simplex*, Less. *Calothorax luci-*
fer et *Polytmus simplex*, G. R. Gr.
 Central America (Mexico); S. America (Bolivia).

— ?

1169. TROCHILUS ELIZA. B. M.
Trochilus Eliza, DeLatr. & Less. *Calothorax Eliza*, G. R.
 Gr.
 Central America (Mexico).

1170. TROCHILUS EVELYNÆ.
Trochilus Evelynæ, Bourc. *Calothorax Evelynæ*, G. R. Gr.
 Bahama Islands (New Providence).

r. *Docimaster*, Gould, 1850.

1171. TROCHILUS ENSIFERUS. B. M.
Ornismya ensifera, Boiss. *Mag. de Zool.* 1840. *Ois. t.* 15.
Trochilus Derbrianus, Fras. *T. ensiferus*, Hartl. *Mellisuga*
ensifera, G. R. Gr. *Docimaster ensiferus*, Gould.
 S. America (New Granada, Ecuador).

s. *Delattria*, Pr. B. 1850.

1172. TROCHILUS FULGENS. B. M.
Trochilus fulgens, Sw. *Nat. Libr.* xv. pl. 18. *Ornismya*
Rivoli, Less. *Ois. Mouch.* t. 4, *Trochilus* (*Cæligena*) *Rivoli*,
 Less. *Mellisuga fulgens*, G. R. Gr. *Delattria fulgens*, Pr. B.
 Central America (Mexico).

1173. TROCHILUS CLEMENCIÆ.
Ornismya Clemenciæ, Less. *Ois. Mouch.* t. 80. *Col. Suppl.* t.
 8. *Trochilus* (*Cæligena*) *Clemenciæ*, Less. *Mellisuga Cle-*
menciæ, G. R. Gr. *Delattria clemenciæ*, Pr. B.
 Central America (Mexico).

t. *Heliodoxa*, *Gould*, 1849.
Leadbeatera, *Pr. B.* 1850.

1174. *TROCHILUS LEADBEATERI*. B. M.
Trochilus Leadbeateri, *Bourc. Ann. Sci. Phys. &c. de Lyon*,
 1843, t. 5. *T. Otero* et *T. (Lampornis) Otero*, *Tschudi*. *Mel-*
lisuga Leadbeateri, *G. R. Gr* *Heliodoxa Leadbeateri*, *Gould*.
Leadbeatera grata, *Pr. B.*

S. America (Venezuela).

1175. *TROCHILUS JACULUS*.
Heliodoxa jacula, *Gould*. *Leadbeatera jacula*, *Pr. B.*
 S. America (New Granada).

1176. *TROCHILUS JAMESONI*.
Trochilus Jamesoni, *Bourc.*
 S. America (Ecuador).

1177. *TROCHILUS BOUGUERI*.
Trochilus Bougueri, *Bourc.*
 S. America (Ecuador).

1178. *TROCHILUS SCHIODTEI*.
Trochilus Schiodtei, *Bourc. & Muls.*
 S. America (Ecuador).

u. *Heliomaster*, *Pr. B.* 1850.

1179. *TROCHILUS LONGIROSTRIS*. B. M.
Trochilus longirostris, *Vieill. Ois. dor. t. 59*. *T. superbus*,
Shaw, Nat. Misc. pl. 517. *Orthorhynchus superbus*, *Cuv.*
Trochilus (Cæligena) superba, *Less. Ornismya superba*, *Less.*
Ois. Mouch. t. 2. Troch. t. 34. Col. Suppl. t. 33. Mellisuga
superba, *Steph. M. longirostris*, *G. R. Gr. Calliphlox longi-*
rostris, *Boie. Heliomaster longirostris*, *Pr. B. Temm. Pl.*
col. 299, f. 1.

Island of Trinidad; S. America (Bolivia).

1180. TROCHILUS MESOLEUCUS. B. M.
Trochilus mesoleucus, *Temm. Pl. col.* 317, f. 1, 2, 3. *T. squamosus*, *Temm. Pl. col.* 203, f. 1. *Orthorhynchus mesoleucus*, *Cuv.* *Trochilus* (*Cæligena*) *mesoleucos*, *Less.* *Ornismya* *Temminckii* et *O. mesoleuca*, *Less. Ois. Mouch.* t. 20, 29, 30. *Troch.* t. 45. *Mellisuga mesoleuca* et *M. squamosa*, *Steph.* *Calliphlox mesoleucus*, *Boie.* *Heliomaster mesoleucus*, *Pr. B. Nat. Libr.* xv. p. 17.

S. America (Brazil).

1181. TROCHILUS VILLAVICENSIS.
Trochilus Villavicensis, *Bourc.*

S. America (Ecuador).

v. *Helianthea*, *Gould*, 1848.

1182. TROCHILUS HELIANTHEUS. B. M.
Ornismya helianthea, *Less.* *Mellisuga helianthea*, *G. R. Gr.* *Helianthea typica*, *Pr. B.* *Trochilus heliantheus*, *Hartl.*

S. America (New Granada).

1183. TROCHILUS LUTETIÆ.
Trochilus Lutetiæ, *DeLattr. & Bourc.* *Mellisuga Lutetiæ*, *G. R. Gr.* *Helianthea Lutetiæ*, *Pr. B.*

S. America (New Granada).

1184. TROCHILUS BONAPARTEI. B. M.
Ornismya Bonapartei, *Boiss.* *Trochilus aurogaster*, *Lodd.* *Mellisuga Bonapartei*, *G. R. Gr.* *Helianthea Bonapartei*, *Gould.* *Ann. Sci. Phys. &c. de Lyon*, 1842, t. 14.

S. America (New Granada).

1185. TROCHILUS EOS.
Helianthea Eos, *Gould, Proc. Z. S.* 1848, pl. 1. *Mellisuga Eos*, *G. R. Gr.*

Mountains of New Granada and Venezuela.

1186. TROCHILUS VIOLIFER.
Trochilus (——?) *violifer*, *Gould.* *Mellisuga violifera*, *G. R. Gr.* *Helianthea violifera*, *Pr. B.*

S. America (Bolivia).

x. Pterophanes, Gould, 1849.

1187. TROCHILUS TEMMINCKII. B. M.
Ornismya Temminckii, Boiss. *Mag. de Zool.* 1840. *Ois.* t. 14.
Trochilus cyanopterus, Lodd. *Mellisuga Temminckii*, G. R.
Gr. *Pterophanes Temminckii*, Pr. B.
 S. America (New Granada).

y. Bourcieria, Pr. B. 1850.

1188. TROCHILUS PRUNELLII. B. M.
Trochilus Prunellii, Bourc. & Muls. *Ann. Sci. Phys.* 1843, t.
 1. *Mellisuga Prunellii*, G. R. *Gr.* *Bourcieria Prunellii*,
 Pr. B.
 S. America (Columbia).

1189. TROCHILUS TORQUATUS. B. M.
Ornismya torquata, Boiss. *Trochilus insectivorus*, Tschudi,
Fauna Per. t. 23, f. 1. *Mellisuga torquata*, G. R. *Gr.*
Bourcieria torquata, Pr. B.
 S. America (Peru).

1190. TROCHILUS WILSONI.
Trochilus Wilsoni, DeLattr. & Bourc. *Mellisuga Wilsoni*,
 G. R. *Gr.* *Bourcieria Wilsoni*, Pr. B.
 S. America (New Granada).

1191. TROCHILUS CONRADI.
Trochilus Conradi, Bourc. *Mellisuga Conradii*, G. R. *Gr.*
Bourcieria Conradi, Pr. B.
 S. America (Venezuela).

z. Cæligena, Less. 1829.

1192. TROCHILUS CÆLIGENA. B. M.
Ornismya cæligena, Less. *Troch.* t. 53. *Trochilus (Cæligena)*
 ———— Less. *Lampornis cæligena*, Jard. *Nat. Libr.* pl. 4.
Mellisuga cæligena, G. R. *Gr.* *Cæligena typica*, Pr. B.
 Central America (Mexico).

a, a. *Heliangelus*, *Gould*.1193. *TROCHILUS CLARISSÆ*.

B. M.

Ornismya clarissæ, *Longuem. Mag. de Zool.* 1842. *Ois.* t. 46.*Mellisuga clarissæ*, *G. R. Gr.* *Heliangelus clarisse*, *Gould*.*Trochilus clarissæ*, *Hartl.*

S. America (New Granada).

1194. *TROCHILUS SPENCEI*.*Trochilus Spencei*, *Bourc.* *Mellisuga Spencei*, *G. R. Gr.**Heliangelus Spencei*, *Gould*.

S. America (Venezuela).

1195. *TROCHILUS MAVORS*.*Heliangelus mavors*, *Gould, Proc. Z. S.* 1848, pl. 2. *Mellisuga mavors*, *G. R. Gr.*

Cordilleras of New Granada and Venezuela.

1196. *TROCHILUS PARZUDAKI*.

B. M.

Ornismya Parzudaki, *Less.* *Trochilus exortis*, *Fras.* *Mellisuga Parzudaki et M. exortis*, *G. R. Gr.* *Heliangelus Parzudaki et Cynanthus vel Eriopus exortis*, *Pr. B.*

S. America (New Granada).

1197. *TROCHILUS STROPHIANUS*.*Trochilus* (——?) *strophianus*, *Gould.* *Mellisuga strophiana*, *G. R. Gr.* *Heliangelus strophianus*, *Gould.*

S. America (Ecuador).

1198. *TROCHILUS AMETHYSTICOLLIS*.

B. M.

Orthorhynchus amethysticollis, *D'Orb. & Lafr. Voy. dans l'Amér. Mer.* *Ois.* t. 60, f. 2. *Trochilus* (*Lampornis*) *amethysticollis*, *Tschudi.* *Mellisuga amethysticollis*, *G. R. Gr.* *Heliangelus amethysticollis*, *Pr. B.*

S. America (Bolivia).

b, b. *Doryfera*, *Gould*, 1847.

1199. *TROCHILUS LUDOVICIÆ*.

Trochilus Ludoviciæ, *Bourc. & Muls.* *Mellisuga Ludoviciæ*,
G. R. Gr. *Trochilus (Doryfera) Louise*, *Gould*? *Dorifera*
Ludoviciæ, *Pr. B.*

S. America.

1200. *TROCHILUS JOHANNÆ*.

Trochilus Johannæ, *Bourc.* *Trochilus (Doryfera) Johannæ*,
Gould. *Mellisuga johannæ*, *G. R. Gr.*

S. America (Peru).

1201. *TROCHILUS VIOLIFRONS*.

Trochilus (Doryfera) violifrons, *Gould.* *Mellisuga violifrons*,
G. R. Gr.

S. America.

1202. *TROCHILUS RUBINEUS*.

B. M.

Trochilus rubineus, *Lath. Pl. enl. 274*, f. 4. *Ois. dor.*
t. 28. *T. obscurus*, *Gm.* *T. ruficaudatus*, *Vieill.* *T. ru-*
bineus major, *Vieill. Ois. dor. t. 27.* *Orthorhynchus rubineus*,
Cuv. *Trochilus (Calliphlox) rubineus*, *Less.* *Mellisuga ru-*
binea, *Steph.* *Calliphlox ruficaudatus*, *Boie.* *Ornismya*
rubinea, *Less. Ois. Mouch. t. 44, 45, 46.* *Cynanthus rubineus*,
Jard. *Heliomaster rubineus*, *Pr. B.* *Heliodoxa?* *rubinea*,
Gould.

S. America (Guiana).

1203. *TROCHILUS RUBINOIDES*.

Trochilus rubinoïdes, *Bourc. & Muls.* *Heliodoxa rubinoïdes*,
Gould. *Heliomaster rubinoïdes*, *Pr. B.*

S. America (New Granada).

1204. *TROCHILUS RHAMI*.

B. M.

Ornismya rhami, *Less.* *Mellisuga rhami*, *G. R. Gr.* *Lam-*
pornis? *rhami*, *Pr. B.* *Trochilus rhami*, *Hartl.*

Central America (Mexico).

1205. *TROCHILUS FLAVESCENS.* B. M.
Trochilus flavescens, Lodd. *T. fuscicaudatus*, Fras. Ornismya paradisæ, Boiss. *Mellisuga flavescens* et *Hylocharis fuscicaudata*, G. R. Gr. *Amazilius flavescens*, Pr. B.

S. America (New Granada).

1206. *TROCHILUS JARDINEI.*
Trochilus Jardinei, Bourc.

S. America (Ecuador).

1207. *TROCHILUS MATTHEWSII.*
Trochilus Matthewsii, Lodd. et Bourc. *Mellisuga Matthewsii*, G. R. Gr.

S. America (Peru).

c, c. *Aglæactis*, Gould, 1848.

1208. *TROCHILUS CUPRIPENNIS.* B. M.
Trochilus cupripennis, Bourc. et Muls. *Mellisuga cupripennis* et *M. caumatonota*, G. R. Gr. *Aglæactis cupripennis* et *A. caumatonotus*, Gould.

S. America (New Granada).

1209. *TROCHILUS CASTELNAUDI.*
Trochilus Castelnauddii, Bourc. & Muls. *Aglæactis Castelnauddi*, Pr. B.

S. America (———?).

1210. *TROCHILUS PAMELA.* B. M.
Orthorhynchus pamea, D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois. t. 60, f. 1. *Hylocharis pamea*, G. R. Gr. *Aglæactis pamea*, Gould.

S. America.

d, d. *Metallura*, Gould, 1847.

1211. *TROCHILUS SMARAGDINICOLLIS.* B. M.
Orthorhynchus smaragdnicollis, D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois. t. 59, f. 1. *Mellisuga smaragdnicollis*, G. R. Gr. *Metallura smaragdnicollis*, Pr. B.

S. America (Bolivia).

1212. *TROCHILUS CUPRICAUDA*. B. M.
Trochilus (—?) *cupricaunda*, *Gould*. *Mellisuga cupreocauda*,
G. R. Gr. *Metallura cupreocauda*, *Gould*.

S. America (Bolivia).

1213. *TROCHILUS ÆNEOCAUDA*. B. M.
Trochilus (—?) *æneocauda*, *Gould*. *Mellisuga æneocauda*,
G. R. Gr. *Metallura æneocauda*, *Gould*.

S. America (Bolivia).

1214. *TROCHILUS WILLIAMI*.
Trochilus Williami, *Bourc.* *Mellisuga Williami*, *G. R. Gr.*
Metallura Williami, *Gould*.

S. America (New Granada).

1215. *TROCHILUS TYRIANTHINUS*. B. M.
Ornismya Allardi, *Bourc. Ann. Sci. Phys. &c. de Lyon*, 1840,
t. 3. *O. Paulinæ*, *Boiss. Mag. de Zool.* 1840. *Ois.* t. 13.
Trochilus tyrianthinus, *Lodd.* *Mellisuga tyrianthinus*, *G. R.*
Gr. *Metallura Allardi*, *Gould*. *M. tyrianthinus*, *Pr. B.*

S. America (New Granada).

1216. *TROCHILUS BENJAMINI*.
Trochilus Benjamini, *Bourc.*

S. America (Ecuador).

e, e. *Oxypogon*, *Gould*, 1848.

1217. *TROCHILUS GUERINII*. B. M.
Ornismya Guerinii, *Boiss.* *Trochilus parvirostris*, *Fras.* *T.*
Guerinii, *Bourc.* *Mellisuga Guerinii*, *G. R. Gr.* *Oxypogon*
Guerinii, *Gould*, *Monogr. Troch.* i. pl. 11.

S. America (New Granada).

1218. *TROCHILUS LINDENI*. B. M.
Ornismya Lindenii, *Parzud. Rev. et Mag. de Zool.* 1849, t. 8.
Mellisuga Lindenii, *G. R. Gr.* *Oxypogon Lindenii*, *Gould*,
Monogr. Troch. i. pl. 12.

S. America (Venezuela).

1219. *TROCHILUS HETEROPOGON*. B. M.
Ornismya heteropogon, *Boiss. Mag. de Zool.* 1840. *Ois.* t. 12.
Trochilus coruscans, *Fras.* *Mellisuga heteropogon*, *G. R. Gr.* *Ramphomicron heteropogon*, *Pr. B.*

S. America (New Granada).

1220. *TROCHILUS RUFICEPS*.
Trochilus (——?) *ruficeps*, *Gould.* *Ramphomicron ruficeps*,
Pr. B.

S. America (Bolivia).

1221. *TROCHILUS HERRANI*.
Trochilus Herrani, *Delattr. & Bourc.* *Calothorax Herrani*,
G. R. Gr.

S. America (New Granada).

1222. *TROCHILUS STANLEYI*. B. M.
Trochilus Stanleyi, *Bourc.*

S. America (Ecuador).

f, f. *Ramphomicron*, *Pr. B.* 1850.

1223. *TROCHILUS MICRORHYNCHUS*. B. M.
Ornismya microrhyncha, *Boiss. Mag. de Zool.* 1840. *Ois.* t. 16.
Trochilus brachyrhynchus, *Fras.* *Mellisuga microrhyncha*,
G. R. Gr. *Ramphomicron microrhynchus*, *Pr. B.* *Trochilus microrhynchus*, *Hartl.*

S. America (New Granada).

1224. *TROCHILUS SABINÆ*. B. M.
Trochilus Sabinæ, *Bourc.* *Mellisuga Sabinæ*, *G. R. Gr.*
Ramphomicron Sabinæ, *Pr. B.*

S. America (New Granada).

1225. *TROCHILUS INORNATUS*. B. M.
Trochilus (——?) *inornata*, *Gould.* *Mellisuga inornata*,
G. R. Gr. *Ramphomicron inornatus*, *Pr. B.*

S. America (Bolivia).

1226. *TROCHILUS MELANOGENYS*.
Trochilus melanogenys, *Fras.* *Ramphomicron melanogenys*,
Pr. B.

S. America (New Granada).

g, g. Abeillia, *Pr. B.* 1850.

1227. TROCHILUS ABEILLII.

B. M.

Ornismya Abeillii, *De'attr. et Less.* *Mellisuga Abeillii*, *G. R. Gr.* *Ramphomicron Abeillii et Abeilla typica*, *Pr. B.*

Central America (Mexico).

h, h. Cometes, *Gould*, 1847.
Sappho, *Reichenb.* 1849.

1228. TROCHILUS SPARGANURUS.

B. M.

Trochilus sparganurus, *Shaw*, *Gen. Zool.* viii. pl. 39. *T. chrysurus*, *Cuv.* *T. chrysochloris*, *Vieill.* *T. radiosus*, *Temm.* *Ornismya Sappho*, *Less. Ois. Mouch.* t. 27, 28. *Troch.* t. 49. *Trochilus (Lesbia) Sappho*, *Less.* *T. (Cynanthus) chrysurus*, *Tschudi.* *Orthorhynchus chrysurus*, *D'Orb. & Lafr.* *Cynanthus sparganurus*, *Jard. Nat. Libr.* xv. pl. 23. *Cometes sparganurus*, *Pr. B.* *C. Sappho*, *Gould.* *Mellisuga sparganura*, *G. R. Gr.*

S. America (Peru ? Bolivia).

1229. TROCHILUS PHAON.

Cometes phaon, *Gould.* *Mellisuga phaon*, *G. R. Gr.*

S. America (Peru).

i, i. *Lesbia*, *Less.* 1829.
Cynanthus, *Pr. B.* 1850.

1230. TROCHILUS BIFURCATUS.

B. M.

Cynanthus bifurcatus, *Sw.* *C. nuna*, *Jard.* *Ornismya nuna*, *Less. Ois. Mouch. Suppl.* t. 35. *Trochilus (Lesbia) nuna*, *Less.* *Mellisuga bifurcata*, *G. R. Gr.*

Central America (Mexico)? S. America (Chili? Peru, New Granada).

1231. TROCHILUS AMARYLLIS.

Trochilus Amaryllis, *Bourc. & Muls.*

S. America (New Granada).

1232. *TROCHILUS FORFICATUS*. B. M.
Trochilus forficatus, *L. Edw. B.* pl. 33. *Ois. dor.* t. 60. *T. cyanurus*, *L.^p Steph.* *T. bipartitus*, *Lath. MSS.* *Ornismya Kingii*, *Less. Troch.* t. 38. *Trochilus (Lesbia) Kingii*, *Less.* *Mellisuga forficata* et *M. cyanura*, *G. R. Gr.* *Orthorhynchus forficatus*, *Cuv.* *Cynanthus forficatus*, *Pr. B.*

S. America (Guiana? Chili): West Indies (Jamaica)?

1233. *TROCHILUS MOCOIA*. B. M.
Trochilus mocoia, *Bourc.* *Trochilus (Lesbia) smaragdinus*, *Gould.* *Mellisuga smaragdinus*, *G. R. Gr.* *Cynanthus mocoia*, *Pr. B.*

S. America (New Granada, Bolivia).

1234. *TROCHILUS SILPHIA*. B. M.
Ornismya silphia, *Less.* *Trochilus Gouldii*, *Lodd.* *T. silphia*, *Hartl.* *Mellisuga Gouldii*, *G. R. Gr.* *Cynanthus Gouldi*, *Pr. B.* *Trochilus (Lesbia) gracilis*, *Gould.* *Mellisuga gracilis*, *G. R. Gr.* *Cynanthus gracilis*, *Pr. B.*

S. America (New Granada, Peru).

1235. *TROCHILUS VICTORIÆ*.
Trochilus Victorix, *Bourc. Rev. Zool.* 1846, t. 4. *Mellisuga Victorix*, *G. R. Gr.* *Cynanthus Victorix*, *Pr. B.*

S. America (New Granada).

1236. *TROCHILUS EUCHARIS*.
Trochilus Eucharis, *Bourc. & Muls.*

S. America (——?)

j, j. *Platures*, *Less.* 1829.
Discosura, *Pr. B.* 1850.
Ocreatus, p. *Gould*, 1846.

1237. *TROCHILUS LONGICAUDUS*. B. M.
Trochilus longicaudus, *Gm.* *T. platurus*, *Lath. Ois. dor.* t. 52. *Smaragdites longicaudus*, *Boie.* *Orthorhynchus platurus*, *Cuv.* *Trochilus (Platurus)* ———, *Less.* *Ornismya platura*, *Less. Ois. Mouch.* t. 40. *Col. Suppl.* t. 31. *Cynanthus platurus*, *Sw.* *Mellisuga longicauda*, *G. R. Gr.* *M. platura*, *Steph.*

S. America (Guiana).

1238. ?TROCHILUS LIGONICAUDUS.

Trochilus (Ocreatus) *ligonicaudus*, *Gould*. *Mellisuga ligonicauda*, *G. R. Gr.* *Discosura ligonicauda*, *Pr. B.*

S. America (Brazil).

k, k. *Loddigesia et Loddigiornis*, *Gould*, 1850.

1239. TROCHILUS MIRABILIS.

Trochilus mirabilis, *Lodd. et Bourc.* *Mellisuga mirabilis*, *G. R. Gr. & Mitch. Gen. of B.* pl. 37. *Loddigesia mirabilis*, *Gould*.

S. America (Peru).

l, l. *Spathura*, *Gould*, 1850.

Steganurus, *Reichenb.* 1849.

Ocreatus, p. *Gould*, 1846.

1240. TROCHILUS UNDERWOODII.

B. M.

Ornismya Underwoodii, *Less. Troch.* t. 37. *T. ventilabrum*, *Lath.* *O. Kieneri*, *Less. Troch.* t. 65. *Trochilus* (*Platurus*) *Underwoodii*, *Less.* *Cynanthus Underwoodii*, *Jard. Nat. Libr.* xv. pl. 22. *Mellisuga Underwoodii*, *G. R. Gr.* *Spathura Underwoodii*, *Gould, Monogr. Troch.* i. pl. 9.

S. America (New Granada, Venezuela).

1241. TROCHILUS PERUVIANUS.

Spathura peruviana, *Gould, Monogr. Troch.* i. pl. 10.

S. America (Peru).

1242. TROCHILUS ADDÆ.

B. M.

Trochilus Addæ, *Bourc.* *Trochilus* (Ocreatus) *rufocaligatus*, *Gould.* *Mellisuga rufocaligata*, *G. R. Gr.* *Spathura addæ*, *Pr. B.* *Gould, Monogr. Troch.* i. pl. 11.

S. America (Bolivia).

m, m. *Selasphorus*, Sw. 1831.
Les Rubis, Less.

1243. *TROCHILUS RUBER*.

B. M.

Trochilus ruber, L. *T. rufus*, Gm. *T. collaris*, Lath. *Gen. Syn.* pl. 35. *Edw. B.* pl. 32. *Vieill. Ois. dor.* t. 61, 62. *T. sitkensis*, Ratke. *Orthorhynchus collaris*, Cuv. *Trochilus* (*Calliphlox*) *sasin*, Less. *Ornismya sasin*, Less. *Ois. Mouch.* t. 66, 67. *Suppl.* t. 11, 12, 13. *Troch.* t. 43. *Calliphlox sitkensis*, Boie. *Selasphorus rufus*, Sw. *S. ruber*, Pr. B. *Mellisuga*? *rubra* et *M. collaris*, Steph. *Natr. Libr.* xv. pl. 9. *Audub. B. of Amer.* pl. 379. *Brandt, Icon. Av. Ross.* t. 1, 2.

N.-W. America.

1244. *TROCHILUS ANNA*.

B. M.

Ornismya anna, Less. *Ois. Mouch.* t. 47. *Suppl.* 7. *Trochilus icterocephalus*, Nutt. *Trochilus* (*Calliphlox*) *anna*, Less. *Mellisuga anna*, G. R. Gr. *Selosphorus anna*, Pr. B. *Nat. Libr.* xiv. pl. 6. *Audub. B. of Amer.* pl. 425.

N.-W. America (California).

1245. *TROCHILUS PLATYCERCUS*.

B. M.

Trochilus platycercus, Sw. *Ornismya tricolor*, Less. *Ois. Mouch. Suppl.* t. 14. *Troch.* t. 60. *O. montana*, Less. *Troch.* t. 63. *Trochilus* (*Calliphlox*) *tricolor* et *T. (Les Amethystes) montana*, Less. *Cynanthus*? *tricolor*, Jard. *Nat. Libr.* xv. pl. 13. *Mellisuga platycerca* et *M. montana*, G. R. Gr. *Selasphorus platycercus*, Sw.

Central America (Mexico).

1246. *TROCHILUS COSTÆ*.

Ornismya Costæ, Bourc. *Ann. Sci. Phys. &c. de Lyon*, 1840, t. 2. *Voy. de la Venus*, *Ois.* t. 2. *Mellisuga costæ*, G. R. Gr. *Selosphorus costæ*, Pr. B.

N.-W. America (California).

— ?

1247. *TROCHILUS JOURDANI*.

Ornismya Jourdani, Bourc. *Ann. Sc. Phys. &c. de Lyon*, 1840, t. 5, 6. *Mellisuga Jourdani*, G. R. Gr. *Calothorax Jourdani*, Pr. B.

Trinidad.

1248. TROCHILUS HELIODORE. B. M.
Ornismya Heliodore, *Bourc. Ann. Sci. Phys. &c. de Lyon*,
 1842, t. 15, 16. *Mellisuga Heliodori*, *G. R. Gr.* *Calothorax*
Heliodori, *Pr. B.*

S. America (New Granada).

1249. TROCHILUS ROSÆ. B. M.
Trochilus rosæ, *Bourc. & Muls.* *Mellisuga rosæ*, *G. R. Gr.*
Calothorax Jourdani, p. *Pr. B.*

S. America (Venezuela).

1250. TROCHILUS HELOISA. B. M.
Ornismya Heloisa, *DeLatr. & Less.* *Mellisuga Heloise*, *G.*
R. Gr.

S. America.

1251. TROCHILUS TINDALI.
Trochilus Tindali, *Tschudi.* *Trochilus (Calothorax) calliope*,
Gould. *Calothorax calliope*, *G. R. Gr.*

Central America (Mexico).

1252. TROCHILUS MULSANTI. B. M.
Ornismya Mulsanti, *Bourc. Ann. Sc. Phys. &c. de Lyon*, 1842,
 t. 20. *Mellisuga Mulsanti*, *G. R. Gr.* *Calothorax Mulsanti*,
Pr. B.

S. America (Bolivia).

n, n. *Heliactin*, *Boie*, 1831.
Heliactinia, *Reichenb.* 1849.

1253. TROCHILUS CORNUTUS. B. M.
Trochilus cornutus, *Pr. Max.* *T. bilophus*, *Temm. Pl. col.*
 18, f. 3. *T. dilophus*, *Vieill.* *Heliactin bilophus*, *Boie.* *H.*
cornutus, *Pr. B.* *Orthorhynchus bilophus*, *Cuv.* *Trochilus*
(Heliactin) chrysolophus, *Less.* *Ornismya chrysolopha*, *Less.*
Ois. Mouch. t. 7, 8. *Suppl.* t. 32. *Mellisuga cornuta*, *G. R.*
Gr. *M. bilopha*, *Steph. Nat. Libr.* xiv. pl. 21, 22.

S. America (Brazil).

o, o. Gouldia, *Pr. B.* 1850.

1254. TROCHILUS LANGSDORFFII. B. M.

Trochilus Langsdorffii, Vieill. *Pl. col.* 66, f. 1. *Ornismya Langsdorffii*, Less. *Ois. Mouch.* t. 26. *Suppl.* t. 16. *Troch.* t. 35, 36. *Trochilus (Heliactin) Langsdorffii*, Less. *Colibri hirundinaceus*, Spix, *Av. Bras.* t. 81, f. 2. *Heliactin Langsdorffii*, Boie. *Orthorhynchus Langsdorffii*, Cuv. *Cynanthus Langsdorffii*, Jard. *Nat. Libr.* xv. pl. 10. *Mellisuga Langsdorffii*, Steph. *Gouldia Langsdorffii*, *Pr. B.*

S. America (Brazil).

1255. TROCHILUS CONVERSI.

Trochilus Conversi, Bourc. et Muls. *Rev. Zool.* 1846, t. 3. *Mellisuga Conversi*, G. R. Gr. *Gouldia conversi*, *Pr. B.*

S. America (New Granada).

1256. TROCHILUS POPELAIRI.

Trochilus Popelairi, Dubus, *Esquis. Ornith.* t. 6. *Mellisuga Popelairi*, G. R. Gr. *Gouldia Popelairi*, *Pr. B.*

S. America (Columbia).

p, p. Tryphæna, Gould, 1850.

1257. TROCHILUS DUPONTII.

B. M.

Ornismya Dupontii, O. zemes et O. cælestis, Less. *Ois. Mouch. Suppl.* t. 1. *Trochilus (Les Lucifers) Dupontii*, Less. *Cynanthus Dupontii*, Jard. *Nat. Libr.* xiv. pl. 26. *Mellisuga Dupontii*, G. R. Gr. *Tryphæna Dupontii*, Gould, *Monogr. Troch.* pl. 14.

Central America (Mexico, Guatemala).

————— ?

1258. TROCHILUS AMETHYSTINUS.

B. M.

Trochilus amethystinus, Gm. *Pl. enl.* 672, f. 1. (?) *T. campestris*, *Pr. Max.*? *Ornismya amethystina*, Less. *Ois. Mouch.* t. 47. *Suppl.* t. 20, 21, 22. *Trochilus (Calliphlox) amethystinus*, Less. *Orthorhynchus amethystinus*, Cuv. *Calliphlox amethystinus*, Boie. *Mellisuga amethystinus*, Steph. *Cynanthus amethystinus*, Jard. *Nat. Libr.* xv. pl. 9. *Tryphæna amethystina*, *Pr. B.*

S. America (Guiana, Brazil).

1259. TROCHILUS AMETHYSTOIDES. B. M.

Ornismya amethystoides, Less. *Troch.* t. 25, 26, 27, 30. *O. orthura*, Less. *Troch.* t. 28, 29. *Trochilus* (*Calliphlox*) *amethystoides*, Less. *T.* (Les Rubis) *orthura*, Less. *Cynanthus amethystoides*, Jard. *Mellisuga amethystoides* et *M. orthura*, G. R. Gr. *Triphæna amethystoides*, Pr. B. *Nat. Libr.* xv. pl. 8.

S. America (Brazil).

1260. TROCHILUS MITCHELLII.

Trochilus Mitchellii, Bourc. *Mellisuga Mitchellii*, G. R. Gr.

Central America (Mexico).

q, q. *Cynanthus*, Sw. 1827.
Trochilus, Pr. B. 1850.

1261. TROCHILUS COLUBRIS. B. M.

Trochilus colubris, L. *Edw. B.* pl. 38. *Vieill. Ois. dor.* t. 31, 32. *Wils. Amer. Orn.* pl. 10, f. 3, 4. *Audub. B. of Amer.* pl. 47. *Nat. Libr.* xiv. pl. 1. *T. tomineo*, L. *Sagra, Voy. de l'Isle Cuba*, t. 21, f. 1. *Ornismya colubris*, Less. *Ois. Mouch.* t. 48, 48*. *Troch.* t. 1. *Trochilus* (*Calliphlox*) *colubris*, Less. *Orthorhynchus colubris*, Cuv. *Calliphlox colubris*, Boie. *Cynanthus colubris*, Sw. *Mellisuga colubris*, Steph.

N. America and W. Indies.

1262. TROCHILUS ALEXANDRI.

B. M.

Trochilus Alexandri, Bourc. et Muls.

Central America (Mexico).

1263. ? TROCHILUS SWAINSONI.

B. M.

Trochilus Swainsoni, Less. *Troch.* t. 66. *T.* (*Glaucis*) *Swainsoni*, Less. *Phæthornis Swainsoni*, Jard. *Nat. Libr.* xv. pl. 30.

S. America (Brazil).

r, r. *Lophornis*, *Less.* 1829.
Bellatrix, *Boie*, 183 .

1264. *TROCHILUS ORNATUS.*

B. M.

Trochilus ornatus, *Bodd. Pl. enl.* 640, f. 3. *Vieill. Ois. dor.* 1. 49, 50, 51. *T. auratus*, *Gm.* *Ornismya ornata*, *Less. Ois. Mouch.* t. 41. *Troch.* t. 24. *Trochilus* (*Lophornis*) *ornatus*, *Less.* *Orthorhynchus ornatus*, *Cuv.* *Bellatrix ornatus*, *Boie.* *Mellisuga ornata*, *Steph.* *Lophornis ornata*, *G. R. Gr.* *L. auratus*, *Pr. B. Nat. Libr.* xiv. pl. 15, 16. *Selasphorus ornatus*, *Sw.*

S. America (Guiana, Brazil).

1265. *TROCHILUS REGULUS.*

Ornismya (*Lophorinus*) *Delattrei*, *Less.* *Mellisuga Delattarii*, *G. R. Gr.* *Lophornis Delattarii*, *Pr. B.* *Trochilus* (*Lophornis*) *regulus*, *Gould.* *Mellisuga regula*, *G. R. Gr.* *Lophornis regulus*, *Gould.*

S. America (Columbia).

1266. *TROCHILUS HELENÆ.*

Ornismya Helenæ, *Delattr.* *Mellisuga Helenæ*, *G. R. Gr.* *Lophornis Helenæ*, *Pr. B.*

Central America (Guatemala).

1267. *TROCHILUS GOULDII.*

Ornismya Gouldii, *Less. Troch.* t. 36. *Trochilus* (*Lophornis*) *Gouldii*, *Less.* *Mellisuga Gouldii*, *G. R. Gr.* *Lophornis Gouldii*, *Pr. B.*

S. America (Brazil).

1268. *TROCHILUS MAGNIFICUS.*

B. M.

Trochilus magnificus, *Vieill. Pl. col.* 299, f. 2. *T. decorus*, *Licht.* *Ornismya strumaria*, *Less. Ois. Mouch.* t. 42, 43. *Colibri Helios*, *Spix, Av. Bras.* t. 82, f. 2. *Bellatrix magnificus*, *Boie.* *Mellisuga magnifica*, *Steph.* *Orthorhynchus magnificus*, *Cuv.* *Lophornis magnifica*, *Pr. B.*

S. America (Brazil).

1269. *TROCHILUS REGINÆ.*

Lophornis reginæ, *Gould.* *Mellisuga reginæ*, *G. R. Gr.*

S. America.

1270. *TROCHILUS CHALYBÆUS*.

B. M.

Trochilus chalybæus, *Vieill.* *T. festivus*, *Licht.* *Bellatrix festivus*, *Boie.* *Ornismya Vieillotii*, *Less. Ois. Mouch.* t. 64. *Troch.* t. 8, 9, 10, 11. *O. Audenetii*, *Less. Col. Suppl.* t. 2. *Trochilus (Lophornis) Vieillotii et T. (L.) Audenetii*, *Less. Orthorhynchus chalybæus*, *Cuv.* *Mellisuga chalybæa*, *Steph. M. Audenetii*, *G. R. Gr.* *Lophornis chalybæa* *er L. Audenetii*, *Pr. B.* *Colibri mystax*, *Spix, Av. Bras.* t. 82, f. 3. *Nat. Libr.* xiv. pl. 18. *Selasphorus chalybeus*, *Sw.*

S. America (Brazil).

s, s. *Sephanoides*, *Less.* 1829.*Eustephanus*, *Reichenb.* 1849.1271. *TROCHILUS GALERITUS*.

B. M.

Trochilus galeritus, *Mol.* *T. flamimifrons*, *Lyell.* *T. sephanoïdes*, *Hartl.* *Orthorhynchus sephanoïdes*, *Less. Voy. de la Coqu.* t. 31, f. 2. *Mellisuga Kingii*, *Vigors.* *M. galerita*, *G. R. Gr.* *Orthorhynchus sephanoides*, *Cuv.* *Trochilus (Sephanoïdes)*———, *Less.* *Ornismya sephanoides*, *Less. Ois. Mouch.* t. 14. *Col. Suppl.* t. 5. *Sephanoides Kingii*, *Less.* *S. galerita*, *Pr. B.* *Nat. Libr.* xiv. pl. 12.

S. America (Chili).

1272. *TROCHILUS STOKESII*.

B. M.

Trochilus Stokesii, *King.* *Nat. Libr.* xv. pl. 5. *Ornismya Stokesii*, *Less. Troch.* t. 50. *Trochilus (Les Sephanoides) Stokesii*, *Less.* *Mellisuga Stokesii*, *G. R. Gr.* *Sephanoides Stokesii*, *Pr. B.*

Island of Juan Fernandez.

1273. *TROCHILUS FERNANDENSIS*.

B. M.

Trochilus Fernandensis, *King.* *Ornismya cinnamomea*, *Gerv. Mag. de Zool.* 1835. *Ois.* t. 43. *O. Robinson*, *Less.* *Mellisuga fernandensis*, *G. R. Gr.* *Sephanoides fernandensis*, *Pr. B.*

Island of Juan Fernandez.

t, t. *Chrysolampis*, *Boie*, 1831.

1274. *TROCHILUS MOSCHITUS*.

B. M.

Trochilus moschitus (*Pl. enl.* 227, f. 2). *T. elatus* (*Pl. enl.* 640, f. 1) et *T. pegasus*, *L.* *T. guianensis*, *T. striatus*, *T. leucogaster* (*Pl. enl.* 672, f. 3) et *T. carbunculus*, *Gm.* *T. hypophæus*, *Lath.* *Vieill. Ois. dor.* t. 29, 30, 46, 55, 56, 28, 54. *Nat. Libr.* xiv. pl. 11. *Orthorhynchus moschitus*, *Cuv.* *Trochilus* (*Chrysolampis*) *moschitus*, *Less.* *Mellisuga moschita*, *Steph.* *Ornismya moschita*, *Less. Ois. Mouch.* t. 52, 53, 54. *Troch.* t. 15. *Chrysolampis moschitus*, *C. elatus*, *C. guanensis* et *C. carbunculus*, *Boie. Sw. B. of Braz.* pl. 30.

S. America (Guiana).

u, u. *Orthorhynchus*, *Cuv.*

1275. *TROCHILUS CRISTATUS*.

B. M.

Trochilus cristatus, *L.* *Sw. B. of Braz.* pl. 21. *T. puniceus*, *Gm.*? *T. pileatus*, *Lath. Edw. B.* pl. 37. *Vieill. Ois. dor.* t. 63? *Mellisuga cristata* et *M. pileata*, *Steph.* *Ornismya cristata*, *Less. Troch.* t. 4. *Orthorhynchus cristatus* et *O. pileatus*, *Cuv.*

Islands of Trinidad, Martinique, and Barbadoes.

1276. *TROCHILUS EXILIS*.

B. M.

Trochilus exilis, *Gm.* *Pl. enl.* 227, f. 1. *Vieill. Ois. dor.* t. 31, 32. *Ornismya cristata*, p., *Less. Ois. Mouch.* t. 31, 32. *Bellatrix exilis*, *Boie.* *Mellisuga exilis*, *G. R. Gr.* *Orthorhynchus chlorolophus*, *Pr. B.*

West Indies.

1277. *TROCHILUS VIEILLOTII*.

B. M.

Trochilus niger, *L.*? *Briss. Orn.* iii. t. 36, f. 8? *T. Vieillotii*, *Shaw.* *Vieill. Ois. dor.* t. 53. *T. humilis*, *Gosse, B. of Jam.* pl. 21. *Hylocharis niger*, *G. R. Gr.*?

W. Indies (St. Domingo, Jamaica).

1278. ? *TROCHILUS MELANOLOPHUS*.

Trochilus melanolophus, *Vieill.* *Orthorhynchus melanolophus*, *Pr. B.*

—— ?

v, v. *Cephallepis*, *Lodd.* 1831.

1279. *TROCHILUS DELALANDII*.

B. M.

Trochilus Delalandii, et *T. versicolor*, *Vieill. Pl. col.* 18, f. 1, 2. *Sw. B. of Braz.* pl. 22. *Nat. Libr.* xiv. pl. 1, xv. pl. 7. *Erman, Verz. von Thier*, &c. t. 2. *Ornismya Delalandii*, *Less. Ois. Mouch.* t. 23, 24. *Suppl.* t. 19. *Troch.* t. 41. *Trochilus* (*Smaragdites*) *Delalandii*, *Less.* *Orthorhynchus Lalandii*, *Cuv.* *Mellisuga Delalandii*, *Steph.* *Cephallepis Lalandei*, *Lodd.* *Hylocharis versicolor*, *G. R. Gr.*

S. America (Brazil).

1280. *TROCHILUS LODDIGESI*.

Trochilus Loddigesi, *Gould. Nat. Libr.* xv. t. 6. *T. opisthocomus*, *Erman, Verz. von Thier.* t. 2, f. 3. *Ornismya Loddigesi*, *Less. Troch.* t. 51. *Trochilus* (*Smaragdites*) *Loddigesi*, *Less.* *Cephallepis Loddigesii*, *Lodd.*

S. America (Brazil).

w, w. *Patagona*, *G. R. Gr.* 1840.

Patagones, *Less.* 1829.

1281. *TROCHILUS GIGAS*.

B. M.

Trochilus gigas, *Vieill.* *Orthorhynchus gigas*, *Cuv.* *Trochilus* (*Les Patagons*) *tristis*, *Less.* *Ornismya tristis*, *Less. Ois. Mouch.* t. 3. *Cynanthus gigas*, *Jard. Nat. Libr.* xv. pl. 3. *Patagona gigas* et *Hylocharis gigas*, *G. R. Gr.*

S. America (Chili).

x, x. *Eriopus*, *Gould*, 1847.

Eriocnemus, *Reichenb.* 1849.

Vestipedes, *Less.*

1282. *TROCHILUS VESTITUS*.

B. M.

Ornismya vestita, *Longuem.* *O. glomata*, *Less.* *Trochilus uropygialis*, *Fras.* *Eriopus vestitus*, *Gould.* *Hylocharis vestitus*, *G. R. Gr.* *Trochilus vestitus*, *Hartl.*

S. America (New Granada).

1283. *TROCHILUS CUPREOVENTRIS*.

B. M.

Trochilus cupreiventris, *Fras.* *Ornismya maniculata*, *Less.* *O. vestita*, ♀, *Less.* *Eriopus cupreiventris*, *Gould.* *Hylocharis cupreiventris*, *G. R. Gr.*

S. America (New Granada).

1284. *TROCHILUS SIMPLEX.*

Eriopus simplex, *Gould*, *Proc. Z. S.* 1849, p. 96.

S. America (New Granada).

1285. *TROCHILUS LUCIANI.*

Trochilus luciani, *Bourc.* *Eriopus luciani*, *Pr. B.* *B. M.*
Hylocharis luciani, *G. R. Gr.*

S. America.

1286. *TROCHILUS MOSQUERA.*

Trochilus mosquera, *Bourc. & Delattr.* *Eriopus mosquera*,
Gould. *Hylocharis mosquera*, *G. R. Gr.*

S. America (New Granada).

1287. *TROCHILUS ALINE.*

Ornismya aline, *Bourc.* *Eriopus aline*, *Gould.* *B. M.*
Hylocharis aline, *G. R. Gr.*

S. America (Columbia).

1288. *TROCHILUS DERBYI.*

Trochilus Derbyi, *Bourc. & Delattr.* *Eriopus Derbyi*, *Gould.*
Hylocharis Derbyi, *G. R. Gr.*

S. America (New Granada).

1289. *TROCHILUS AURELIÆ.*

Trochilus aureliæ, *Bourc. & Muls.* *Hylocharis aureliæ*, *G. R.*
Gr. *Eriopus? aureliæ*, *Pr. B.*

S. America (New Granada).

1290. *TROCHILUS ISAACSONI.*

Ornismya Isaacsoni, *Parduz.* *Hylocharis Isaacsoni*, *G. R. Gr.*
Eriopus? Isaacsoni, *Pr. B.*

S. America (New Granada).

1291. *TROCHILUS GODINI.*

Trochilus Godini, *Bourc.*

S. America (Ecuador).

y, y. Avocettes, *Less.* 1829.
 Avocettula, *Reichenb.* 1849.
 Avocettinus, *Pr. B.* 1850.

1292. TROCHILUS RECURVIROSTRIS. B. M.
 Trochilus recurvirostris, *Sw. Zool. Illustr.* pl. 105. *Nat. Libr.*
 xiv. pl. 3. Ornismya recurvirostris, *Less. Ois. Mouch. Suppl.*
 t. 34. O. avocetta, *Less. Col. Suppl.* t. 24. *Troch.* t. 23.
 Trochilus (Les Avocettes) recurvirostris et T. (Les A.) avocetta,
Less. Mellisuga? recurvirostris, *Steph.* Hylocharis recurvi-
 rostris et H. avocetta, *G. R. Gr.* Campylopterus recurviro-
 stris, *Sw.* Avocettinus recurvirostris et A. Lessoni, *Pr. B.*
 S. America (Guiana).

1293. TROCHILUS EURYPTERUS.
 Trochilus eurypterus, *Lodd.* Polytmus eurypterus, *G. R. Gr.*
 S. America (New Granada).

1294. TROCHILUS GEORGINÆ.
 Trochilus Georginæ, *Bourc.* Polytmus Georginæ, *G. R. Gr.*
 S. America (New Granada).

—————?

1295. TROCHILUS OURISSIA.
 Trochilus ourissia, *L. Pl. enl.* 227, f. 3. T. maugæus, *Vieill.*
 T. maugeana, *Shaw.* T. tabaci, *Gm.* T. tabagensis, *Lath.*
Ois. dor. t. 37, 38. Ornismya Maugei, *Less. Ois. Mouch.* t. 68,
 69. Trochilus (Mellisuga) Maugei, *Less.* Hylocharis ourissia,
G. R. Gr. Thaumantias ourissia, *Pr. B.* Orthorhynchus
 Maugeanus, *Cuv.* Mellisuga Maugeana et M. surinamensis,
p., Steph.
 S. America (Guiana); W. Indies (Porto Rico).

1296. TROCHILUS CANIVETII. B. M.
 Ornismya Caniveti, *Less. Ois. Mouch. Suppl.* t. 37, 38. Tro-
 chilus (Mellisuga) Canivetii, *Less.* Cynanthus Canivetii, *Jard.*
 Hylocharis Canivetii, *G. R. Gr.* Thaumantias Canivetii,
Pr. B.
 S. America (Brazil).

1297. TROCHILUS ELEGANS.

B. M.

Trochilus elegans, Vieill. *Ois. dor.* t. 14. *Ornismya Swainsoni*, Less. *Ois. Mouch.* t. 70. *Hylocharis elegans*, G. R. Gr. *Lampornis elegans*, Pr. B. *Polytmus elegans*, Vieill.

S. America (Brazil).

1298. TROCHILUS RICORDII.

B. M.

Ornismya Ricordii, Gerv. *Mag. de Zool.* 1835. *Ois.* t. 41, 42. O. Parzudaki, Less. *Hylocharis Ricordii*, G. R. Gr. *Orthorhynchus Ricordii*, Sagra, *Voy. de l'Ile de Cuba*, t. 21, f. 2. *Trochilus Ricordii*, Pr. B.

West Indies (Cuba).

1299. TROCHILUS CATHERINÆ.

Ornismya Catherinæ, Salé, *Rev. et Mag. de Zool.* 1849, p. 499.

W. Indies (St. Domingo).

1300. TROCHILUS JULIÆ.

B. M.

Ornismya Juliæ, Bourc. *Ann. Sci. Phys. &c. Lyon*, 1843, t. 21. O. feliciiana, Less. *Hylocharis Juliæ* et H. feliciiana, G. R. Gr.

S. America (New Granada).

z, z. *Saucerottia*, Pr. B. 1850.

1301. TROCHILUS SAUCEROTTII.

Trochilus Saucerottii, Bourc. & Muls. *Polytmus Saucerottei*, G. R. Gr. *Saucerottia typica*, Pr. B.

S. America (New Granada).

1302. TROCHILUS GOUDOTI.

B. M.

Trochilus Goudoti, Bourc. *Polytmus Goudoti*, G. R. Gr. *Saucerottia Goudoti*, Pr. B.

S. America (New Granada).

1303. TROCHILUS ERYTHRONOTUS.

B. M.

Ornismya erythronotos, Less. *Ois. Mouch.* t. 61. *Trochilus* (Les Amaziles) *erythronotos*, Less. *Cynanthus erythronotos*, Jard. *Polytmus erythronotos*, G. R. Gr. *Saucerottia erythronota*, Pr. B.

S. America (Brazil?); Central America (Mexico).

1304. TROCHILUS DEVILLEI.

Trochilus Devillei, *Bourc. & Muls.*

Central America (Guatemala).

1305. TROCHILUS LESSONI.

Ornismya Lessonii, *Delattr.* Hylocharis Lessoni, *G. R. Gr.*

S. America.

1306. TROCHILUS CALIGATUS.

Trochilus (——?) caligatus, *Gould.* Polytmus caligatus,
G. R. Gr. Saucerottia caligata, *Pr. B.*

S. America (New Granada).

a, a, a. Amazilis, *Less.* 1829.Amazilia, *Reichenb.* 1849.Amazilius, *Pr. B.* 1850.

1307. TROCHILUS AMIZILI.

B. M.

Orthorhynchus amazilii, *Less. Voy. de la Coqu. Ois.* t. 31, f. 3.Ornismya amazili et Trochilus (Les Amazilis) amazili, *Less.**Ois. Mouch.* t. 12, 13. Trochilus latirostris, *Sw.* Orthorhyn-chus amisili, *Cuv.* Trochilus (Lampornis) amazilia, *Tschudi.*Phætornis? amazili, *Jard.* Amiziles latirostris et Polytmusamazili, *G. R. Gr.* Amizilia latirostris, *Pr. B.*

S. America (Peru).

1308. TROCHILUS NORRISSII.

Trochilus Norrissii, *Bourc.* Polytmus Norrissii, *G. R. Gr.*Amazilius Norrissii, *Pr. B.*

S. America (Ecuador).

1309. TROCHILUS RIEFFERI.

B. M.

Trochilus Riefferi, *Bourc.* Polytmus Riefferi, *G. R. Gr.*Amazilius Riefferi, *Pr. B.*

S. America (New Granada and Gorgona Island).

1310. ?TROCHILUS PHŒBE.

Ornismya Phœbe, *Less. & Delattr.* Mellisuga Phœbe, *G. R. Gr.*

S. America (Peru).

1311. *TROCHILUS AGLAIÆ.*

Trochilus aglaiæ, *Bourc. & Muls.* *Polytmus aglaiæ*, *G. R. Gr.*
Amazilius aglaiæ, *Pr. B.*

S. America (——?)

1312. *TROCHILUS CORALLIROSTRIS.*

B. M.

Trochilus corallirostris, *Bourc. & Muls.* *Polytmus coralliro-*
stris, *G. R. Gr.* *Amazilius corallirostris*, *Pr. B.*

Central America (Guatimala).

1313. *TROCHILUS ARSINOË.*

B. M.

Ornismya Arsinoë, *Less. Ois. Mouch. Suppl. t. 28.* *Trochilus*
(*Les Amaziles*) *Arsinoë*, *Less.* *Cynanthus arsinöe*, *Jard.*
Polytmus arsinöe, *G. R. Gr.* *Amazilius arsinöe*, *Pr. B.*

Central America (Mexico).

1314. *TROCHILUS SOPHIÆ.*

Trochilus Sophiæ, *Bourc.* *Polytmus Sophiæ*, *G. R. Gr.*
Amazilius sphiæ, *Pr. B.*

S. America (New Granada).

1315. *TROCHILUS EDWARD.*

B. M.

Trochilus Edward, *Delattr. & Bourc.* *Polytmus Edwardsii*, *G.*
R. Gr. *Amazilius Edwardsii*, *Pr. B.*

Central America (Panama).

1316. *TROCHILUS DUMERILII.*

Ornismya Dumerilii, *Less. Ois. Mouch. Suppl. t. 36.* *Polyt-*
mus Dumerilii, *G. R. Gr.* *Amazilius Dumerilii*, *Pr. B.*

S. America (Chili?).

b, b, b. *Chrysures*, *Less.* 1829.

Chrysurontia, *Pr. B.* 1850.

1317. *TROCHILUS CENONE.*

B. M.

Ornismya ænone, *Less. Col. Suppl. t. 30.* *Trochilus* (*Les*
Chrysures) *ænone*, *Less.* *Cynanthus ænone*, *Jard.* *Polytmus*
ænone, *G. R. Gr.* *Chrysuronia ænone*, *Pr. B.*

Island of Trinidad.

1318. *TROCHILUS JOSEPHINÆ*.*Trochilus Josephinæ*, *Bourc. & Muls.*

America (———?)

1319. *TROCHILUS CHRYSURUS*.*Trochilus chrysurus*, *Shaw*. *Ornismya chrysura*, *Less. Ois. Mouch. Suppl. t. 4.* *Trochilus* (Les Chrysures) *chrysura*, *Less.* *Phæthornis?* *chrysurus*, *Jard.* *Polytmus chrysurus*, *G. R. Gr.* *Chrysuronia chrysura*, *Pr. B.*

S. America (Brazil).

1320. *TROCHILUS ELICLÆ*.*Trochilus eliclæ*, *Bourc. & Muls.* *Polytmus eliclæ*, *G. R. Gr.* *Chrysuronia eliclæ*, *Pr. B.*

S. America (Brazil).

1321. *TROCHILUS PHAEOPYGUS*.*Trochilus phaeopygus*, *Licht.* T. (Lampornis) *phaeopygus*, *Tschudi.* *Polytmus phaeopyga*, *G. R. Gr.* *Chrysuronia phaeopygus*, *Pr. B.*

S. America (Peru).

c, c, c. *Polytmus*, *Less.* 1832.*Trochilus*, *G. R. Gr.* 1840.1322. *TROCHILUS POLYTMUS*.

B. M.

Trochilus polytmus, *L. Edw. B. pl. 34.* *Vieill. Ois. dor. t. 67.* *Trochilus* (Les Polytmus) *cephalatra*, *Less.* *Ornismya cephalatra*, *Less. Ois. Mouch. t. 17.* *Mellisuga polytmus*, *Boie.* *Cynanthus polytmus*, *Jard. Nat. Libr. xv. pl. 21.* *Polytmus atricapillus*, *Vieill. P. cephalatra*, *Pr. B. Gosse, B. of Jam. pl. 19, 20.*

W. Indies (Jamaica).

d, d, d. *Hylocharis*, *Boie*, 1831.1323. *TROCHILUS SAPPHIRINUS*.

B. M.

Trochilus sapphireus, *Gm.* *Vieill. Ois. dor. t. 35, 58.* T. *latirostris*, *Pr. Max.?* *Ornismya sapphirina*, *Less. Ois. Mouch. t. 55, 57.* *Troch.* t. 15. *Trochilus* (*Hylocharis*) *sapphirinus*, *Less.* *Hylocharis sapphirinus*, *Boie.* *Mellisuga sapphirina*, *Steph.* *Cynanthus sapphirinus*, *Jard. Nat. Libr. xiv. pl. 28.*

S. America (Guiana, Brazil).

1324. *TROCHILUS LACTEUS*.

B. M.

Ornismya lactea, *Less. Ois. Mouch.* t. 56. *Trochilus* (*Hylocharis*) *lacteus*, *Less.* *Hylocharis lactea*, *G. R. Gr.*

S. America (Brazil).

1325. *TROCHILUS PUCHERANI*.

Trochilus Pucherani, *Bourc. & Muls.*

S. America (Brazil).

1326. *TROCHILUS CYANEUS*.

B. M.

Trochilus cyaneus, *Vieill.* *Ornismya cyanea*, *Less. Ois. Mouch.* t. 71. *Suppl.* t. 23. *Troch.* i. 22. *Trochilus* (*Les Bleuets*) *cyaneus*, *Less.* *Hylocharis cyaneus*, *Boie.* *Thaumatias cyaneus*, *Pr. B. Nat. Libr.* xiv. pl. 7.

S. America (Brazil).

1327. *TROCHILUS DOUBLEDAYI*.

Trochilus Doubledayi, *Bourc.* *Hylocharis Doubledayii*, *G. R. Gr.* *Thaumatias Doubledayi*, *Pr. B.*

S. America (Brazil?).

1328. *TROCHILUS DUXCHASSAINGUI*.

Trochilus Duxchassaingui, *Bourc.*

S. America (Ecuador).

1329. *TROCHILUS FELICLÆ*.

Ornismya Feliciæ, *Less.*

S. America (Brazil).

—————?

1330. *TROCHILUS CÆRULEUS*.

B. M.

Trochilus cæruleus, *Vieill. Ois. dor.* t. 40. *Ornismya Audebertii*, *Less. Ois. Mouch.* t. 51. *Trochilus* (*Hylocharis*) *Audebertii*, *Less.* *Cynanthus?* *cæruleus*, *Jard.* *Hylocharis cærulea*, *G. R. Gr.* *Thaumatias cærulea*, *Pr. B.*

S. America (Guiana).

1331. *TROCHILUS PHÆTON*.

Trochilus Phæton, *Bourc. & Muls.*

America (———?).

1332. *TROCHILUS BICOLOR*. B. M.
Trochilus bicolor, *Gm.* *Ois. dor.* t. 36. *T. smaragdo-sapphirinus* et *T. lucidus*, *Shaw.* *T. azureus*, *Licht.* *T. splendidus*, *Vieill.* *Ornismya bicolor*, *Less. Ois. Mouch.* t. 49, 50. *Troch.* t. 16. *Trochilus (Hylocharis) bicolor*, *Less.* *Hylocharis bicolor*, *G. R. Gr.* *Thaumatias bicolor*, *Pr. B.* *Mellisuga smaragdo-sapphirina* et *M. lucida*, *Steph.*

S. America (Guiana).

————— ?

1333. *TROCHILUS GRAYI*. B. M.
Trochilus Grayi, *Delattr. & Bourc.* *Hylocharis Grayii*, *G. R. Gr.*

S. America (New Granada).

1334. *TROCHILUS SIMILA*. B. M.
Trochilus simila, *Bourc.* *Hylocharis simila*, *G. R. Gr.*

S. America (Bolivia).

1335. *TROCHILUS LEUCOTIS*. B. M.
Trochilus leucotis, *Vieill.* *T. leucoerotaphus*, *Shaw.* *T. melanotis*, *Sw.* *T. cuculliger*, *Licht.*? *Ornismya Arsennii*, *Less. Ois. Mouch.* t. 9. *Suppl.* t. 27. *Hylocharis leucotis*, *G. R. Gr.* *Thaumatias leucotis*, *Pr. B.*

S. America (Mexico, Brazil).

1336. *TROCHILUS GUIMETI*. B. M.
Trochilus Guimeti, *Bourc. & Muls. Ann. Sci. Phys. &c. de Lyon*, 1843, t. 2. *Hylocharis Guimeti*, *G. R. Gr.*

S. America (Venezuela).

————— ?

1337. *TROCHILUS PRASINUS*. B. M.
Trochilus viridissimus, var. *Lath.* *T. prasinus*, *Jard. Nat. Libr.* xiv. pl. 8. *Ornismya prasina*, *Less. Ois. Mouch.* t. 65. *Trochilus (Hylocharis) prasinus*, *Less.* *Hylocharis prasina*, *G. R. Gr.*

S. America (Brazil).

1338. *TROCHILUS CYANOGENYS*. B. M.
Trochilus cyanogenys, *Pr. Max.* *T. viridissimus*, var. β .,
Lath. Edw. B. pl. 360, f. 1. *Trochilus* (*Hylocharis*)
Wiedii, *Less.* *Ornismya Wiedii*, *Less. Ois. Mouch. Suppl.*
 t. 26. *Hylocharis cyanogenys*, *G. R. Gr.* *Saucerottia cyano-*
genys, *Pr. B.*
 S. America (Brazil).
1339. *TROCHILUS VIRIDIGASTER*. B. M.
Trochilus viridigaster, *Bourc.* *Hylocharis viridigaster*, *G.*
R. Gr.
 S. America (New Granada).
1340. *TROCHILUS MARIÆ*.
Trochilus mariæ, *Bourc. & Muls.* *Hylocharis mariæ*, *G. R.*
Gr.
 S. America (Venezuela).
1341. *TROCHILUS CHRYSOGASTER*. B. M.
Trochilus chrysogaster, *Bourc.* *Hylocharis chrysogaster*, *G.*
R. Gr.
 S. America (New Granada).
1342. *TROCHILUS ANGUSTIPENNIS*.
Trochilus angustipennis, *Fras.* *Hylocharis angustipennis*, *G.*
R. Gr.
 S. America (Sta Fè de Bogota).
1343. *TROCHILUS PORTMANNI*. B. M.
Ornismya Portmanni, *Bourc.* *Hylocharis Portmanni*, *G. R.*
Gr.
 S. America (Columbia).
1344. *TROCHILUS ALICE*.
Trochilus alicæ, *Bourc. & Muls.*
 S. America (Venezuela).
1345. *TROCHILUS ATALA*.
Trochilus atala, *Less. Troch.* t. 42. *Hylocharis atala*, *G. R.*
Gr. *Saucerottia atala*, *Pr. B.*
 S. America (Brazil).

1346. *TROCHILUS MELLISUGUS.*

Trochilus mellisugus, *L. Pl. enl.* 276. f. 3. *Orthorhynchus mellisugus*, *Cuv.* *Mellisuga concinna*, *Steph.* *Polytmus mellisugus*, *G. R. Gr.* *Thaumatias mellisugus*, *Pr. B.* *Ornismya albirostris*, *p. Less.*

S. America (Guiana).

1347. ? *TROCHILUS MINULLUS.*

Trochilus minullus, *Vieill.* *Ornismya minima*, *Less. Ois. Mouch.* t. 79. *Polytmus minullus*, *G. R. Gr.*

W. Indies (St. Domingo).

e, e, e. *Augastes*, *Gould*, 1850.

1348. *TROCHILUS SUPERBUS.*

B. M.

Trochilus superbus, *Vieill.* *T. scutatus*, *Natt. Pl. col.* 299, f. 3. *Ornismya Nattereri*, *Less. Ois. Mouch.* t. 16. *Trochilus* (Les Coquets) *Nattereri*, *Less.* *Orthorhynchus scutatus*, *Cuv.* *Mellisuga scutata*, *Steph.* *Hylocharis superba*, *G. R. Gr.* *Augastes scutata*, *Gould.* *A. superba*, *Pr. B. Nat. Libr.* xiv. pl. 14.

S. America (Brazil).

1349. *TROCHILUS LUMACHELLUS.*

B. M.

Ornismya lumachella, *Less.* *Hylocharis lumachella*, *G. R. Gr.* *Augastes lumachella*, *Gould.*

S. America (Brazil).

f, f, f. *Heliothrix*, *Boie*, 1831.
Jacobines, *Less.* 1829.

1350. *TROCHILUS AURITUS.*

B. M.

Trochilus auritus, *Gm. Vieill. Ois. dor.* t. 25, 26. *Ornithorhynchus auritus*, *Cuv.* *Trochilus* (Les Jacobines) *auritus*, *Less.* *Ornismya aurita* et *O. nigrotis*, *Less. Ois. Mouch.* t. 10, 11. *Heliothryx auritus*, *Boie.* *Mellisuga aurita*, *Steph. Sw. B. of Braz.* pl. 29.

S. America (Guiana, Brazil).

1351. *TROCHILUS AURICULATUS.*

B. M.

Ornismya Poucheti, *Less.* *Trochilus auriculatus*, *Licht. Erman, Verz. von Thier. und Pflanz.* t. 2, f. 1, 2. *Heliothrix Poucheti*, *Pr. B. H. auriculatus*, *G. R. Gr.*

S. America (Brazil).

1352. *TROCHILUS BARROTTII*.

Trochilus Barrotti, *Bourc. Ann. Sci. Phys. &c. de Lyon*, 1843, t. 4. *Heliothrix Barrotti*, *G. R. Gr.*

S. America (New Granada).

1353. *TROCHILUS GEOFFROYII*.

B. M.

Trochilus Geoffroyii, *Bourc. & Muls. Ann. Sci. Phys. &c. de Lyon*, 1843, t. 3. *Petasophora*? *Geoffroyi*, *Gould*. *Polytmus Geoffroyi*, *G. R. Gr.* *Colibri Geoffroyi*, *Pr. B.*

S. America (New Granada).

1354. ? *TROCHILUS AZARÆ*.

Trochilus Azaræ, *Vieill.* *Hylocharis Azaræ*, *G. R. Gr.*

S. America (Paraguay).

1355. ? *TROCHILUS CINNAMOMEUS*.

Ornismya cinnamomea, *Less.* *Polytmus cinnamomeus*, *G. R. Gr.*

Central America (Mexico, Guatemala).

1356. ?? *TROCHILUS MINIMUS*.

Trochilus minimus, *L. Briss. Orn.* iii. t. 36, f. 1. *Pl. enl.* 276, f. 1. *Edw. B.* pl. 105. *Shaw, Nat. Misc.* pl. 489. *Vieill. Ois. dor.* t. 64. *Mellisuga minima*, *Steph.*

S. America.

1357. ?? *TROCHILUS GIBSONI*.

Trochilus Gibsoni, *Lodd.* *Mellisuga Gibsoni*, *G. R. Gr.*

America (——?)

1358. ?? *TROCHILUS MULTICOLOR*.

Trochilus multicolor, *Gm. Lath. Gen. Syn. Suppl.* pl. 111. *Vieill. Ois. dor.* t. 69. *Nat. Misc.* pl. 81. *Less. Ois. Mouch.* t. 72. *Trochilus (Glaucis) multicolor*, *Less.* *Polytmus*? *multicolor*, *G. R. Gr.*

America ?? (——?).

IV. MELIPHAGIDÆ.

Meliphagidæ, *Vigors*, 1825; *Sw.* 1831—37; *G. R. Gr.* 1840—41—46; *Pr. B.* 1849—50; *Bl.* 1849.

Trochilidæ, p. 1831; Maluridæ, p. 1850; *Pr. B.*

Pycnonotidæ, p. *Bl.* 1849.

Gymnopides, p.; Meliphagides, *Sundev.* 1835.

Menurinae, p. *Gould*, 1848.

i. MYZOMELINÆ.

Myzomelinae, *G. R. Gr.* 1840—41—46; *Cab.* 1847; *Pr. B.* 1849.

Meliphaginae, p. *Bl.* 1849; *Pr. B.* 1850.

1. MYZOMELA.

Myzomela, *Vig. & Horsf.* 1826.

Phylidonyris, *Less.* 1831.

1359. MYZOMELA SANGUINOLENTA.

B. M.

Certhia sanguinolenta, *C. dibapha* et *C. erythropygia*, *Lath.*
C. australasie, *Leach*, *Zool. Misc.* pl. 11. *Meliphaga* san-
guinea, *Steph.* *M. cardinalis*, *Vig. & Horsf.* *M. sanguino-*
lenta, *Temm.* *Melithreptus sanguinolentus*, *M. erythropterus*,
et *M. dibaphus*, *Vieill.* *Myzomela sanguinolenta*, *Gould*, *B. of*
Austr. iv. pl. 63. *M. dibapha*, *G. R. Gr.*

New South Wales and N. Australia.

1360. MYZOMELA ERYTHROCEPHALA.

Myzomela erythrocephala, *Gould*, *B. of Austr.* iv. pl. 64.

N. Australia.

1361. MYZOMELA PECTORALIS.

Myzomela pectoralis, *Gould*, *B. of Austr.* iv. pl. 65.

N. Australia.

1362. MYZOMELA OBSCURA.

B. M.

Myzomela obscura, *Gould*, *B. of Austr.* iv. pl. 67.

N. Australia.

1363. MYZOMELA NIGRA.

B. M.

Myzomela nigra, *Gould, B. of Austr.* iv. pl. 66.

Australia (except Van Diemen's Land).

1364. MYZOMELA LAFARGEI.

Myzomela ———, *Homb. & Jacq. Voy. au Pole Sud, Ois.* t. 22, f. 5.

1365. MYZOMELA SOLITARIA.

Myzomela ———, *Homb. & Jacq. Voy. au Pole Sud*, t. 22, f. 6.

1366. MYZOMELA CHERMESINA.

B. M.

Myzomela chermesina, *G. R. Gr. & Mitch. Gen. of B.* pl. 38.

—————?

1367. MYZOMELA CARDINALIS.

B. M.

Certhia cardinalis, *Gm. Lath. Gen. Syn.* t. 33, f. 2. *Nectarinia cardinalis*, *Steph.* *Melithreptus cardinalis*, *Vieill.* *Meliphaga cardinalis*, *p. Vig. & Horsf.* *Myzomela nigriventris*, *Peale, U. S. Expl. Exped.* viii. 150, pl. 41, f. 1.

New Hebrides (Island of Tanna) and Navigators' Islands.

1368. MYZOMELA RUBRATRA.

Cinnyris rubrater, *Less. Kittl. Kupf.* t. 8, f. 1.

Islands of the S. Sea.

1369. MYZOMELA VIEILLOTHI.

Certhia cardinalis, *Vieill. Ois. dor.* t. 58. *Shaw, Gen. Zool.* viii. pl. 35, low. f. ♂.

Island of the S. Sea?

1370. MYZOMELA JUGULARIS.

Myzomela jugularis, *Peale, U. S. Expl. Exped.* viii. p. 150, pl. 41, f. 2.

Feejee Islands.

1371. MYZOMELA VULNERATA.

Myzomela vulnerata, Müll. *Verh. Nat. Gesch. Nederl.* t. 10, f. 3, 4.

Timor.

1372. MYZOMELA BOIEI.

Myzomela Boiei, Müll. *Verh. Nat. Gesch. Nederl.* t. 10, f. 1, 2.

Banda.

1373. ? MYZOMELA GUTTATA.

Certhia guttata, Vieill. *Ois. dor.* t. 59. *Meliphaga guttata*, Temm. *Myzomela guttata*, G. R. Gr.

New Holland (?)

2. ACANTHORHYNCHUS.

Acanthorhynchus, Gould, 1837.

Leptoglossus, Sw. 1837.

1374. ACANTHORHYNCHUS TENUIROSTRIS.

B. M.

Certhia tenuirostris, Lath. *C. cucullata* et *C. semitorquata*, Shaw. *Melithreptus tenuirostris*, *M. cucullatus* et *M. collaris*, Vieill. *Ois. dor.* t. 60, 56. *Meliphaga cucullata*, Steph. *M. tenuirostris*, Vig. & Horsf. *Philemon cucullatus*, Vieill. *Philedon cucullatus*, Cuv. *Acanthorhynchus tenuirostris* et *A. dubius*, Gould, *B. of Austr.* iv. pl. 61. *Leptoglossus cucullatus*, Sw. *Nectarinia semitorquata*, Cuv. *Furnarius semitorquatus*, Steph.

New South Wales and Van Diemen's Land.

1375. ACANTHORHYNCHUS SUPERCILIOSUS.

B. M.

Acanthorhynchus superciliosus, Gould, *B. of Austr.* iv. pl. 62.

W. Australia.

3. GLYCIPHILA.

Glyciphila, Sw. 1837.

1376. GLYCIPHILA MELANOPS.

B. M.

Certhia melanops, Lath. Vieill. Ois. dor. t. 86. *C. mellivora*, Shaw. *Philedon mellivora*, Cuv. *P. rubrifrons*, Less. *Meliphaga fulvifrons* et *M. melanops*, Vig. & Horsf. *M. albiventris*, Steph. *Melithreptus melanops*, Vieill. *Glyciphila fulvifrons*, Sw. *G. melanops*, G. R. Gr. Gould, B. of Austr. iv. pl. 28.

Australia (except N. Australia).

1377. GLYCIPHILA ALBIFRONS.

B. M.

Glyciphila albifrons, Gould, B. of Austr. iv. pl. 29.

New South Wales; S. and W. Australia.

1378. GLYCIPHILA FASCIATA.

B. M.

Glyciphila fasciata, Gould, B. of Austr. iv. pl. 30.

N. Australia.

1379. GLYCIPHILA OCULARIS.

B. M.

Glyciphila ocularis et *G. subocularis*, Gould, B. of Austr. iv. pl. 31.

Australia (except Van Diemen's Land).

1380. ? GLYCIPHILA AGILIS.

Certhia agilis, Lath. *Melithreptus agilis*, Vieill. *Glyciphila agilis*, G. R. Gr.

Australia.

1381. ? GLYCIPHILA AURITA.

Merops aurita, Lath. *Philemon auritus*, Vieill. *Glyciphila aurita*, G. R. Gr.

Australia.

1382. ? GLYCIPHILA FUSCA.

Certhia fusca, Gm. Vieill. Ois. dor. t. 65. *Glyciphila fusca*, G. R. Gr. *Tichodroma*? *fusca*, Cuv.

Islands of the S. Sea?

4. ENTOMOPHILA.

a. Entomophila, Gould, 1837.

1383. ENTOMOPHILA PICTA.

B. M.

Entomophila picta, Gould, *B. of Austr.* iv. pl. 50.
New South Wales.

1384. ENTOMOPHILA ALBOGULARIS.

B. M.

Entomophila albugularis, Gould, *B. of Austr.* iv. pl. 51.
N. Australia.

1385. ENTOMOPHILA RUFIGULARIS.

Entomophila rufigularis, Gould, *B. of Austr.* iv. pl. 52.
N. Australia.

b. Melicophila, Gould, 1844.

1386. ENTOMOPHILA PICTA.

B. M.

Melicophaga picta, Gould, *B. of Austr.* iv. pl. 49. Entomophila picta, *G. R. Gr.*
S. and W. Australia.

ii. MELIPHAGINÆ.

Meliphaginæ, *G. R. Gr.* 1840—41—46; *Cab.* 1847; *Pr. B.* 1849 :
Bl. 1849.

Brachypodinæ, *Sw.* 1837.

Phyllorninæ, *Bl.* 1849—50.

Phyllornithinæ, p. *Cab.* 1847.

Timaliinæ, p. *Pr. B.* 1850.

I. MELIPHAGA.

a. Meliphaga, Lew. 1808.

Zanthomyza, *Sw.* 1837.

Xanthomyza, *Strickl.* 1841.

1387. MELIPHAGA PHRYGIA.

B. M.

Merops phrygius, *Lath. Shaw, Zool. N. Holl.* pl. 4. *Meliphaga phrygia*, *Lew. B. of N. Holl.* pl. 14. *Philemon phrygius*, *Vieill.* *Turdus squamatus*, *Vieill. Levaill. Ois. de l'Afr.* t. 116. *Zanthomyza phrygia*, *Sw.* *Xanthomyza phrygia*, *Gould, B. of Austr.* iv. pl. 48. *Philedon phrygius*, *Cuv.* *Anthochæra phrygia*, *Vig. & Horsf.*

New South Wales and S. Australia.

b. *Ptilotis*, *Sw.* 1837.

1388. MELIPHAGA CHRYSOTIS.

B. M.

Certhia chrysotis, *Lath. C. xanthotis*, *Shaw. Vieill. Ois. dor.* t. 84. *Meliphaga chrysotis*, *Lew. B. of N. Holl.* pl. 5. *G. R. Gr. M. Lewinii*, *G. R. Gr. M. xanthotis*, *Steph.* *Ptilotis chrysotis*, *Gould, B. of Austr.* iv. pl. 32. *P. Lewinii*, *Sw.* *Philedon xanthotis*, *Cuv.* *Philemon chrysotis*, *Vieill.*

New South Wales.

1389. MELIPHAGA ANOLOGUS.

Ptilotis ———, *Voy. au Pole Sud*, t. 17, f. 2.

—————?

1390. MELIPHAGA SONORA.

B. M.

Ptilotis sonora, *Gould, B. of Austr.* iv. pl. 33. *Meliphaga sonora*, *G. R. Gr.*

New South Wales; and S. and W. Australia.

1391. MELIPHAGA VERSICOLOR.

Ptilotis versicolor, *Gould, B. of Austr.* iv. pl. 34. *Meliphaga versicolor*, *G. R. Gr.*

N. Australia.

1392. MELIPHAGA FLAVIGULA.

B. M.

Ptilotis flavigula, *Gould, B. of Austr.* iv. pl. 35. *Meliphaga flavigula*, *G. R. Gr.* *Melithreptes flavicollis*, *Vieill.?*

Van Diemen's Land.

1393. MELIPHAGA LEUCOTIS.

B. M.

Turdus leucotis, *Lath. Lew. B. of N. Holl.* pl. 20. *Meliphaga leucotis*, *Temm. Pl. col.* 435. *Ptilotis leucotis*, *Gould, B. of Austr.* iv. pl. 36. *Philedon leucotis*, *Cuv. Jard. & Selby, Illustr. Orn.* pl. 35, f. 2. *Voy. de l'Astrol.* t. 8, f. 1.

New South Wales and W. Australia.

1394. MELIPHAGA AURICOMIS.

B. M.

Muscicapa auricomis, *M. novæ hollandiæ* et *M. mystacea*, *Lath. Certhia auriculata*, *Shaw. C. chrysotis*, *Don. Nat. Rep.* pl. 112. *Turdus melanops*, *Lath. Philedon auricomis*, *Cuv. Philemon auricomis* et *P. erythrotis*, *Vieill. Ois. dor.* t. 85. *Ptilotis auricomis*, *Sw. Zool. Illustr.* pl. 43. *Gould, B. of Austr.* iv. pl. 37. *P. melanops*, *G. R. Gr. Meliphaga auricomis*, *Vig. & Horsf. M. melanops*, *Temm.*

New South Wales.

1395. MELIPHAGA CRATITIA.

Ptilotis cratitia, *Gould, B. of Austr.* iv. pl. 38. *Meliphaga cratitia*, *G. R. Gr.*

S. Australia.

1396. MELIPHAGA ORNATA.

B. M.

Ptilotis ornata, *Gould, B. of Austr.* iv. pl. 39. *Meliphaga ornata*, *G. R. Gr.*

W. Australia.

1397. MELIPHAGA PLUMULA.

Ptilotis plumula, *Gould, B. of Austr.* iv. pl. 40. *Meliphaga plumula*, *G. R. Gr.*

W. Australia.

1398. MELIPHAGA FLAVESCENS.

B. M.

Ptilotis flavescens, *Gould, B. of Austr.* iv. pl. 41. *Meliphaga flavescens*, *G. R. Gr.*

N. Australia.

1399. MELIPHAGA FLAVA.

Ptilotis flava, *Gould, B. of Austr.* iv. pl. 42. *Meliphaga flava*,
G. R. Gr.

N. Australia.

1400. MELIPHAGA PENICILLATA.

B. M.

Ptilotis et Meliphaga penicillata, *Gould, B. of Austr.* iv.
pl. 43.

New South Wales and S. Australia.

1401. MELIPHAGA FUSCA.

B. M.

Ptilotis et Meliphaga fusca, *Gould, B. of Austr.* iv. pl. 44.

New South Wales.

1402. MELIPHAGA CHRYSOPS.

B. M.

Sylvia chrysops, *Lath.* *Meliphaga chrysops*, *Vig. & Horsf.*
Ptilotis chrysops, *Gould.* *Jard. & Selby, Illust. Orn.* pl. 35, f.
1. *B. of Austr.* iv. pl. 45.

New South Wales and S. Australia.

1403. MELIPHAGA UNICOLOR.

B. M.

Ptilotis unicolor, *Gould, B. of Austr.* iv. pl. 46. *Meliphaga*
unicolor, *G. R. Gr.*

N. Australia.

1404. MELIPHAGA MACULATA.

Meliphaga maculata, *Temm.* *Pl. col.* 29, f. 1. *Philedon ma-*
culatus, *Cuv.* *Ptilotis maculata*, *Müll.*

Timor.

1405. MELIPHAGA RETICULATA.

B. M.

Meliphaga reticulata, *Temm.* *Pl. col.* 29, f. 2. *Philedon reti-*
culatus, *Cuv.* *Ptilotis reticulata*, *Müll.*

Timor.

1406. MELIPHAGA LIMBATA.

Ptilotis limbata, *Müll.*

Timor.

1407. MELIPHAGA FUMATA.

Ptilotis fumata, Müll. *Pr. B. Consp.* p. 392. *Meliphaga concolor*, Temm. MSS.

New Guinea.

c. *Meliornis*, G. R. Gr. 1840.

Meliphaga, Vig. & Horsf. 1826.

1408. MELIPHAGA NOVÆ HOLLANDIÆ.

B. M.

Certhia novæ hollandiæ, Lath. *Meliphaga novæ hollandiæ*, Vig. & Horsf. *M. Balgonera*, Steph. *M. barbata*, Sw. Gould, *B. of Austr.* iv. pl. 23. *Melithreptus novæ hollandiæ*, Vieill. *Philedon novæ hollandiæ*, Cuv. *Meliornis novæ hollandiæ*, G. R. Gr. Vieill. *Ois. dor.* t. 57.

New South Wales; S. Australia and Van Diemen's Land.

1409. MELIPHAGA AUSTRALASIANA.

B. M.

Certhia australasiana, Shaw. Vieill. *Ois. dor.* t. 55. *C. pyrrhopterus*, Lath. *Meliphaga australasiana*, Vig. & Horsf. *M. inornata*, Gould, *B. of Austr.* iv. pl. 27. *Melithreptus pyrrhopterus* et *M. melanoleucus*, Vieill. *Philedon australasianus*, Cuv. *Meliornis australasiana*, Pr. B.

New South Wales; S. Australia and Van Diemen's Land.

1410. MELIPHAGA LONGIROSTRIS.

B. M.

Meliphaga longirostris, Gould, *B. of Austr.* iv. pl. 24. *Meliornis longirostris*, Pr. B.

S. Australia.

1411. MELIPHAGA SERICEA.

B. M.

Meliphaga sericea et *M. sericeola*, Gould, *B. of Austr.* iv. pl. 25. *Melithreptus ater*, Vieill. *Ois. dor.* t. 71? *Meliornis sericea*, Pr. B.

New South Wales.

1412. MELIPHAGA MYSTACALIS.

Meliphaga mystacalis, Gould, *B. of Austr.* iv. pl. 26. *Meliornis mystacalis*, Pr. B.

W. Australia.

1413. MELIPHAGA MELANODERA.

Philedon melanodera, Quoy & Gaim. *Voy. de l'Astrol.* t. 8, f. 1.

Meliphaga melanodera, G. R. Gr. *Ptilotis melanodera*, Less.

S. Australia.

1414. ? MELIPHAGA PYRROTIS.

Ptilotis pyrrotis, Less.

—— ?

1415. ? MELIPHAGA FLAVICANS.

Melithreptus flavicans, Vieill.

Australia.

1416. ? MELIPHAGA GILVICAPILLA.

Melithreptus gilvicapillus, Vieill.

Australia.

d. *Creadion*, Vieill. 1816.

1417. MELIPHAGA CARUNCULATA.

B. M.

Certhia carunculata, Gmel. Vieill. *Ois. dor.* t. 69, 70. *Meliphaga carunculata*, Temm. *Creadion musicus*, Vieill. *C. tabuensis*, Steph.

Friendly, Navigators', and Feejee Islands.

e. *Acanthogenys*, Gould, 1837.

1418. MELIPHAGA RUFIGULARIS.

B. M.

Acanthogenys rufigularis, Gould, *B. of Austr.* iv. pl. 53. *Anthochæra rufogularis*, Hartl. *Meliphaga rufogularis*, G. R. Gr.

New South Wales; S. and W. Australia.

f. *Anthochæra*, Vig. & Horsf. 1826.

1419. MELIPHAGA MELLIVORA.

B. M.

Certhia mellivora et *Merops chrysoptera*, Lath. *White's Journ.* pl. p. 240. *C. goruck*, Shaw. *Philedon goruck*, Cuv. *Philemon chrysoptera*, Vieill. *Ois. dor.* t. 88. *Meliphaga chrysoptera* et *M. goruck*, Steph. *Anthochæra mellivora*, Vig. & Horsf. Gould, *B. of Austr.* iv. pl. 56. *Creadion mellivora* Vieill. Gould, *B. of Austr.* iv. pl. 56.

New South Wales; S. Australia and Van Diemen's Land.

1420. MELIPHAGA LUNULATA.

B. M.

Anthochæra lunulata, Gould, *B. of Austr.* iv. pl. 57.

W. Australia.

1421. MELIPHAGA PARADOXA.

B. M.

Merops carunculata, Lath. *White's Voy.* pl. p. 144. *Corvus paradoxus*, Daud. *Tr. d'Orn.* ii. t. 16. *C. carunculatus*, Vieill. *Meliphaga carunculata*, Temm. *Anthochæra Lewinii*, Vig. & Horsf. *Phil. Voy. Bot. Bay*, pl. p. 164. *A. carunculata*, Gould, *B. of Austr.* iv. pl. 55. *Philedon paradoxus*, Cuv.

New South Wales; S. and W. Australia.

1422. MELIPHAGA INAURIS.

B. M.

Anthochæra inauris, Gould, *B. of Austr.* iv. pl. 54. *A. carunculata*, Vig. & Horsf. *Creadion carunculatus*, Vieill. *Gal. des Ois.* t. 94.

Van Diemen's Land.

2. ANTHORNIS.

a. *Anthornis*, G. R. Gr. 1840.
Anthomyza, Sw. 1837.

1423. ANTHORNIS MELANURA.

B. M.

Certhia melanura, Sparr. *Mus. Carls.* t. 5. Vieill. *Ois. dor.* t. 64. *C. sannio*, Gm. *C. olivacea*, Forst. *Cinnyris melanura*, Vieill. *Philemon Dumerilii*, Less. *Voy. de la Coqu.* t. 21, f. 2. *Anthomyza cæruleocephala*, Sw. *Anthornis melanura*, G. R. Gr. *Furnarius? sannio*, Steph. *Philedon Dumerilii*, Cuv. *Meliphaga melanura*, Hartl.

New Zealand.

1424. ANTHORNIS MELANOCEPHALA.

B. M.

Anthornis melanocephala, G. R. Gr. *Voy. Ereb. & Terr. Birds*, pl. 2.

Chatham's Island, near New Zealand.

b. *Prosthemadera*, *G. R. Gr.* 1840.1425. *ANTHORNIS NOVÆ ZEALANDIÆ.*

B. M.

Merops novæ seelandiæ, *Gm.* *Brown, Illustr.* pl. 9. *M. concinnata*, *Lath.* *Levaill. Ois. de l'Afr.* t. 92. *Sturnus crispicollis*, *Daud.* *Certhia concinnata*, *Forst.* *Meliphaga concinnata*, *Temm.* *M. novæ hollandiæ*, *Steph.* *Philedon novæ seelandiæ*, *Cuv.* *Anthochera novæ zealandiæ*, *Vig. & Horsf.* *P. circinnatus*, *Garn.* *Philemon concinnata*, *Vieill.* *Prosthemadera novæ zealandiæ*, *G. R. Gr.*

New Zealand.

3. *POGONORNIS.**Pogonornis*, *G. R. Gr.* 1846.1426. *POGONORNIS CINCTA.*

B. M.

Meliphaga cincta, *Dubus, Bull. Acad. Sc. Brux.* 1839, t. *Ptilotis auritus*, *Lafr. Mag. de Zool.* 1840. *Ois.* t. 11. *P. cincta*, *G. R. Gr.* *Pogonornis cincta*, *G. R. Gr.*

New Zealand.

4. *TROPIDORHYNCHUS.*a. *Tropidorhynchus*, *Vig. & Horsf.* 1826.*Philedon*, p. *Cuv.* 1817.*Philemon*, p. *Vieill.*1427. *TROPIDORHYNCHUS CORNICULATUS.*

B. M.

Merops corniculatus et *M. monachus*, *Lath. White's Voy.* pl. p. 190. *Levaill. Ois. de l'Amer.* t. 24. *Meliphaga corniculata*, *Temm.* *M. monacha*, *Steph.* *Tropidorhynchus corniculatus*, *Vig. & Horsf. Jard. & Selby, Illustr. of Orn.* pl. 133. *Gould, B. of Austr.* iv. pl. 58. *T. diemenensis*, *Less.*² *T. monachus*, *Vig. & Horsf.* *Philedon corniculatus*, *Cuv.* *Creadion corniculatus* et *Philemon monachus*, *Vieill.*

New South Wales.

1428. *TROPIDORHYNCHUS ARGENTICEPS.*

Tropidorhynchus argenticeps, *Gould, B. of Austr.* iv. pl. 58. *Voy. au Pole Sud, Ois.* t. 18, f. 2.

N. Australia.

1429. *TROPIDORHYNCHUS GILOLENSIS*.

Tropidorhynchus gilolensis, *Temm. Pr. B. Consp.* p. 390.
Gilolo.

1430. *TROPIDORHYNCHUS BUCEROIDES*.

Philedon buceroides, *Sw.* *P. corniculatus*, *Mus. Par. Less.*
Tr. d'Orn. t. f. 2. *Tropidorhynchus buceroides*, *G. R. Gr.*
Australia.

1431. *TROPIDORHYNCHUS CITREOGULARIS*.

B. M.

Tropidorhynchus citreogularis, *Gould, B. of Austr.* iv. pl. 60.
New South Wales.

1432. *TROPIDORHYNCHUS SORDIDUS*.

Tropidorhynchus sordidus, *Gould.*
N. Australia.

1433. *TROPIDORHYNCHUS CHRYSOTIS*.

Tropidorhynchus chrysotis, *Less. Voy. de la Coqu.* t. 21, bis.
Philedon chrysotis, *Cuv.* *Myzanthé flaviventer*, *Less.*
New Guinea.

1434. *TROPIDORHYNCHUS INORNATUS*.

B. M.

Tropidorhynchus inornatus, *G. R. Gr. & Mitch. Gen. of B.* pl.
39. *T. timoriensis*, *Müll. & Schl.*? *Philedon (vulturin)*,
Voy. au Pole Sud, Ois. t. 18, f. 1?
Timor.

1435. *TROPIDORHYNCHUS NOVÆ GUINÆÆ*.

Tropidorhynchus novæ guinææ, *Müll. & Schl.*
New Guinea.

1436. *TROPIDORHYNCHUS SUBCORNUTUS*.

B. M.

Tropidorhynchus subcornutus, *Temm. Voy. au Pole Sud, Ois.*
t. 16, f. 1. *T. subcorniculatus*, *Homb. & Jacq.*?

1437. *TROPIDORHYNCHUS BOUROENSIS.*

Tropidorhynchus bouroensis, *Less.* *T. buruensis*, *Pr. B.* *Philedon bouroensis*, *Quoy & Gaim. Voy. de l'Astrol.* t. 8, f. 2.

Moluccas (Island of Bouro).

1438. *TROPIDORHYNCHUS CINERASCENS.*

Tropidorhynchus cinerascens, *Müll. Pr. B. Consp.* p. 390.

Timor.

b. *Leptornis*, *Homb. & Jacq.* 1845.

1439. *TROPIDORHYNCHUS SYLVARUM.*

Leptornis ———? *Voy. au Pole Sud, Ois.* t. 17, f. 1.

c. *Entomyzon*, 1825, et *Entomyza*, 1837, *Sw.*

1440. *TROPIDORHYNCHUS CYANOTIS.*

B. M.

Gracula cyanotis, *Turdus cyaneus* et *Merops cyanops*, *Lath. Lew. B. of N. Holl.* pl. 4. *Meliphaga cyanops*, *Lew. B. of N. Holl.* pl. 4. *M. graculina*, *Steph.* *Entomyzon* et *Entomyza cyanotis*, *Sw. Gould, B. of Austr.* iv. pl. 68. *Philemon cyanops* et *P. cyanotis*, *Vieill.* *Tropidorhynchus cyanotis*, *Vig. & Horsf.* *Certhia graculina*, *Shaw. Vieill. Ois. dor.* t. 87. *Gymnops cyanotis* et *Philedon graculina*, *Cuv.*

New South Wales.

1441. *TROPIDORHYNCHUS ALBIPENNIS.*

B. M.

Entomyza albipennis, *Gould, B. of Austr.* iv. pl. 69. *Tropidorhynchus albipennis*, *G. R. Gr.*

N. Australia.

1442. *TROPIDORHYNCHUS? ANGUSTIPLUMA.*

Entomyza? angustipluma, *Peale, U. S. Expl. Exped.* viii. 147, pl. 40, f. 2.

Island of Hawaii.

1443. TROPIDORHYNCHUS SAMOENSIS.

Merops samoensis, *Hombr. & Jacq.* *Tropidorhynchus samoensis*, *G. R. Gr.* *Entomyza?* *olivacea?* *Peale, U. S. Expl. Exped.* viii. p. 145, pl. 40, f. 1.

Navigator's Islands.

1444. ?TROPIDORHYNCHUS MOLUCCENSIS.

Merops moluccensis, *Gm.* *Philedon moluccensis*, *Cuv.* *Philemon cinereus*, *Vieill.* *Meliphaga moluccensis*, *Temm.* *Tropidorhynchus?* *moluccensis*, *G. R. Gr.*

Molucca.

1445. ??TROPIDORHYNCHUS? VIRIDIS.

Philemon viridis, *Vieill.*

Australia.

1446. ??TROPIDORHYNCHUS? NÆVIUS.

Philemon nævius, *Vieill.*

Australia.

5. PHYLLORNIS.

Phyllornis, *Boie*, 182—?

Chloropsis, *Jard.* 182—?

1447. PHYLLORNIS HARDWICKII.

B. M.

Chloropsis Hardwickii, *Jard. & Selby.* *C. curvirostris*, *Sw.* *C. chrysogaster*, *McClell.* *C. auriventris*, *Deless. Mag. de Zool.* 1840. Ois. t. 17. *C. cyanopterus*, *Hodgs.* *Phyllornis Hardwickii*, *Hodgs.*

India (Nepal).

1448. PHYLLORNIS AURIFRONS.

B. M.

Phyllornis aurifrons, *Temm. Pl. col.* 484, f. 1. *Chloropsis malabaricus*, *Jard. & Selby, Illustr. of Orn.* pl. 5.

India (Assam, Arakan, and Sumatra).

1449. PHYLLORNIS MALABARICUS.

B. M.

Turdus malabaricus, *Gm.* *Chloropsis aurifrons*, *Jerd.* *C. casmarhynchus*, *Tick.* *C. malaccensis*, *Gr.* *Phyllornis malabaricus*, *Boie.* *P. icterocephalus*, *Less.*? *P. casmarhynchus*, *G. R. Gr.*

Ceylon.

1450. PHYLLORNIS JERDONI.

B. M.

Chloropsis gampsorhynchus, *Tick.* *C. casmarhynchus*, *Gr.* *C. cochinsinensis*, *Jerd. Ill. Ind. Zool.* pl. 43. *Phyllornis Jerdoni*, *Bl.*

India.

1451. PHYLLORNIS COCHINCHINENSIS.

B. M.

Turdus cochinchinensis, *Gm. Pl. ent.* 643, f. 3. *T. malabaricus* (*Lath.*), *Bl.* *Certhia cosinsinica*, *Shaw. Vieill. Ois. dor.* t. 77, 78. *Meliphaga javensis*, *Horsf.* *Brachypus?* *cochinchinensis*, *Steph.* *Chloropsis malabaricus*, *Eyton.* *C. moluccensis*, *Gr.* *Philedon cosinsinica*, *Cur.* *Philemon nigricollis*, *Vieill.* *Phyllornis cochinchinensis*, *Boie.* *P. moluccensis*, *G. R. Gr.*

India; Java, Sumatra and Borneo.

1452. PHYLLORNIS SONNERATHI.

B. M.

Chloropsis Sonneratii et *C. gampsorhynchus*, *Jard. & Selby, Illustr. of Orn.* pl. 100 et 7. *C. zosterops*, *Vig.* *Turdus viridis*, *Horsf.* *Phyllornis Mülleri*, *Temm.* *P. Sonneratii*, *G. R. Gr.*

Java, Sumatra and Borneo.

1453. PHYLLORNIS MEDIA.

Phyllornis media, *Müll. Pr. B. Consp.* p. 396.

Sumatra.

1454. PHYLLORNIS ICTEROCEPHALA.

Phyllornis icterocephala v. *malabaricus*, *Temm. Pl. col.* 512, f. 2.

Sumatra.

1455. PHYLLORNIS CYANOPOGON.

B. M.

Phyllornis cyanopogon, *Temm. Pl. col.* 512, f. 1. *P. mysticalis*, *G. R. Gr.* *Chloropsis mysticalis*, *Sw.*

Sumatra.

1456. PHYLLORNIS VENUSTA.

Phyllornis venusta, *Temm. Pr. B. Consp.* p. 396.

Sumatra.

iii. MELITHREPTINÆ.

Melithreptinæ, *G. R. Gr.* 1841—46; *Cab.* 1847; *Pr. B.* 1849.

Manorhininæ, *G. R. Gr.* 1840.

Meliphaginæ, p. et Timalinæ, p. *Pr. B.* 1850.

Sturninæ, p. et Turdinæ, p. *Pr. B.* 1831.

Malurinæ, p. *Cab.* 1847.

1. MANORHINA.

Manorhina, *Vieill.* 1816.

Myzantha, *Vig. & Horsf.* 1826.

Philanthus, *Less.* 1831.

1457. MANORHINA MELANOPHRYS.

B. M.

Turdus melanophrys, *Lath.* *Manorhina viridis*, *Vieill.* *M. melanophrys*, *G. R. Gr.* *Gould, B. of Austr.* iv. pl. 80. *Myzantha flavirostris*, *Vig. & Horsf. Jard. & Selby, Illustr. of Orn.* pl. 78.

New South Wales.

1458. MANORHINA GARRULA.

B. M.

Merops garrulus et *Gracula melanocephala*, *Lath.* *Philemon garrulus* et *P. melanocephalus*, *Vieill.* *Myzantha garrula*, *Vig. & Horsf.* *Meliphaga garrula*, *Steph.* *Manorhina garrula*, *G. R. Gr.* *Gould, B. of Austr.* iv. pl. 76.

New South Wales; S. Australia and Van Diemen's Land.

1459. MANORHINA OBSCURA.

Myzantha obscura, *Gould, B. of Austr.* iv. pl. 77. *Manorhina obscura*, *G. R. Gr.*

W. Australia.

1460. MANORHINA FLAVIGULA.

Myzantha flavigula, Gould, *B. of Austr.* pl. 77. *Manorhina flavigula*, G. R. Gr.

New South Wales.

1461. MANORHINA LUTEA.

B. M.

Myzantha lutea, Gould, *B. of Austr.* iv. pl. 78. *Manorhina lutea*, G. R. Gr.

N. Australia.

1462. ? MANORHINA CITREOLA.

Myzantha citreola, Gould. *Manorhina citreola*, G. R. Gr.

Australia.

2. PSOPHODES.

Psophodes, Vig. & Horsf. 1826.

Timalia, p. Sw.

1463. PSOPHODES CREPITANS.

B. M.

Muscicapa crepitans et *Corvus olivaceus*, Lath. *Psophodes crepitans*, Vig. & Horsf. *Jard. & Selby, Illustr. of Orn.* pl. 60. Gould, *B. of Austr.* iii. pl. 15. *Meliphaga crepitans*, Steph. *Pica olivacea*, Vieill. *P. gularis*, Wagl. *Dasyornis Abeillei*, Less. *Timalia crepitans*, Sw.

New South Wales.

1464. PSOPHODES NIGROGULARIS.

B. M.

Psophodes nigrogularis, Gould, *B. of Austr.* iii. pl. 16.

W. Australia.

3. SPHENOSTOMA.

Sphenostoma, Gould, 1837.

1465. SPHENOSTOMA CRISTATUM.

Sphenostoma cristatum, Gould, *B. of Austr.* pl.

Australia.

4. MELITHREPTUS.

- a. *Melithreptus*, *Vieill.* 1816.
Hæmatops, *Gould*, 1836.
Eidopsarus et *Gymnophrys*, *Sw.* 1837.

1466. MELITHREPTUS LUNATUS. B. M.
Certhia lunata, *Shaw.* *Vieill. Ois. dor.* t. 61. *Meliphaga lunata*, *Steph.* *M. lunulata* et *M. atricapilla*, *Temm. Pl. col.* 335, f. 1. *M. torquata*, *Sw. Zool. Illustr.* pl. 116. *Philedon lunatus*, *Cuv.* *Melithreptus lunulatus*, *Vieill.* *Gould, Jard. & Selby, Ill. of Orn.* pl. 134, f. 2. *Hæmatops lunulatus*, *Gould, B. of Austr.* iv. pl. 72. *Gymnophrys torquatus*, *Sw.*

New South Wales and S. Australia.

1467. MELITHREPTUS ATRICAPILLUS.
Certhia atricapilla, *Lath.* *Meliphaga atricapilla*, *Temm.* *Melithreptus atricapillus*, *Vieill.* *Philedon atricapillus*, *Cuv.*

Australia.

1468. MELITHREPTUS CHLOROPSIS.
Melithreptus chloropsis, *Gould, B. of Austr.* iv. pl. 73.

W. Australia.

1469. MELITHREPTUS ALBIGULARIS.
Melithreptus albigularis, *Gould, B. of Austr.* iv. pl. 74.

New South Wales and N. Australia.

1470. MELITHREPTUS MELANOCEPHALUS. B. M.
Melithreptus melanocephalus, *Gould, B. of Austr.* iv. pl. 75.
Meliphaga atricapilla, *Jard. & Selby, Illustr. of Orn.* pl. 134, f. 1. *Eidopsarus affinis*, *Less.*

Van Diemen's Land.

1471. MELITHREPTUS VIRESCENS. B. M.
Hæmatops validirostris, *Gould, B. of Austr.* iv. pl. 70. *Sturnus virescens*, *Wagl.* *Eidopsarus bicinctus*, *Sw.* *Melithreptus virescens*, *G. R. Gr.* *M. validirostris*, *Gould. Voy. au Pole Sud, Ois.* t. 17, f. 1.

Van Diemen's Land.

1472. *MELITHREPTUS GULARIS*. B. M.
Hæmatops gularis, *Gould*. *Melithreptus gularis*, *G. R. Gr.*
Gould, *B. of Austr.* iv. pl. 71.

New South Wales and S. Australia.

1473. ? *MELITHREPTUS PIPILANS*.
Certhia pipilans, *Lath.* *Melithreptus pipilans*, *Vieill.* M.
atricapillus, p.? *G. R. Gr.* *Meliphaga pipilans*, *Steph.*

Australia.

1474. ? *MELITHREPTUS INORNATUS*.
Sylvia inornata, *Lath.* *Motacilla inornata*, *Vieill.* *Melithreptus*? *inornatus*, *G. R. Gr.*

Australia.

1475. ? *MELITHREPTUS INDISTINCTUS*.
Meliphaga indistincta, *Vig. & Horsf.* *Melithreptus indistinctus*, *G. R. Gr.*

Australia.

1476. ? *MELITHREPTUS BREVIROSTRIS*.
Meliphaga brevirostris, *Vig. & Horsf.* *Melithreptus brevirostris*, *G. R. Gr.*

Australia.

1477. ?? *MELITHREPTUS ALBICAPILLUS*.
Melithreptus albicapillus et *M. albicollis*? *Vieill.*

Australia.

- b. *Plectroramphus*, *G. R. Gr.* 1840.
Plectrorhyncha, *Gould*, 1837.

1478. *MELITHREPTUS LANCEOLATUS*. B. M.
Plectrorhyncha lanceolata, *Gould*, *B. of Austr.* iv. pl. 47.
Plectroramphus lanceolatus et *Melithreptus lanceolatus*, *G. R. Gr.*

New South Wales.

V. CERTHIADÆ.

- Certhiadæ, *Vigors*, 1825; *Sw.* 1831—37; *Pr. B.* 1838—49—50;
G. R. Gr. 1840—41—46; *Cab.* 1847; *Bl.* 1849.
 Anabatidæ, *Cab.* 1847; *Pr. B.* 1849—50.
 Trochilidæ, p. 1831 et Maluridæ, p. 1850, *Pr. B.*
 Sylviadæ, p. *Vigors*, 1825; *Sw.* 1827; *D'Orb. & Lafr.* 1838.
 Dendrocolaptidæ, *Selys*, 1842; *Pr. B.* 1850.
 Tichodromidæ et Megapodiidæ, p. *Selys*, 1842.
 Cracidæ, p. *Vigors*, 1825.
 Menuridæ, p. *Pr. B.* 1849—50.
 Timalidæ, p. Liotrichidæ, p. et Eriodoridæ, p. *Cab.* 1847.
 Brachyuridæ, p. *Bl.* 1849.
 Uppucertbidæ, *D'Orb. & Lafr.* 1838.
 Timalides, p. Anabatides, Certhiades et Menurides, *Sundev.* 1835.

i. FURNARIINÆ.

- Furnariinæ, *G. R. Gr.* 1840—41—46, *Cab.* 1847; *Pr. B.* 1849—
 50.
 Certhianæ, p. *Pr. B.* 1831; *Sw.* 1837.
 Anabatina, p.; Sittinæ, p. et Troglodytinæ, p. *Sw.* 1837.
 Tichodromina? p. *Sw.* 1827.
 Upupinæ, p. *Pr. B.* 1831.

1. FURNARIUS.

- Furnarius, *Vieill.* 1816.
 Opetiorhynchus, *Temm.* 1820.
 Figulus, *Spix*, 1824.

1479. FURNARIUS RUFUS.

B. M.

- Merops rufus*, *Gm.* *Turdus badius*, *Licht.* *Furnarius rufus*,
Vieill. *F. ruficaudus*, *Haril.* *Opetiorhynchus ruficaudus*, *Pr.*
Max. *Figulus albogularis*, *Spix*, *Av. Bras.* t. 78, f. .
Nectarinia rufa, *Cuv.*

S. America (Brazil).

1480. FURNARIUS FIGULUS.

B. M.

Turdus figulus, *Ill.* *Opetiorhynchus rufus*, *Pr. Max.* *Furnarius figulus*, *G. R. Gr.* *F. melanotis*, *Sw.* *T. superciliaris*, *Less.*? *F. rufus*, *Hartl.*?

S. America (Brazil).

1481. FURNARIUS RECTIROSTRIS.

Opetiorhynchus rectirostris, *Pr. Max.* *Furnarius rectirostris*, *G. R. Gr.*

S. America (Brazil).

1482. FURNARIUS ROSEUS.

B. M.

Furnarius roseus, *Less. Illustr. de Zool.* t. 5.

S. America.

1483. FURNARIUS GRISEUS.

B. M.

Furnarius griseus, *Sw.* *Campylorhynchus griseus*, *Cab.*

S. America (Guiana).

1484. FURNARIUS LEUCOPUS.

B. M.

Furnarius leucopus, *Sw.*

S. America (Guiana).

1485. FURNARIUS LONGIPENNIS.

Furnarius longipennis, *Sw.*

S. America (Peru).

1486. FURNARIUS FASCIATUS.

Furnarius fasciatus, *Sw.*

S. America (Peru).

2. CINCLODES.

- a. Cinclodes, *G. R. Gr.* 1840.
Cillurus, *Cab.* 1844.

1487. CINCLODES PATAGONICUS. B. M.
Motacilla patagonica, *Gm.* M. gracula, *Forst.* Sylvia patagonica, *Lath.* *Dixon's Voy.* pl. p. 359. Furnarius Lessonii, *Dum.* F. chilensis, *Less. Tr. d'Orn.* t. 75, f. 1. F. patagonicus, *Hartl.* Opetiorhynchus rupestris, *Kittl. Mem. de l'Acad. St. Petersb.* 1831, t. 1. O. patagonicus, *G. R. Gr.* Uppucerthia rupestris, *D'Orb. & Lafr.* Cinclodes patagonicus, *G. R. Gr.*
S. America (Patagonia, Chili, Bolivia).
1488. CINCLODES VULGARIS. B. M.
Uppucerthia vulgaris, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 57, f. 1. Opetiorhynchus vulgaris et Cinclodes vulgaris, *G. R. Gr.*
S. America (La Plata, Patagonia, Bolivia).
1489. CINCLODES ANTARCTICUS. B. M.
Certhia antarctica et Furnarius fuliginosus, *Less.* Opetiorhynchus antarcticus, *G. R. Gr.* Cinclodes antarcticus, *G. R. Gr.* C. fuliginosus, *Less.*
S. America.
1490. CINCLODES NIGROFUMOSUS. B. M.
Uppucerthia nigrofumosa, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 57, f. 2. Opetiorhynchus nigrofumosus, *G. R. Gr.* O. lanceolatus, *Gould, Voy. of Beagle, Zool.* pl. 20. Cinclodes nigrofumosus, *G. R. Gr.* C. inornatus, *Less.*
S. America (Bolivia, Peru).
1491. CINCLODES MONTANUS. B. M.
Uppucerthia montana, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 56, f. 1. Cinclodes montanus, *G. R. Gr.*
S. America (Peru).

1492. CINCLODES ANDÆCOLA.

B. M.

Uppucerthia andæcola, *D'Orb. & Lafr. Voy. dans l'Amer. Mer.*
Ois. t. 56, f. 2. Cincloides andæcola, *G. R. Gr.*

S. America (Bolivia).

1493. CINCLODES PALLIATUS.

Cincloides palliatus, *Tschudi, Fauna Per.* t. 16, f. 2.

S. America (Peru).

b. Uppucerthia, *I. Geoffr.* 1832.

1494. CINCLODES DUMETORIUS.

B. M.

Uppucerthia dumetoria, *I. Geoffr. & D'Orb.* Uppucerthia dumetorum, *D'Orb. & Lafr. Voy. of Beagle, Birds*, pl. 19. Cincloides dumetorius, *G. R. Gr.*

S. America (Chili).

c. Ochetorhynchus, *Meyen*, 1834.

1495. CINCLODES RUFICAUDUS.

Ochetorhynchus ruficaudus, *Meyen, Nov. Act Acad. Nat. Cur.* xvi. *Suppl.* t. 11. Uppucerthia rupestris, p. *D'Orb. & Lafr.* Cincloides ruficaudus, *G. R. Gr.*

S. America (Chili, Bolivia).

3. LOCHMIAS.

Lochmias, *Sw.* 1827.

Picerthia, *I. Geoffr.* 1832.

1496. LOCHMIAS ST. HILARII.

B. M.

Furnarius St. Hilarii, *Less.* Myiothera nematura, *Licht.* Lochmias squamatula, *Sw. B. of Braz.* pl. 38. L. St. Hilarii, *G. R. Gr.* L. nematura, *Cab.* Myrmothera nematura, *Menétr.*

S. America (Brazil).

4. ENICORNIS.

Enicornis, *G. R. Gr.* 1840.

Eremobius, *Gould*, 1839.

Henicornis, *Pr. B.* 1850.

1497. ENICORNIS PHÆNICURA.

Eremobius phænicura, *Gould, Voy. of Beagle, Birds*, pl. 21.

Enicornis phænicura, *G. R. Gr.*

S. America (Patagonia).

1498. ENICORNIS MELANURA.

B. M.

Enicornis melanura, *G. R. Gr. & Mitch. Gen. of B.* 1, pl.

S. America (Chili).

5. LIMNORNIS.

Limnornis, *Gould*, 1839.

Cinnicerthia, *Less.*

1499. LIMNORNIS CURVIROSTRIS.

Limnornis curvirostris, *Gould, Voy. of Beagle, Birds*, pl. 25.

S. America (La Plata).

1500. ? LIMNORNIS RECTIROSTRIS.

B. M.

Limnornis rectirostris, *Gould, Voy. of Beagle, Birds*, pl. 24.

S. America (La Plata).

1501. LIMNORNIS UNIRUFUS.

Limnornis unirufus, *Lafr.* Cinnicerthia cinnamomea, *Less.*

S. America (New Granada).

1502. LIMNORNIS CANIFRONS.

Limnornis canifrons, *Lafr.*

S. America (New Granada).

6. GEOSITTA.

a. Geositta, Sw. 1837.

1503. GEOSITTA CUNICULARIA. B. M.
Alauda cunicularia, Vieill. *A. fissirostris*, Kittl. *Mem. de l'Acad. St. Petersb.* 1835, t. 3. *Geositta anthoides*, Sw. *G. cunicularia* et *Furnarius cunicularius*, G. R. Gr. *Certhilauda cunicularia*. *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 43, f. 1.

S. America (Paraguay, La Plata, Bolivia, Chili).

1504. GEOSITTA PERUVIANA.
Geositta peruviana, Lafr.

S. America (Peru).

1505. GEOSITTA TENUIROSTRIS. B. M.
Certhilauda tenuirostris, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 43, f. 2. *Geositta tenuirostris*, G. R. Gr.

S. America (Bolivia).

1506. GEOSITTA MARITIMA.
Certhilauda maritima, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 44, f. 1. *Geositta maritima*, G. R. Gr.

S. America (Bolivia).

b. Geobates, Sw. 1837.

1507. GEOSITTA BREVICAUDA. B. M.
Geobates brevicauda, Sw. *Geositta brevicauda*, G. R. Gr.

S. America (Brazil).

7. CINCLOCERTHIA.

Cinclocerthia, G. R. Gr. 1840.
Stenorhynchus, Gould, 1835.

1508. CINCLOCERTHIA RUFICAUDA. B. M.
Stenorhynchus ruficaudus, Gould. *Cinclocerthia ruficauda*.
 Gould.

W. Indies (St. Nevis).

ii. SYNALLAXINÆ.

- Synallaxinæ, *G. R. Gr.* 1846; *Pr. B.* 1849; *Bl.* 1849.
 Certhianæ, *Sw.* 1827.
 Sylviana, p. *Vigors*, 1825.
 Sylvinae, p. *Sittinae*, p. et *Certhinae*, p. *Pr. B.* 1831.
 Oxyrhynchinae, *Sw.* 1831.
 Dacnudinæ, p. *Cab.* 1847.
 Anabatinæ, *Sw.* 1837; *G. R. Gr.* 1840—41; *Cab.* 1847; *Pr. B.* 1849—50.

1. SYNALLAXIS.

- a. *Synallaxis*, *Vieill.* 1818.
Parulus, *Spix*, 1824.

1509. SYNALLAXIS RUFICAPILLA. B. M.
Synallaxis ruficapilla, *Vieill. Gal. des Ois.* t. 174. *S. albes-*
cens, *Temm. Pl. col.* 227, f. 2? *S. cinereus*, *Pr. Max.* *S. pu-*
sillus, *Nordm.*? *Sphenura ruficeps*, *Licht.* *Parulus ruficeps*,
Spix, Av. Bras. t. 86, f. 2.
 S. America (Brazil, Guiana, Bolivia).
1510. ? SYNALLAXIS AZARÆ. B. M.
Synallaxis Azaræ, *D'Orb.*
 S. America (Paraguay).
1511. SYNALLAXIS HUMICOLA. B. M.
Synallaxis humicola, *Kittl. Mem. l'Acad. des Sci. Petersb.*
 1830, t. 6.
 S. America (Chili).
1512. SYNALLAXIS BOLIVIENSIS. B. M.
Synallaxis humicola, *D'Orb. & Lafr. Voy. dans l'Amer. Mer.*
Ois. t. 17, f. 2.
 S. America (Bolivia).

1513. SYNALLAXIS ÆGITHALOIDES. B. M.
Synallaxis ægithaloides, *Kittl. Mem. l'Acad. des Sci. Petersb.*
1830, t. 7. S. Thelotii, *Less.*
S. America (Chili, Patagonia, Bolivia).
1514. SYNALLAXIS LEUCOCEPHALA.
Synallaxis leucocephala, *D'Orb. & Lafr.*
S. America (Patagonia).
1515. SYNALLAXIS FULIGINICEPS.
Synallaxis fuliginiceps, *D'Orb. & Lafr. Voy. dans l'Amer. Mer.*
Ois. t. 17, f. 1.
S. America (Bolivia).
1516. SYNALLAXIS CANDEI.
Synallaxis Candei, *D'Orb. & Lafr.*
S. America (Carthagena).
1517. SYNALLAXIS RUTILANS.
Synallaxis rutilans, *Temm. Pl. col. 227, f. 1.*
S. America (Brazil).
1518. SYNALLAXIS CINERASCENS.
Synallaxis cinerascens, *Temm. Pl. col. 227, f. 3.*
S. America (Brazil).
1519. SYNALLAXIS SETARIA.
Synallaxis setaria, *Temm. Pl. col. 311, f. 2.*
S. America (Brazil).
1520. SYNALLAXIS RUFIGULARIS. B. M.
Synallaxis rufogularis, *Gould, Voy. of Beagle, Birds, pl. 23*
S. America (Patagonia, Chili).
1521. SYNALLAXIS BRUNNEA.
Synallaxis brunnea, *Gould.*
S. America (Patagonia).

1522. SYNALLAXIS SORDIDA.

B. M.

Synallaxis sordida, Less. *S. flavogularis*, Gould, *Voy. of Beagle, Birds*, pl. 24.

S. America (Patagonia).

1523. SYNALLAXIS PALLIDA.

Synallaxis pallida, Pr. Max.

S. America (Brazil).

1524. SYNALLAXIS MELANOPS.

B. M.

Synallaxis melanops, Vieill. *S. dorsomaculata*, D'Orb. & Lafr. *Voy. dans l'Amer. Mer. Ois.* t. 14, f. 2.

S. America (Paraguay, La Plata).

1525. SYNALLAXIS TORQUATA.

B. M.

Synallaxis torquata, Pr. Max. *S. bitorquata*, Lafr. & D'Orb. *Voy. dans l'Amer. Mer. Ois.* t. 15, f. 2.

S. America (Bolivia).

1526. SYNALLAXIS MAXIMILIANI.

B. M.

Synallaxis torquata, D'Orb. & Lafr. *Voy. dans l'Amer. Mer. Ois.* t. 15, f. 1. *S. Maximiliani*, D'Orb.

S. America (Paraguay, Bolivia).

1527. SYNALLAXIS PATAGONICA.

Synallaxis patagonica, D'Orb.

S. America (Patagonia).

1528. SYNALLAXIS ALBICEPS.

B. M.

Synallaxis albiceps, D'Orb. & Lafr. *Voy. dans l'Amer. Mer. Ois.* t. 16, f. 2.

S. America (Bolivia).

1529. SYNALLAXIS STRIATICEPS.

Synallaxis striaticeps, D'Orb. & Lafr. *Voy. dans l'Amer. Mer. Ois.* t. 16, f. 1.

S. America (Bolivia, La Plata).

1530. *SYNALLAXIS TROGLODYTOIDES*.

Synallaxis troglodytoides, *D'Orb.*

S. America (Patagonia).

1531. *SYNALLAXIS RUFICAUDA*.

Synallaxis ruficauda et *Sylvia russeola*, *Vieill.* *S. caudacutus*, *Pr. Max.* *Sphenura mentalis*, *Licht.* *Parulus ruficeps*, *Spix*, *Av. Bras.* t. 86, f. 1. *Opetiorhynchus inundatus*, *Temm.*

S. America (Brazil).

1532. *SYNALLAXIS MALUROIDES*.

Synallaxis maluroides, *D'Orb.* & *Lafr. Voy. dans l'Amer. Mer. Ois.* t. 14, f. 3, 4.

S. America (La Plata).

1533. *SYNALLAXIS ANTHOIDES*.

Synallaxis anthoides, *King.*

S. America (Patagonia).

1534. *SYNALLAXIS PHRYGANOPHILA*.

B. M.

Synallaxis phryganophila, *Vieill.* *S. tecellata*, *Temm. Pl. col.* 311, f. 1.

S. America (Brazil, Paraguay, La Plata).

1535. *SYNALLAXIS CINNAMOMEA*.

B. M.

Certhia cinnamomea, *Gm. Vieill. Ois. dor.* t. 62. *Gal. des Ois.* t. 173. *Synallaxis cinnamomea*, *Sw.* *S. ruficauda*, *Spix*, *Av. Bras.* t. 85, f. 2. *Sphenura cinnamomea*, *Licht.*

S. America (Guiana).

1536. *SYNALLAXIS LAFRESNAYI*.

Synallaxis cinnamomeus, *Lafr.*

S. America (Columbia).

1537. *SYNALLAXIS STRIATICOLLIS*.

Synallaxis striaticollis, *Lafr.*

S. America (Columbia).

1538. SYNALLAXIS UNIRUFUS.

Synallaxis unirufus, *Lafr.*

S. America (Columbia).

1539. SYNALLAXIS FULIGINOSA.

Synallaxis fuliginosus, *Lafr.*

S. America (Columbia).

B. M.

1540. SYNALLAXIS BRACHYURUS.

Synallaxis brachyurus, *Lafr.*

S. America (Columbia).

1541. SYNALLAXIS GULARIS.

Synallaxis gularis, *Lafr.*

S. America (Columbia).

1542. SYNALLAXIS TERRESTRIS.

Synallaxis terrestris, *Jard.*

Island of Tobago.

B. M.

1543. SYNALLAXIS FLAMMULATUS.

Synallaxis flammulatus, *Jard. Contr. Ornith.* 1850, pl.

S. America (Quito).

1544. SYNALLAXIS ———?

Picolaptes ——— No. 13, *G. R. Gr. Levaill. Promer.* t. 29,
f. 1. *Synallaxis* ou *Oxyurus*, *Lafr.*

S. America.

1545. SYNALLAXIS GRISEICAPILLA.

Dendrocolaptes griseicapillus, *Vieill.* *Dendrocolaptes griseicapillus*, *G. R. Gr.* *Synallaxis* ou *Anabates*, *Lafr.*

S. America (Paraguay).

b. *Oxyurus*, *Sw.* 1827.1546. *SYNALLAXIS SPINICAUDA*.

B. M.

Motacilla spinicauda, *Gm.* *M. seticauda*, *Forst.* *Sylvia spinicauda*, *Lath.* *Certhia spinicauda*, *Temm.* *Oxyurus australis* et *O. ornatus*, *Sw.* *O. patagonicus*, *Less.* *O. Supinieri*, *Gould.* *O. spinicaudus*, *G. R. Gr.* *Synallaxis Supinieri*, *Less. Voy. de la Coqu. t. 29, f. 1.* *S. spinicauda*, *G. R. Gr.*

S. America (Patagonia, Chili, Island of Chiloë).

c. *Sylviorthorhynchus*, *O. Des Murs*, 1847.
Schizura, *Cab.* 1848.1547. *SYNALLAXIS DES MURII*.

Sylviorthorhynchus maluroides, *O. Des Murs, Iconogr. Ornith. t. 45.* *S. Des Murii*, *Gay.* *Schizura maluroides*, *Cab.*

S. America (Chili).

2. *ANUMBIUS*.

Anumbius, *D'Orb. & Lafr.* 1838.

Sphenopyga, *Cab.* 1847.

Synallaxis, *Sw.* 1837.

1548. *ANUMBIUS ACUTICAUDATUS*.

B. M.

Anthus acuticaudatus, *Less.* *Anumbius anthoides*, *D'Orb. & Lafr.* *A. acuticaudatus*, *G. R. Gr.* *Synallaxis major*, *Gould, Voy. of Beagle, Birds, pl. 22.* *Furnarius annumbi*, *Vieill.*

S. America (Paraguay, La Plata).

1549. *ANUMBIUS RUBER*.

B. M.

Anumbius ruber, *D'Orb. & Lafr.* *Furnarius ruber*, *Vieill.*

S. America (La Plata, Bolivia).

1550. *ANUMBIUS STRIATICOLLIS*.

Anumbius striaticollis, *D'Orb. & Lafr.*

S. America (La Plata).

1551. ANUMBIUS STRIATICEPS.

B. M.

Anumbius striaticeps, *D'Orb. & Lafr.*

S. America (Bolivia).

1552. ANUMBIUS RUFIFRONS.

B. M.

Anabates rufifrons, *Spix, Av. Bras.* t. 85, f. 1. Sphenura frontalis, *Licht.* Malurus garrulus, *Sw. Zool. Illustr.* pl. 138. Anumbius rufifrons, *D'Orb. & Lafr.* Synallaxis rufifrons, *G. R. Gr.*

S. America (Brazil, Bolivia).

3. DIGLOSSA.

Diglossa, *Wagl.* 1832.Serrirostrum (1838) et Uncirostrum (1839), *D'Orb. & Lafr.*Anchilorhinus et Agrilorhinus, *Pr. B.* 1838.Campylops, *Licht.* 1837.

1553. DIGLOSSA BARITULA.

B. M.

Diglossa baritula, *Wagl.* *G. R. Gr. & Mitch. Gen. of B.* i. pl. 42. Uncirostrum Brelayi, *Lafr.* Agrilorhinus vel Anchilorhinus sittaceus, *Pr. B.* Campylops hamulus, *Licht.* *Kuster, Voeg. Laniadae*, t. 1.

S. America (Mexico).

1554. DIGLOSSA D'ORBIGNYII.

Uncirostrum D'Orbigny, *Boiss.* Diglossa baritula, p. *G. R. Gr.* D. D'Orbigny, *Hartl.*

S. America.

1555. DIGLOSSA SITTOIDES.

B. M.

Serrirostrum sittoïdes, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 58, f. 2. Agrilorhinus olivaceus, *Fras.* Diglossa sittoïdes, *Hartl.*

S. America (Bolivia).

1556. DIGLOSSA SIMILIS.

Diglossa similis, *Lafr.*

S. America (New Granada).

1557. DIGLOSSA MYSTACALIS. B. M.
Diglossa mystacalis, *Lafr.* *D. mystaceus*, *G. R. Gr. & Mitch.*
Gen. of B. i. pl. 42, f. 1.
 S. America (Bolivia).
1558. DIGLOSSA BRUNNEIVENTRIS. B. M.
Diglossa brunneiventris, *O. Des Murs. Iconogr. Ornith.* t. 43.
 S. America (Peru).
1559. DIGLOSSA ATERRIMA. B. M.
Diglossa aterrima, *Lafr.*
 S. America (New Granada).
1560. DIGLOSSA LAFRESNAYII. B. M.
Uncirostrum Lafresnayii, *Boiss.* *Diglossa Lafresnayii*, *Hartl.*
Agrilorhinus Bonapartei, *Fras.* *Diglossa Bonapartei*, *Pr. B.*
 S. America (New Granada).
1561. DIGLOSSA HUMERALIS. B. M.
Agrilorhinus humeralis, *Fras.* *Diglossa Lafresnayii*, p. *G. R.*
Gr. *D. humeralis*, *Hartl.*
 S. America (New Granada).
1562. DIGLOSSA CYANEA. B. M.
Uncirostrum cyaneum, *Lafr.* *Agrilorhinus personatus*, *Fras.*
Diglossa cyanea, *G. R. Gr.* *D. melanopis*, *Tschudi.* *D.*
personata, *Hartl.*
 S. America (New Granada, Peru).
1563. DIGLOSSA ALBILATERA. B. M.
Diglossa albilatera, *Lafr.*
 S. America (Columbia).
1564. DIGLOSSA MAJOR.
Diglossa major, *Cab.*
 S. America (Guiana).

1565. DIGLOSSA CARBONARIA. B. M.
Serrirostrum carbonarium, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 58, f. 1. *Diglossa carbonaria*, *Hartl.*
 S. America (Bolivia).

4. ANABATES.

- a. *Anabates*, *Temm.* 1820.
Anabacerthia, *Lafr.* 18??

1566. ANABATES GUIANENSIS.
Motacilla guianensis, *Gm. Pl. enl.* 686, f. 2. *Sylvia guianensis*, *Lath.* *Anabates ruficaudus*, *Temm.* *A. guianensis*, *Steph.*

S. America (Guiana).

1567. ANABATES AMAUROTIS.
Anabates amaurotis, *Temm. Pl. col.* 238, f. 2. *Xenops nigricapillus*, *Less.*

S. America (Brazil).

1568. ANABATES SUBULATUS.
Sphenura subulatus, *Spix, Av. Bras.* t. 83, f. 1. *Anabates subulatus*, *G. R. Gr.*

S. America (Brazil).

1569. ANABATES CRISTATUS. B. M.
Anabates cristatus, *Spix, Av. Bras.* t. 84.

S. America (Brazil, La Plata).

1570. ANABATES UNIRUFUS.
Anabates unirufus, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 55, f. 1.

S. America (Bolivia).

1571. ANABATES GUTTURALIS.
Anabates gutturalis, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 55, f. 3.

S. America (Patagonia).

1572. ANABATES SUBCRISTATUS.

Anabates subcristatus, *Sw. B. of Bras.* pl. 81. A. lophotes,
Pr. B.?

S. America.

1573. ANABATES LEUCOPHTHALMUS.

B. M.

Anabates leucophthalmus, *Pr. Max.* Sphenura sulphurascens,
Licht. Xenops gularis, *Valenc.* Philydor albogularis, *Spir.*
Av. Bras. t. 74. Anabates albogularis, *Cuv.*

S. America (Brazil).

1574. ANABATES ERYTHROPTALMUS.

Anabates erythroptalmus, *Pr. Max.* O. Des Murs, *Iconogr.*
Ornith. t. 44.

S. America (Brazil).

1575. ANABATES FERRUGINOLENTUS.

Anabates ferruginolentus, *Pr. Max.*

S. America (Brazil).

1576. ANABATES ARADOIDES.

Anabates aradoïdes, *Lafr. Mag. de Zool.* 1832. *Ois.* t. 8.

S. America.

1577. ANABATES RUFICAUDATUS.

Anabates ruficaudatus, *D'Orb. & Lafr.*

S. America (Bolivia).

1578. ANABATES CERTHIOIDES.

Anabates certhioides, *D'Orb. & Lafr.*

S. America (La Plata).

1579. ANABATES MONTANUS.

Anabates montanus, *Tschudi, Fauna Per.* t. 20, f. 2.

S. America (Peru).

1580. ANABATES OCHROLÆMUS.

Anabates ochrolæmus, *Tschudi, Fauna Per.* t. 20, f. 2.

S. America (Peru).

1581. ANABATES MELANORHYNCHUS.

Anabates melanorhynchus, *Tschudi, Fauna Per.* t. 21, f. 1.
S. America (Peru).

1582. ANABATES STRIATUS.

B. M.

Anabates (Sphenura) striatus, *Spix, Av. Bras.* t. 83, f. 2.
(striolatus). A. ruficollaris, *G. R. Gr.* A. striolatus, *Hartl.*
Xenops ruficollaris, *Less. Cent. de Zool.* t. 36. Thripophaga
striolata, p. *Pr. B.*

S. America (Brazil).

1583. ANABATES STRIATICOLLIS.

Anabates striaticollis, *Lafr.* Anabacerthia ———, *Lafr.*
S. America.

1584. ANABATES NIGROPECTUS.

B. M.

Anabates nigropectus, *Lafr. Rev. et Mag. de Zool.* 1850, p.
t. 1, f. 3.

S. America.

1585. ANABATES PYRRHODES.

Anabates pyrrhodes, *Cab.*

S. America (Guiana).

1586. ANABATES SQUAMIGER.

B. M.

Sittasomus perlatus, *Less.* Anabates squamiger, *D'Orb. &*
Lafr. Voy. dans l'Amer. Mer. Ois. t. 54, f. 2.

S. America (Bolivia).

1587. ANABATES GUTTURATUS.

Anabates gutturratus, *D'Orb. & Lafr.*

S. America (Bolivia).

1588. ANABATES STRIGILATUS.

Thamnophilus strigilatus, *Spix, Av. Bras.* t. 36, f. 1.

S. America (Brazil).

1589. ANABATES? MACULATUS.

Dendrocopos maculatus, Vieill. *Dendrocolaptes maculatus*, G. R. Gr. *Dendrocolaptes* (*Xiphocolaptes*) *maculatus*, Less. *Anabates?* *maculatus*, Lafr.

S. America (Paraguay).

1590. ANABATES? MINIATUS.

Dendrocolaptes miniatus, Ill. *Dendrocopos rubricaudatus*, Vieill. *Dendrocolaptes* (*Xiphocolaptes*) *rubricaudatus*, Less. *Picolaptes miniatus*, G. R. Gr. *Anabates* ou *Synallaxis?* Lafr.

S. America (Paraguay).

1591. ANABATES? SUPERCILIOSUS.

Dendrocolaptes superciliosus, Licht. *Dendrocopos pyrrhophæus*, Vieill. *Dendrocolaptes* (*Xiphocolaptes*) *pyrrhophius*, Less. *Picolaptes superciliosus*, G. R. Gr. *Anabates* ou *Synallaxis?* Lafr.

S. America (Paraguay).

b. *Philydor*, Spix, 1824.
Dendroma, Sw. 1837.

1592. ANABATES POLIOCEPHALUS.

B. M.

Sphenura poliocephala, Licht. *Philydor ruficollis*, Spix, Av. Bras. t. 75. *Xenops rufifrons*, Valenc. *Anabates poliocephalus*, G. R. Gr. *A. ruficollis*, Cuv. *Dendroma caniceps*, Sw. *D. poliocephalum*, Harth. "*Dendrocopos rufus*, Vieill." Lafr. *Dendrocolaptes rufus*, G. R. Gr.

S. America (Brazil).

c. *Thripophaga*, Cab. 1847.

1593. ANABATES MACROURUS.

Sphenura striolata, Licht. *Anabates striolata*, Temm. Pl. col. 288, f. 1. *A. macrourus*, Pr. M. *Thripophaga striolata*, Pr. B.

S. America (Brazil).

1594. ANABATES BOISSONNEAUTII.

B. M.

Anabates Boissonneautii, *Lafr.* A. auritus, *Licht.* Tripophaga aurita, *Cab.*

S. America (New Granada, Peru).

5. OXYRHAMPHUS.

Oxyrhamphus, *Strickl.* 18??

Oxyrhynchus, *Temm.* 1820.

1595. OXYRAMPHUS FLAMMICEPS.

B. M.

Oxyrhynchus flammiceps, *Temm. Pl. col.* 125. O. cristatus, *Sw. Zool. Illustr. pl.* 49. O. serratus, *Mikan. Delic. Flor. et Fauna Bras. t.* Oxyramphus flammiceps, *Strickl.*

S. America (Brazil).

II. DENDROCOLAPTINÆ.

Dendrocolaptinæ, *G. R. Gr.* 1840—41—47; *Cab.* 1847; *Pr. B.* 1849—50; *Bl.* 1849.

Certhianæ, p. *Pr. B.* 1831; *Sw.* 1837.

Certhiana, *Sw.* 1827.

1. DENDROCOLAPTES.

a. Dendrocolaptes, *Herm.* 1811.

Dendrocopus, *Vieill.* 1816.

Orthocolaptes et Xiphocolaptes, *Less.* 1840.

1596. DENDROCOLAPTES CERTHIA.

B. M.

Picus certhia, *Bodd. Pl. enl.* 621. Gracula cayanensis, *Gm.*

G. scandens, *Lath. Vieill. Ois. dor. t.* 79. *Levaill. Promer. t.*

26. Dendrocolaptes cayanensis, *Licht.* D. major, *Hoffm.*

D. picumnus, *Licht.* D. communis, *Less.* D. certhia, *G. R.*

Gr. Dendrocopus scandens, *Vieill.* Dendrocolaptes (Ortho-

colaptes) cayanensis, *Less.*

S. America (Guiana, Bolivia, Honduras?)

1597. ? DENDROCOLAPTES VALIDUS.

Dendrocolaptes validus, *Tschudi, Fauna Per.* t. 21, f. 2. *D. cayanensis*, p. *Lafr.* *Dendrocops validus*, *Pr. B.*

S. America (Peru).

1598. ? DENDROCOLAPTES CRASSIROSTRIS.

Dendrocolaptes crassirostris, *Such.* *D. cayanensis* vel *D. platyrostris*, p. *Lafr.*

S. America (Brazil).

1599. DENDROCOLAPTES MAJOR.

B. M.

Dendrocopus major, *Vieill.* *Dendrocolaptes rubiginosus*, *Lafr. Mag. de Zool.* 1833. *Ois.* t. 16. *D. major*, *G. R. Gr.* *Dendrocolaptes* (*Xiphocolaptes*) *major*, *Less.*

S. America (Paraguay, Bolivia).

1600. ? DENDROCOLAPTES CYANOTIS.

Dendrocolaptes cyanotis, *Licht. Levaill. Promer.* t. 25. *D. major*, p. vel *D. falcirostris*, p. *Lafr.*

S. America.

1601. DENDROCOLAPTES DECUMANUS.

B. M.

Dendrocopus albicollis, *Vieill.* *Dendrocolaptes decumanus* (*Ill.*) et *D. picumnus*, p. *Licht. Berl. Trans.* 1820, t. 1, f. 1. *D. albicollis*, *D'Orb. & Lafr.* *Dendrocolaptes* (*Xiphocolaptes*) *decumanus*, *Less.* *Spix, Av. Bras.* t. 87.

S. America (La Plata, Bolivia).

1602. DENDROCOLAPTES FALCIROSTRIS.

B. M.

Dendrocolaptes falcirostris, *Spix, Av. Bras.* t. 88. *D. albicollis*, p. *G. R. Gr.* *Dendrocolaptes lineatocephalus*, *G. R. Gr. & Mitch. Gen. of B.* i. pl. *Dendrocops lineatocephalus*, *Pr. B.*

S. America (Brazil).

1603. DENDROCOLAPTES PROMEROPIRHYNCHUS.

B. M.

Dendrocolaptes (*Xiphocolaptes*) *promeropirhynchus*, *Less.* *Picolaptes promeropirhynchus*, *G. R. Gr.* *D. meropirostris*, *Lafr.*

S. America.

- b. *Dendrocops*, *Sw.* 1837.
Premnocopus, *Cab.* 1847.

1604. *DENDROCOLAPTES PLATYROSTRIS.* B. M.
Dendrocolaptes platyrostris, *Spix*, *Av. Bras.* t. 89. *Dendrocops platyrostris*, *Sw.*
 S. America (Brazil).

1605. ? *DENDROCOLAPTES MELANOCEPS.*
Dendrocolaptes (*Orthocolaptes*) *melanoceps*, *Less.* *D. platyrostris*, p. *Lafr.* *Dendrocops melanoceps*, *Pr. B.*
 S. America.

1606. *DENDROCOLAPTES MULTISTRIGATUS.*
Dendrocolaptes multistrigatus, *Eyton.*
 S. America.

1607. *DENDROCOLAPTES FORTIROSTRIS.*
Dendrocolaptes fortirostris, *Such.* *Dendrocops fortirostris*, *Pr. B.*
 S. America (Brazil).

1608. *DENDROCOLAPTES UNDULATUS.*
Premnocopus undulatus, *Cab.*
 S. America (Guiana).

c. *Dendroplex*, *Sw.* 1827.

1609. *DENDROCOLAPTES PICUS.* B. M.
Dendrocolaptes picus, *Licht.* *D. minor*, *Herm.* *D. chrysolophus*, *Ill.* *D. rectirostris*, *D'Orb. & Lafr.* *Oriolus picus*, *Gm. Pl. enl.* 605. *O. picoides*, *Shaw.* *Dendrocopus rectirostris*, *Vieill.* *Dendrocolaptes* (*Orthocolaptes*) *picus*, *Less.* *Dendroplex* ——— ? *Sw.* *Levaill. Promer.* t. 27.
 S. America (Guiana, Brazil, Bolivia).

1610. *DENDROCOLAPTES PICIROSTRIS.* B. M.
Dendroplex picirostris, *Lafr.* *O. Des Murs, Iconogr. Ornith.* t. 51.
 S. America (New Granada).

d. *Nasica*, *Less.* 1831.

1611. DENDROCOLAPTES LONGIROSTRIS. B. M.
Dendrocolaptes longirostris, *Ill. Levaill. Promer. t. 24.* *Nasica nasalis* et *N. albicollis*, *Less.* *N. longirostris*, *Pr. B. ♂ Lafr.*

S. America (Brazil).

1612. DENDROCOLAPTES FLAVIGASTER. B. M.
Xiphorhynchus flavigaster, *Sw.* *Dryocopus eburneirostris*,
Less. *Nasica flavigaster*, *Lafr.* *Dryocopus flavigaster*, *O.*
Des Murs, Iconogr. Ornith. t. 52. *Picolaptes obsoletus*, p. ? *G.*
R. Gr.

Central America (Mexico).

1613. DENDROCOLAPTES RUGIFUGA.
Nasica rufigula, *Less.*

S. America.

1614. DENDROCOLAPTES GUTTATUS. B. M.
Dendrocolaptes guttatus, *Licht.* *Dendrocops guttatus*, *Pr. B.*
Dendrocolaptes (Orthocolaptes) guttatus, *Less.* *Nasica guttatus*, *Lafr.*

S. America (Brazil, Bolivia ?)

1615. DENDROCOLAPTES PARDALOTUS. B. M.
Dendrocopus pardalotus, *Vieill. Levaill. Promer. t. 30.* *Dendrocolaptes flammeus*, *Licht.* *D. guttatus*, p. *G. R. Gr.*
Dendrocolaptes (Orthocolaptes) guttatus, p. *Less.* *Dendrocops guttatus*, p. *Pr. B.* *Nasica pardalotus*, *Lafr.*

S. America (Guiana, Brazil); Central America (Panama).

1616. DENDROCOLAPTES CHUNCHOTAMBO.
Dendrocolaptes chunchotambo, *Tschudi, Fauna Per. t. 22, f. 1.*
Dendrocops chunchotambo, *Pr. B.* *Nasica pardalotus*, p.
Lafr.? *N. chunchotambo*, *Lafr.*

S. America (Peru).

1617. DENDROCOLAPTES TRIANGULARIS. B. M.
Dendrocolaptes triangularis, *Lafr. Mag. de Zool.* 1845. *Ois.* t. 52. *Nasica triangularis, Lafr. Dendrocincla? triangularis G. R. Gr.*
S. America (Bolivia).
1618. DENDROCOLAPTES GUTTATOIDES.
Nasica guttatoides, Lafr. Rev. Zool. 1850, p. 587.
S. America (Bolivia).
1619. DENDROCOLAPTES MULTIGUTTATUS.
Nasica multiguttatus, Dev. et O. Des Murs, Rev. Zool. 1850, p. 417.
S. America (Brazil).
1620. DENDROCOLAPTES BEAUPERTHUYSII.
Nasica Beauperthysii, Pucher. et Lafr. Rev. Zool. 1850, p. 419.
S. America (Peru, River Amazon).
1621. DENDROCOLAPTES D'ORBIGNYANUS. B. M.
Nasica D'Orbignyianus, Pucher. et Lafr. Rev. Zool. 1850, p. 420.
S. America (Peru).
1622. DENDROCOLAPTES OCELLATUS. B. M.
Dendrocolaptes ocellatus aut guttatus, Spix, Av. Bras. t. 91, f. 1. *Picolaptes ocellatus, G. R. Gr. Nasica ocellatus, Lafr.*
S. America (Brazil).
1623. DENDROCOLAPTES OBSOLETUS. B. M.
Dendrocolaptes obsoletus, Ill. Picolaptes obsoletus, G. R. Gr. Nasica obsoletus, Lafr.
S. America (Brazil, Peru).

1624. DENDROCOLAPTES SUSURRANS. B. M.
Dendrocolaptes susurrans, *Jard.* Nasica susurrans, *Lafr.*

Island of Tobago.

1625. DENDROCOLAPTES BRIDGESII.
Nasica Bridgesii, *Eyton, Contr. to Ornith.* 1849.
S. America (Bolivia).

e. Xiphorhynchus, *Sw.* 1827.

1626. DENDROCOLAPTES TROCHILIROSTRIS. B. M.
Dendrocolaptes trochilirostris, *Licht. Berl. Trans.* 1818, t. 3.
Dendrocopus falcularius, *Vieill. Gal. des Ois.* t. 175. Xiphorhynchus trochilirostris et X. falcularius, *G. R. Gr.* Dendrocolaptes procurvus, *Temm. Pl. col.* 28, f. 4. Xiphorhynchus procurvus, *G. R. Gr.*

S. America (Brazil).

1627. DENDROCOLAPTES PROCURVOIDES.
Xiphorhynchus procurvodes, *Lafr. Rev. Zool.* 1850, p. 376.
S. America (Guiana).

1628. DENDROCOLAPTES LAFRESNAYANUS. B. M.
Dendrocolaptes procurvus, *D'Orb. & Lafr.* D. Lafresnayanus, *D'Orb. Voy. dans l'Amer. Mer. Ois.* t. 55, f. 2. Xiphorhynchus Lafresnayanus, *G. R. Gr.*

S. America (Bolivia).

1629. DENDROCOLAPTES PUCHERANI.
Dendrocolaptes Pucheranii, *Lafr.* Xiphorhynchus Pucheranii, *O. Des Murs, Iconogr. Ornith.* t. 68.

S. America (New Granada).

1630. ? DENDROCOLAPTES LEUCOGASTER.
Xiphorhynchus leucogaster, *Sw.* Picolaptes obsoletus, p. ? *G. R. Gr.*

f. *Picolaptes*, *Less.* 1830.
Tripobrosus, *Cab.* 1847.

1631. *DENDROCOLAPTES ANGUSTIROSTRIS.* B. M.
Dendrocopus angustirostris, *Vieill.* *Dendrocolaptes bivittatus*, *Licht. Berl. Trans.* 1820, t. 2, f. 2. *Spix, Av. Bras.* t. 90, f. 1. *D. rufus*, *Pr. Max.* *Dendrocolaptes* (*Xiphocolaptes*) *bivittatus et angustirostris*, *Less.* *Picolaptes coronatus*, *Less.* *P. tenuirostris*, p. *G. R. Gr.* *P. bivittata*, *G. R. Gr.*

S. America (Paraguay, Bolivia).

1632. *DENDROCOLAPTES SQUAMATUS.* B. M.
Dendrocolaptes squamatus, *Licht. Berl. Trans.* 1820, t. 2, f. 1. *Dendrocolaptes* (*Xiphocolaptes*) *squamatus*, *Less.* *Picolaptes squamatus*, *G. R. Gr.*

S. America.

1633. *DENDROCOLAPTES WAGLERI.*
Dendrocolaptes Wagleri, *Spix, Av. Bras.* t. 90, f. 2. *Picolaptes Wagleri*, *G. R. Gr.*

S. America (Brazil).

1634. *DENDROCOLAPTES TENUIROSTRIS.*
Dendrocolaptes tenuirostris, *Licht. Spix, Av. Bras.* t. 91, f. 2. *D. gracilirostris*, *Steph.* *Dendrocolaptes* (*Xiphocolaptes*) *tenuirostris*, *Less.* *Picolaptes Spixii et P. guttata*, *Less. Cent. Zool.* t. 32. *P. tenuirostris*, *G. R. Gr.*

S. America (Brazil).

1635. *DENDROCOLAPTES LACRYMIGER.* B. M.
Dendrocolaptes lacrymiger, *Lifr. O. Des Murs, Iconogr. Ornith.* t. 70. *Picolaptes lacrymiger*, *Pr. B.*

S. America (Venezuela, Brazil).

1636. *DENDROCOLAPTES AFFINIS.*
Dendrocolaptes affinis, *Lafr.* *D. angustirostris*, *Pr. B.* *Picolaptes affinis*, *G. R. Gr.*

S. America.

1637. DENDROCOLAPTES SOULEYETI.

Dendrocolaptes Souleyetii, *Lafr.* *O. Des Murs. Iconogr. Ornith.* t. 70. Picolaptes Souleyetii, *Pr. B.*

S. America.

1638. DENDROCOLAPTES LINEATICEPS.

Picolaptes lineaticeps, *Lafr. Rev. Zool.* 1850, p. 277.

S. America.

1639. DENDROCOLAPTES ALBOLINEATUS.

Dendrocolaptes albolineatus, *Lafr.* Picolaptes albolineatus, *G. R. Gr.*

S. America (Columbia).

1640. DENDROCOLAPTES VALIDIROSTRIS.

Picolaptes validirostris, *Eyton.*

S. America.

1641. DENDROCOLAPTES ATRIPES.

B. M.

Picolaptes atripes, *Eyton.*

S. America.

1642. DENDROCOLAPTES FUSCUS.

Dendrocopus fuscus, *Vieill.* Dendrocolaptes (Xiphocolaptes) fuscus, *Less.* Dendrocolaptes fuscus, *G. R. Gr.* Picolaptes tenuirostris, p. et P. fuscus, *Lafr.*

S. America.

1643. DENDROCOLAPTES MACULIVENTRIS.

Picolaptes maculiventris, *Less.*

S. America.

- g. Glyphorhynchus, *Pr. Max.* 1831.
 Sittacilla, *Less.* 1837.
 Xenophasia, *Sw.* 183?
 Sphenorhynchus, *Pr. Max.* 1831.

1644. DENDROCOLAPTES CUNEATUS. B. M.
 Dendrocolaptes cuneatus, *Licht. Berl. Trans.* 1818, t. 3, f. 2.
Mag. Zool. 1833. *Ois.* t. 17. *Spix, Av. Bras.* t. 91, f. 3.
 Sphenorhynchus aut Glyphorhynchus ruficaudus, *Pr. Max.*
 G. cuneatus, *G. R. Gr.* Zenophasia platyrhyncha, *Sw.* Sit-
 tacilla ———? *Less.* Neops spirurus, *Vieill. Levaill. Pro-*
mer. t. 31, f. 1. Sittasomus flammulatus, *Lafr.*
 S. America.

- h. Dendrocincla, *G. R. Gr.* 1840.
 Dryocopus, *Pr. Max.* 1831.

1645. DENDROCOLAPTES TURDINUS. B. M.
 Dendrocolaptes turdinus, *Licht. Berl. Trans.* 1818, t. 2, f. 1.
 Dryocopus turdinus, *Pr. Max.* Dendrocincla turdina, *G. R.*
Gr.
 S. America.

1646. DENDROCOLAPTES FUMIGATUS. B. M.
 Dendrocolaptes fumigatus, *Licht. Levaill. Promer.* t. 28.
 Dendrocopus fuliginosus, *Vieill.* Dendrocincla fumigata, *G.*
R. Gr.
 S. America.

1647. DENDROCOLAPTES MERULA.
 Dendrocolaptes merula, *Licht.* Dendrocincla merula, *G. R.*
Gr.
 S. America.

1648. DENDROCOLAPTES PERROTH.
 Dendrocolaptes Perrothii, *Lafr. Mag. Zool.* 1844. *Ois.* t. 54.
 Dendrocincla Perrothii, *G. R. Gr.*
 S. America (Columbia).

1649. DENDROCOLAPTES ATRIROSTRIS.

Dendrocolaptes atrirostris, *D'Orb. & Lafr. Voy. dans l'Amer. Mer.* t. 54, f. 1. *Dendrocincla atrirostris*, *G. R. Gr.*

S. America (Bolivia).

i. *Dendrexetastes*, *Eyton*, 1851.

1650. DENDROCOLAPTES CAPITOIDES.

Dendrexetastes capitoïdes, *Eyton*.

S. America.

2. SITTASOMUS.

Sittasomus, *Sw.* 1827.

1651. SITTASOMUS ERYTHACUS.

B. M.

Dendrocolaptes erythacus, *Licht. Berl. Trans.* 1820, t. 1, f. 2, 3. *D. zenops* et *D. sylviellus*, *Temm. Pl. col.* 72, f. 1. *Sittasomus sylviellus*, *Sw.* *S. olivaceus*, *Pr. Max.* *S. erythacus*, *G. R. Gr.* *S. Temminckii*, *Less.* *Synallaxis sylviellus*, *Cuv. Kittl. Kupf. der Vög.* t. 24, f. 2.

S. America (Brazil, Bolivia).

1652. SITTASOMUS SYLVIROIDES.

Sittasomus sylvioides, *Lafr.*

Central America (Mexico).

1653. SITTASOMUS AMAZONUS.

Sittasomus amazonus, *Déville & O. Des Murs.*

S. America (River Amazon).

1654. SITTASOMUS GRISEUS.

Sittasomus griseus, *Jard.*

W. Indies (Tobago).

iii. CETHIANÆ.

Cethianæ, *Pr. B.* 1831—38—49—50; *Sw.* 1837; *G. R. Gr.* 1840—41—47; *Cab.* 1847; *Bl.* 1849.

Tichodromina? p. *Sw.* 1827.

Tichodrominæ, *Pr. B.* 1849.

Sittinæ, p. *Sw.* 1831; *Bl.* 1849.

1. CETHIA.

Cethia, *L.* 1735.

1655. CETHIA FAMILIARIS.

B. M.

Cethia familiaris, *Brehm. Naum. Vög. Deuts.* 1826, v. t. 140. *C. scandulaca*, *Pall.* *C. macrodactyla*, *C. septentrionalis*, *C. brachydactyla*, et *C. megarhynchus*, *Brehm. Yarr. Brit. B.* 2 ed. ii. 165, fig. *Pl. enl.* 681, f. 1. *Gould, B. of Eur.* pl. 237.

Great Britain; Europe.

1656. CETHIA NATTERERI.

B. M.

Cethia Nattereri, *Pr. B.* *C. Costæ*, *Parzud.*

Central Europe.

1657. CETHIA AMERICANA.

Cethia familiaris, *Wils. Amer. Orn.* pl. 8, f. 1. *C. americana*, *Pr. B.* *Audub. B. of Amer.* pl. 419.

N. America.

1658. CETHIA NIPALENSIS.

B. M.

Cethia nipalensis, *Hodgs. Gould, B. of Asia*, pl. *C. himalayana*, *Bl.*

India (Nepal).

1659. ? CETHIA DISCOLOR.

Cethia discolor, *Bl.*

India (Sikim).

1660. *CERTHIA HIMALAYANA*. B. M.
Certhia himalayana, Vig. Gould, *B. of Asia*, pl. . C.
asiatica, Sw.

India.

2. CAULODROMUS.

Caulodromus, G. R. Gr. 1847.
Rimator, Bl. 1847.
Merva, Hodgs. 1847.

1661. *CAULODROMUS GRACEI*. B. M.
Caulodromus Gracei, G. R. Gr. & Mitch. *Gen. of B.* pl. 44,
f. 2. *Rimator malacoptilus*, Bl. *Merva Jerdoni*, Hodgs.
McClell. Calc. Journ. N. H. 1847, pl. 3, f. 2.

India.

3. SALPORNIS.

Salpornis, G. R. Gr. 1847.

1662. *SALPORNIS SPILONOTA*. B. M.
Certhia spilonota, Frankl. *Salpornis spilonota*, G. R. Gr. &
Mitch. Gen. of B. pl. 44, f. 1.

India.

4. TICHODROMA.

Tichodroma, Ill. 1811.
Petrodroma, Vieill. 1816.

1663. *TICHODROMA MURARIA*. B. M.
Certhia muraria, L. *Tichodroma muraria*, Ill. *T. phænicop-*
tera, Temm. *T. europæa*, Steph. *Petrodroma muraria*, Vieill.

Europe.

1664. ? *TICHODROMA NIPALENSIS*. B. M.
Tichodroma phænicoptera, v. *subhemalayana*, Hodgs. *T. ni-*
palensis, Pr. B. *T. muraria*, Hodgs. & Bl.

India (Nepal).

5. CLIMACTERIS.

Climacteris, *Temm.* 1820.

1665. CLIMACTERIS LEUCOPHÆA.

B. M.

Certhia leucophæa et *C. leucoptera*, *Lath. Vieill. Ois. dor. t.*
 127? *Climacteris leucophæa*, *Strickl. C. picumnus, Temm.*
Pl. col. 28, f. 1. *Gould, B. of Austr. iv. pl.* 98. *Nectarinia*
picumnus, Cuv.

Australia.

1666. CLIMACTERIS BAILLONI.

B. M.

Petrodroma Bailloni, *Vieill. N. Dict. d'Hist. Nat. xxvi. t. M,*
 33, f. 3. *Climacteris scandens, Temm. Pl. col.* 281, f. 2.
Gould. B. of Austr. iv. pl. 93. *Kittl. Kupf. Vög. t. 6, f. 1. C.*
Bailloni, G. R. Gr. Nectarinia scandens, Cuv.

Australia.

1667. CLIMACTERIS ERYTHROPS.

B. M.

Climacteris erythrops, Gould, B. of Austr. iv. pl. 95.

Australia.

1668. CLIMACTERIS RUFÆ.

B. M.

Climacteris rufa, Gould, B. of Austr. iv. pl. 94.

Australia.

1669. CLIMACTERIS MELANURA.

Climacteris melanura, Gould, B. of Austr. iv. pl. 97.

Australia.

1670. CLIMACTERIS MELANOTUS.

Climacteris melanotus, Gould, B. of Austr. iv. pl. 96.

1671. CLIMACTERIS MYSTICALIS.

B. M.

Meliphaga mysticalis, Temm. Pl. col. 335, f. 2. (*M. striolata*?)
Kittl. Kupf. Vög. t. 6, f. 2. Climacteris mysticalis, G. R. Gr.
C. striolata, Hartl.

iv. SITTINÆ.

Sittinæ, *Pr. B.* 1831—33—49—50; *Sw.* 1837; *G. R. Gr.* 1840—41—46; *Cab.* 1847; *Bl.* 1849.
 Anabatinæ, p. *Sw.* 1837.
 Dendrocolaptinæ, p. *Cab.* 1847.

I. SITTA.

a. Sitta, *L.* 1735.

1672. SITTA EUROPÆA. B. M.
Sitta europæa, *L. Nils. Skandin. Fauna*, t. . *S. uralensis*,
Licht. S. europæa var. *sibirica*, *Pall. S. sericea*, *Temm. S.*
asiatica, *Gould, B. of Eur.* pl. 236. *S. septentrionalis*, *Brehm.*
 N. Europe.

1673. SITTA CÆSIA. B. M.
Sitta europæa, *Leach. Sitta cæsia*, *Meyer. S. pinetorum. S.*
foliorum et *S. advena*, *Brehm. S. affinis*, *Blyth. Yarr. Brit.*
B. 2 ed. ii. 183, fig. European Nuthatch, *Mont. Pl. enl.*
 623, f. 1. *Gould, B. of Eur.* pl. 234.
 Great Britain; Medial and Southern Europe.

1674. SITTA SYRIACA. B. M.
Sitta syriaca, *Ehrenb. Pr. B. Fauna Ital.* t. , f. . *S. Neu-*
mayeri, *Michahell. S. saxatilis*, *Schinz. S. rupestris*, *Temm.*
S. rufescens, *Gould, B. of Eur.* pl. 235.
 East Europe and West Asia.

1675. SITTA ROSEILIA.
Sitta roseilia, *Pr. B. Consp.* p. 227.
 Japan.

1676. SITTA HIMALAYENSIS. B. M.
Sitta himalayensis, *Jard. & Selby, Ill. of Orn.* pl. 146. *Gould.*
B. of Asia, pl. . *S. indica*, *Burt.* *S. himalayana*, *Bl.*
S. nipalensis, *Hodgs. S. vitticauda*, *James.*
 India (Nepal, Darjeeling).

1677. *SITTA CASTANEOVENTRIS*.

B. M.

Sitta castaneoventris, *Frankl. Jard. & Selby, Ill. of Orn.* pl. 145. *S. castanea*, *Less. S. ferrugineoventris*, *Gould, B. of Asia*, pl. 9. *Guér. Icongr.* t. 23, f. 3.

India.

1678. *SITTA CINNAMOVENTRIS*.

B. M.

Sitta cinnamoventris, *Bl. Gould, B. of Asia*, pl. *S. castaneoventris*, *Hodgs.*

India (Nepal, Darjeeling).

1679. *SITTA LEUCOPSIS*.

Sitta leucopsis, *Gould, B. of Asia*, pl. 10. *S. castanilia*, *Pr. B. MSS.*

India (Himalayah Mountains).

1680. *SITTA CAROLINENSIS*.

B. M.

Sitta carolinensis, *Lath. Wils. Amer. Orn.* pl. 2, f. 3. *Audub. B. of Amer.* pl. 152. *S. jamaicensis*, *L.^p Sloane, Jamaica*, t. 254, f. 1? *S. melanocephala*, *Vieill. Gal. des Ois.* t. 71.

N. America.

1681. *SITTA CANADENSIS*.

B. M.

Sitta canadensis, *Lath. Pl. enl.* 623, f. 2. *S. varia*, *Wils. Amer. Orn.* pl. 2, f. 4. *S. stulta*, *Vieill. Audub. B. of Amer.* pl. 105.

N. America.

1682. *SITTA PUSILLA*.

B. M.

Sitta pusilla, *Lath. Wils. Amer. Orn.* pl. 15, f. 2. *Audub. B. of Amer.* pl. 105.

N. America.

1683. *SITTA PYGMÆA*.

Sitta pygmæa, *Vig. Beechey's Voy. Birds*, pl. 4, f. 2. *Audub. B. of Amer.* pl. 419.

N.-W. America.

b. *Callisitta*, *Pr. B.* 1850.

1684. *SITTA FORMOSA*.

B. M.

Sitta formosa, *Bl. Gould, B. of Asia*, pl. 7. *Callisitta formosa*, *Pr. B.*

India (Nepal, Sikim, Bootan).

c. *Orthorhynchus*, *Horsf.* 1820.

Dendrophila, *Sw.* 1837.

1685. *SITTA FRONTALIS*.

B. M.

Sitta frontalis, *Horsf. Sw. Zool. Illustr.* pl. 2. *S. velata*, *Temm. Pl. col.* 72, f. 3. *Dendrophila frontalis*, *Sw. D. velata*, *Hartl.*

Malayan Peninsula and Archipelago.

1686. ? *SITTA CORALLINA*.

B. M.

Sitta corallina, *Hodgs.*

India (Nepal).

1687. *SITTA FLAVIPES*.

B. M.

Dendrophila flavipes, *Sw. D. gymnophrys*, *Pr. B. D. azurea*, *Hartl. Sitta flavipes*, *G. R. Gr. & Mitch. Gen. of B.* pl. 45. *S. azurea*, *Less. S. gymnophrys*, *Kuhl.*

Malayan Archipelago.

d. *Sittella*, *Sw.* 1837.

1688. *SITTA CHRYSOPTERA*.

B. M.

Sitta chrysoptera, *Lath. Gen. Syn.* pl. 127. *Sittella chrysoptera*, *Sw. Gould, B. of Austr.* iv. pl. 101. *Neops chrysoptera*, *Vieill.*

Australia.

1689. *SITTA PILEATA*.

B. M.

Sittella pileata et *S. melanocephala*, *Gould, B. of Austr.* iv. pl. 104.

Australia.

1690. *SITTA LEUCOCEPHALA*.

B. M.

Sittella leucocephala, *Gould, B. of Austr.* iv. pl. 102.

Australia.

1691. *SITTA LEUCOPTERA*.

B. M.

Sittella leucoptera, *Gould, B. of Austr.* iv. pl. 103.

Australia.

2. *ACANTHISITTA*.*Acanthisitta*, *Lafr.* 1843.1692. *ACANTHISITTA LONGIPES*.*Motacilla longipes*, *Gm.* *Sylvia longipes*, *Lath.* *Acanthisitta longipes*, *G. R. Gr. Zool. of Ereb. & Terr. Birds*, pl. 3, f. 1.

New Zealand.

1693. *ACANTHISITTA CHLORIS*.

B. M.

Sitta chloris, *Sparrm. Mus. Carls.* pl. 33. *Motacilla citrinella*, *Forst.* *Motacilla citrina*, *Gm.* *Sylvia citrina*, *Lath.* *Sitta punctata*, *Quoy & Gaim. Voy. de l'Astrol.* t. 18, f. 1. *Acanthisitta chloris*, *G. R. Gr. Zool. Ereb. & Terr.* pl. 3, f. 1. *A. tenuirostris*, *Lafr.* *Acanthiza tenuirostris*, *Lafr.*

New Zealand.

3. *XENOPS*.a. *Xenops*, *Hoff.* 1811.*Neops*, *Vieill.* 1816.1694. *XENOPS GENIBARBIS*.

B. M.

Xenops genibarbis, *Ill. Pl. col.* 150, f. 1. *X. Hoffmanseggii*, *Cuv. Levaill. Promer.* t. 31, f. 2. *Neops ruficauda*, *Vieill.*

S. America (Brazil).

1695. *XENOPS RUTILANS*.

B. M.

Xenops rutilans, *Temm. Pl. col.* 72, f. 1. *X. rutilus*, *Licht.* *X. genibarbis* et *X. affinis*, *Sw. Zool. Illustr.* t. 100. *Neops ruficauda*, *Vieill. Gal. des Ois.* t. 170.

S. America (Brazil, Bolivia).

1696. *XENOPS DENTIROSTRIS*.*Xenops dentirostris*, *Sw.*

S. America (Demerara?)

1697. *XENOPS ABEILLII*.*Xenops Abeillii*, *Less.*

S. America (——?)

b. *Anabazenops*, *Lafr.* 1842.*Anabasitta*, *Lafr.* 1838.1698. *XENOPS ATRICAPILLUS*.

B. M.

Anabates atricapillus, *Pr. Max.* *Sphenura superciliaris*, *Licht.* *Philydor superciliaris*, *Spix*, *Av. Bras.* t. 73, f. 1. *Anabates superciliaris*, *Cuv.* *Xenops Canivetii*, *Less. Cent. de Zool.* t. 16. *A. melanocephalus*, *Less.*

S. America (Brazil).

1699. *XENOPS FUSCUS*.*Xenops anabatoïdes*, *Temm. Pl. col.* 150, f. 2. *X. fuscus*, *Lafr.* *Sitta fusca*, *Vieill.* *Anabaxenops fuscus*, *Lafr.* *Sphenura albicollis*, *Licht.*

S. America (Brazil).

1700. *XENOPS RUFOSUPERCILIATUS*.

B. M.

Xenops rufosuperciliatus, *Lafr. Mag. de Zool.* 1832. *Ois.* t. 7. *Anabaxenops rufosuperciliatus*, *Hartl.*

S. America (La Plata, Bolivia).

1701. *XENOPS LEUCOPHRYS*.

B. M.

Anabates leucophrys, *Jard. & Selby, Illustr. of Orn.* pl. 93.

S. America.

1702. *XENOPS GRISEUS*.*Xenops griseus*, *Less.* *Anabates griseus*, *G. R. Gr.*

S. America.

1703. *XENOPS RUFUS*.*Xenops rufus*, *Less.* *Anabates rufus*, *G. R. Gr.*

S. America.

- c. *Dendrodendron*, *G. R. Gr.* 1842.
Dendrodramus, *Gould*, 1841.
Pygarrhichus, *Licht.* 1837.

1704. XENOPS ALBOGULARIS.

B. M.

Dendrodromus leucosternus, *Gould, Voy. of Beagle, Birds*, pl. 27. *D. albogularis*, *Lafr.* *Dromodendron leucosternum*, *G. R. Gr.* *Dendrocolaptes albogularis*, *King.* *Dendrocolaptes (Xiphocolaptes) albogularis*, *Less.* *Picolaptes albogularis*, *G. R. Gr.* *Pygarrhichus leucosternus*, *Cab.*

S. America (Chili and Island of Chiloe).

v. ORTHONYCHINÆ.

Orthonychinæ, *G. R. Gr.* 1840—47; *Cab.* 1847; *Pr. B.* 1849—50,
Sittinæ, p. *Pr. B.* 1831.
Buphaginæ, p. *Sw.* 1837.

1. ORTHONYX.

a. *Orthonyx*, *Temm.* 1820.

1705. ORTHONYX SPINICAUDA.

B. M.

Orthonyx spinicauda, *Temm. Pl. col.* 428. *O. maculatus*, *Steph.* *O. Temminckii*, *Vig. & Horsf.*

Australia.

b. *Mohoua*, *Less.* 1837.

1706. ORTHONYX OCHROCEPHALUS.

B. M.

Muscicapa ochrocephala, *Gm.* *M. chloris*, *Forst.* *Certhia heteroclitus*, *Quoy. & Gaim. Voy. de l'Astrol.* t. 17, f. 1. *Orthonyx icterocephalus*, *Lafr. Mag. de Zool.* 1840. *Ois.* t. 8. *O. ochrocephalus*, *G. R. Gr. & Mitch. Gen. of B.* pl. 46. *Mohoua hua*, *Less.* *M. ochrocephala*, *G. R. Gr.*

vi. MENURINÆ.

- Menurinæ, *G. R. Gr.* 1847; *Cab.* 1847; *Pr. B.* 1849—50.
 Sylviana, p. *Vigors*, 1825.
 Troglodytænæ, *Sw.* 1831—37.
 Troglodytinæ, *G. R. Gr.* 1840—41; *Cab.* 1847; *Pr. B.* 1849—50.
 Laniinæ, p., Sylvina, p. et Penelopidæ, p. *Pr. B.* 1831.
 Certhinæ, p. *Pr. B.* 1838.
 Myiotherinæ, p. et Eriodorinæ, p. *Cab.* 1847.
 Crateropodinæ, p. *Sw.* 1837.
 Pittinæ, p. *Pr. B.* 1850.

1. MENURA.

Menura, *Davis*, 1800.
 Parkinsonius, *Bechst.*

1707. MENURA SUPERBA.

B. M.

Menura superba, *Davis*, *Linn. Trans.* vi. pl. 22. *Gould, B. of Austr.* iii. pl. 14. *M. lyra*, *Shaw*. *M. novæ hollandiæ*, *Lath.* *M. vulgaris*, *Flem.* *M. paradisea*, *Sw.* *M. lyrata*, *Less.* *Vieill. Ois. dor.* t. 14, 15. *Gal. des Ois.* t. 192. *Parkinsonius mirabilis*, *Bechst.* *Megapodius menura*, *Wagl.*

Australia.

1708. MENURA ALBERTIL.

Menura Alberti, *Gould, B. of Austr. Suppl.* pl.

Australia.

2. RHINOCRYPTA.

Rhinocrypta, *G. R. Gr.* 1841.
 Rhinomya, *D'Orb. & J. Geoff.* 1832.

1709. RHINOCRYPTA LANCEOLATA.

B. M.

Rhinomya lanceolata, *D'Orb. & Lafr. Voy. dans l'Amer. Mer.* *Ois.* t. 7, f. 1. *Mag. de Zool.* 1832. *Ois.* t. 3. *Compl. Buff.* *Ois.* t. 7, f. 1, 2. *Rhinocrypta lanceolata*, *G. R. Gr.*

S. America (Patagonia).

3. PTEROPTOCHOS.

- a. *Hylactes*, *King*, 1839.
Megalonyx, *Less.* 1830.
Pteroptochos, p. *Kittl.*

1710. PTEROPTOCHOS TARNEL. B. M.
Hylactes Tarnii, *King*. *Megalonyx ruficeps*, *D'Orb. & Lafr.*
Voy. dans l'Amer. Mer. Ois. t. 8, f. 1.
 S. America (Chili).

1711. PTEROPTOCHOS MEGAPODIUS. B. M.
Pteroptochos megapodius, *Kittl. Vög. von Chili*, t. 4. *Kupf. der Vög.* t. 16, f. 1. *Megalonyx rufus*, *Less. Cent. de Zool.* t. 66. *Leptonyx macropus*, *Sw. Zool. Illustr.* n. s. pl. 117. *Hylactes megapodius*, *G. R. Gr. H. rufus*, *Cab.*
 S. America (Chili).

- b. *Pteroptochos*, *Kittl.* 1830.
Leptonyx, *Sw.* 1832.

1712. PTEROPTOCHOS ALBICOLLIS. B. M.
Pteroptochos albicollis, *Kittl. Vög. von Chili*, t. 3. *Kupf. der Vög.* t. 16, f. 2. *Megalonyx medius*, *Less. Illustr. de Zool.* t. 60. *M. albicollis*, *D'Orb. & Lafr.* *Leptonyx albicollis*, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 8, f. 2.
 S. America (Chili).

1713. PTEROPTOCHOS RUBECULA. B. M.
Pteroptochos rubecula, *Kittl. Vög. von Chili*, t. 2. *Megalonyx* vel *Leptonyx rubecula* vel *rufogularis*, *D'Orb. & Lafr. Voy. dans l'Amer. Mer. Ois.* t. 7, f. 3, 4.
 S. America (Chili).

- c. *Merulaxis*, *Less.* 1830.
Platyurus, *Sw.* 1837.
Sarochalinus, *Cab.* 1847.

1714. PTEROPTOCHOS ATER.

B. M.

Merulaxis ater, *Less. Cent. de Zool.* t. 30. *M. rutilus*, *Less.*
Malacorhynchus cristatellus, *Menetr. Mem. Acad. St. Petersb.*
1831, t. 12. *Platyurus corniculatus*, *Sw. B. of Braz.* pl. 55,
56. *Sarochalinus ater*, *Cab.*

S. America (Brazil).

1715. PTEROPTOCHOS RHYNCLOPHUS.

Myiothera rhynolopha, *Pr. Max.* *Malacorhynchus rhynolophus*, *Menetr.* *Sarochalinus rhynolophus*, *Cab.* *Pteroptochos rhyncolophus*, *G. R. Gr.*

S. America (Brazil).

d. *Triptorhinus*, *Cab.* 1847.

1716. PTEROPTOCHOS PARADOXUS.

B. M.

Troglodytes paradoxus, *Kittl. Vög. von Chili*, t. 5. *Platyurus lepturus*, *Sw.* *Leptonyx paradoxus*, *Lafr.* *Malacorhynchus chilensis*, *Menetr.* *Sylviaaxis paradoxus*, *Less.* *Pteroptochos chilensis*, *G. R. Gr.* *Triptorhinus paradoxus*, *Cab.*

S. America (Chili).

1717. PTEROPTOCHOS ORTHONYX.

Merulaxis orthonyx, *Lafr. Mag. de Zool.* 1844, t. 53. *Triptorhinus orthonyx*, *Cab.* *Pteroptochos orthonyx*, *G. R. Gr.*

S. America (Columbia).

e. *Scytalopus*, *Gould*, 1836.

Sylviaaxis, *Less.* 1840.

1718. PTEROPTOCHOS MAGELLANICUS.

B. M.

Motacilla magellanica, *Gm.* *Sylvia magellanica*, *Lath.* *S. obscura*, *King.* *Pteroptochos magellanicus*, *G. R. Gr.* *Scytalopus fuscus*, *Gould.* *Jard. & Selby, Illustr. of Ornith.* n. s. pl. 19. *S. magellanicus*, *G. R. Gr.* *Conirostrum fuliginosum* et *Sylviaaxis magellanicus*, *Less.*

S. America (Patagonia).

1719. ?PTEROPTOCHOS NIGER.

Platyurus niger, Sw. *Scytalopus niger*, Cab. *Voy. au Pole Sud*, Ois. t. 19, f. 5?

S. America (Chili).

1720. PTEROPTOCHOS SPELUNCÆ.

Malacorhynchus speluncæ, Menetr. *Mem. de l'Acad. St. Petersb.* 1835, t. 13, f. 1. *Pteroptochos speluncæ*, G. R. Gr.

S. America (Brazil).

1721. PTEROPTOCHOS SENILIS.

Merulaxis senilis, Lafr. *Pteroptochos senilis*, G. R. Gr.

S. America.

1722. PTEROPTOCHOS INDIGOTICA.

Myiothera indigotica, Licht. *Malacorhynchus albiventris* et *M. indigoticus*, Menetr. *Mem. de l'Acad. St. Petersb.* 1835, t. 13, f. 2. *Scytalopus albogularis*, Gould. *S. indigoticus*, Cab. *S. undulatus*, Jard. & Selby. *Pteroptochos indigoticus* et *P. albiventris*, G. R. Gr.

S. America.

1723. PTEROPTOCHOS ANALIS.

Merulaxis analis, Lafr. *Pteroptochos analis*, G. R. Gr.

S. America.

1724. PTEROPTOCHOS RUFOCAPILLUS.

Megalonyx rufocapillus, Less. *Pteroptochos rufocapillus*, G. R. Gr.

Island of Chiloë.

1725. PTEROPTOCHOS NANUS.

Megalonyx nanus, Less. *Pteroptochos nanus*, G. R. Gr.

Island of Chiloë.

1726. PTEROPTOCHOS SQUAMIGER. B. M.
Merulaxis squamiger, *Lafr.* Pteroptochos squamiger, *G. R. Gr.*

S. America (New Granada).

1727. PTEROPTOCHOS ACUTIROSTRIS.
Pteroptochus vel Scytalopus acutirostris, *Tschudi.*

S. America (Peru).

1728. PTEROPTOCHOS FEMORALIS.
Pteroptochus vel Scytalopus femoralis, *Tschudi.*

S. America (Peru).

1729. PTEROPTOCHOS GRISEICOLLIS. B. M.
Merulaxis griseicollis, *Lafr.* Pteroptochos griseicollis, *G. R. Gr.*

S. America (New Granada).

1730. PTEROPTOCHOS GUTTATUS.
Sylviaxis guttatus, *Less.* Pteroptochos? guttatus, *G. R. Gr.*

S. America.

4. CYPHORHINUS.

Cyphorhinus, *Cab.* 1844.

1731. CYPHORHINUS MUSICUS. B. M.
Formicarius musicus, *Bodd.* *Pl. enl.* 706, f. 1. Turdus cantans, *Gm.* T. arada, *Lath.* Platyrus rubecola, *Sw. B. of Braz.* pl. 14. Cyphorhinus musicus et C. carinatus, *G. R. Gr.* C. cantans, *Cab.* Troglodytes arada, *D'Orb. & Lafr.*

S. America (Guiana, Bolivia).

1732. CYPHORHINUS AFFINIS.
Platyrus affinis, *Sw. B. of Braz.* pl. 57. Cyphorhinus thoracicus, *Tschudi, Fauna Per.* t. 16, f. 1.

S. America (Brazil, Peru).

1733. *CYPHORHINUS LEUCOPHRYS.*

Troglodytes leucophrys, *Tschudi*. *Cyphorhinus leucophrys*,
Cab.

S. America (Peru).

1734. *CYPHORHINUS LEUCOSTICTUS.*

Troglodytes leucostictus, *Licht.* *Cyphorhinus leucostictus*,
Cab.

S. America (Guiana).

5. *TESIA.*

- a. *Tesia*, 1837; *Anura*, 1841, et *Pnoëpyga*, 1845, *Hodgs.*
Micrura, *Gould*, 1837.
Aipunemia, *Sw.* 1837?
Æpynemia, *Strickl.* 1844?

1735. *TESIA SQUAMATA.*

B. M.

Tesia albiventer, *Hodgs.* *Pnoëpyga (Tesia) albiventer* et *P.*
(T.) rufiventer, *Hodgs.* *Micrura squamata*, *Gould*, *Icones Av.*
pl. . *Pnoëpyga squamata*, *Bl.*

India (Nepal).

1736. *TESIA CONCOLOR.*

B. M.

Tesia concolor, *Hodgs.* *Pnoëpyga (Tesia) concolor*, *Hodgs.*
Pnoëpyga unicolor, *Hodgs.* *P. squamata*, *p. Bl.*

India (Nepal).

1737. *TESIA PUSILLA.*

B. M.

Pnoëpyga (Tesia) pusillus, *Hodgs.* *Pnoëpyga pusilla*, *Bl.*

India (Nepal).

1738. *TESIA CAUDATA.*

Tesia caudata et *Pnoëpyga caudata*, *Bl.*

India (Sikim).

b. *Oligura*, *Hodgs.* 1845.

1739. *TESIA CASTANEOCORONATA*. B. M.
Sylvia? *castaneocoronata*, *Burt.* *Tesia flaviventris*, *Oligura*
(Tesia) flaviventer, et *O. flaviventer*, *Hodgs.* *Tesia castaneoco-*
ronata, *G. R. Gr. & Mitch. Gen. of B.* pl. 47, upp. fig.
 India (Nepal, Sikim).

1740. *TESIA CYANIVENTER*. B. M.
Tesia cyaniventer, *Oligura (Tesia) cyaniventer*, et *Oligura cya-*
niventer, *Hodgs.* *Tesia auriceps*, *Hodgs.* *Saxicola?* *olivacea*,
McClell.
 India (Nepal, Sikim, Assam).

c. *Microura*, *Pr. B.* 1850 (nec *Gould*).

1741. *TESIA?* ———?
Microura squamata (Gould ?), *Pr. B. Consp.* p. 258.
 Java.

1742. *TESIA?* *SUPERCILIARIS*.
Microura superciliaris, *Müll. Pr. B. Consp.* p. 258.
 Java.

6. *SYLVIETTA*.

Sylvietta, *Lafr.* 1839.
Oligura, 1845, et *Trochlotides*, *Rüpp.*

1743. *SYLVIETTA MICRURUS*. B. M.
Troglodytes micrurus et *T. brevicaudatus*, et *Oligura micru-*
rus, *Rüpp. Fauna Abyss.* t. 41, f. 1.
 N.-E. Africa.

1744. *SYLVIETTA RUFESCENS*. B. M.
Dicaeum rufescens, *Vieill. Levaill. Ois. d'Afr.* t. 135. *Syl-*
vietta crombec, *Lafr.* *Drymoica?* *rufescens*, *G. R. Gr. Oli-*
gura rufescens, *Cab.*
 S. Africa.

1745. SYLVIETTA? BRACHYURA.

Sylvia brachyura, Vieill. *Levaill. Ois. d'Afr.* t. 125. *Phyllopneste chloris*, Boie. *Sylvietta brachyura*, Lafr. *Voy. en Abyss.* 1839—43, t. 6. *Drymoica? brachyura*, G. R. Gr.

W. and S. Africa.

1746. SYLVIETTA ICTEROPYGIALIS.

Sylvietta icteropygialis, Lafr.

S. Africa.

1747. SYLVIETTA LUTESCENS.

Sylvietta lutescens, Less.

W. Africa (Gambia).

7. TATARE.

Tatare, Less. 1831.

Tatarea, Reichenb. 1849.

1748. TATARE LONGIROSTRIS.

B. M.

Sitta otatare, Less. *Voy. de la Coq. Ois.* t. 20, f. 2. *Turdus longirostris*, Gm. *Oriolus musæ*, Forst. *Tatare otaitiensis* et *T. fuscus*, Less. *T. otatare*, Pr. B. *T. longirostris*, G. R. Gr.

Society Islands.

1749. TATARE LUSCINIUS.

Thryothorus luscinius, Quoy & Gaim. *Voy. de l'Astrol. Ois.* t. 5, f. 2. *Tatare luscinius*, Pr. B. *T. longirostris*, p. G. R. Gr. *Voy. au Pole Sud*, Ois. t. 20, f. 5.

Islands of the South Sea.

8. TROGLODYTES.

a. *Troglodytes*, Vieill. 1807.

Anorthura, Renn. 1831.

1750. TROGLODYTES PARVULUS.

B. M.

Motacilla troglodytes, Gm. *Sylvia troglodytes*, Lath. *Troglodytes parvulus*, Koch. *Naum. Vög. Deuts.* iii. t. 83, f. 4, (1822). *Troglodytes europæus*, Cuv. Leach. *T. vulgaris*, Flem. *T. regulus*, Meyer. *T. troglodytes* (Cuv.), Schleg. *T. punctatus*, (Koch), Boie. *T. domesticus* et *T. sylvestris*, Brehm. *Anorthura communis*, Renn. *A. troglodytes*, Macgill. *Yarr. Brit. B.* 2 ed. ii. 169.

Great Britain; Europe.

1751. *TROGLODYTES FUMIGATUS*.*Troglodytes fumigatus* et *T. europæus*, *Temm.*

Japan.

1752. *TROGLODYTES SUBHEMALAYANUS*.

B. M.

Troglodytes subhemalayanus et *T. nipalensis*, *Hodgs.*

India (Nepal).

1753. *TROGLODYTES PUNCTATUS*.*Troglodytes punctatus*, *Bl.*

India (Darjeeling).

1754. *TROGLODYTES HYEMALIS*.*Troglodytes hyemalis*, *Vieill.* *Audub. B. of Amer.* pl. 360, f. 1, 2, 3. *T. parvulus*, var. *americanus*, *Licht.* *Sylvia troglodytes*, *Wils. Amer. Orn.* pl. 8, f. 6.

N. and N.-W. America; S. America (Brazil, La Plata).

1755. *TROGLODYTES AMERICANUS*.*Troglodytes americanus*, *Audub. B. of Amer.* pl. 179. *T. sylvestris*, *Gamb.*

N. America.

1756. *TROGLODYTES PARKMANII*.*Troglodytes Parkmanii*, *Audub.*

N.-W. America.

1757. *TROGLODYTES BREVIROSTRIS*.

B. M.

Troglodytes brevirostris, *Nutt.* *Audub. B. of Amer.* pl. 175.

N. America (Texas, S. Carolina).

1758. *TROGLODYTES ÆDON*.

B. M.

Troglodytes ædon, *Vieill.* *T. furvus*, p. *Licht.* *Sylvia domestica*, *Wils. Amer. Orn.* pl. 8, f. 3. *Audub. B. of Amer.* pl. 83.

N. and N.-W. America.

1759. *TROGLODYTES FURVUS*.

B. M.

Motacilla furva, *Gm.* *Brown, Zool. Illustr.* pl. 18. *Sylvia furva*, *Lath.* *Troglodytes furvus*, *Licht.* *T. americana*, *Cur. Gal. des Ois.* t. 167.

N. and S. America (Bolivia).

1760. TROGLODYTES HORNENSIS.

Troglodytes hornensis, *Less.* T. magellanicus, *Gould.*
S. America.

1761. TROGLODYTES PLATENSIS.

B. M.

Sylvia platensis, *Lath. Pl. enl.* 730, f. 2. Troglodytes platensis, *Vieill.* T. musculus, *Licht.* T. hyemalis et T. fulvus, *D'Orb. & Lafr.* Thryothorus platensis, *Pr. Max.*

S. America (Brazil, Paraguay).

1762. TROGLODYTES CHILENSIS.

Troglodytes chilensis, *Less.* T. guereza, *Cuv.*
S. America.

1763. TROGLODYTES ÆQUINOCTIALIS.

B. M.

Troglodytes æquinoctialis, *Sw. B. of Bras.* pl. 13.
S. America (Brazil).

1764. TROGLODYTES TECELLATUS.

Troglodytes tecellata, *D'Orb. & Lafr.*
S. America (Peru).

1765. TROGLODYTES PALLIDUS.

Troglodytes pallida, *D'Orb. & Lafr.*
S. America (Patagonia).

1766. TROGLODYTES GUARAYANUS.

Troglodytes guarayana, *D'Orb. & Lafr.*
S. America (Bolivia).

1767. TROGLODYTES MURINUS.

Troglodytes murinus, *Less.*
S. America (Peru).

1768. TROGLODYTES AUDAX.

Troglodytes audax, *Tschudi.*
S. America (Peru).

1769. TROGLODYTES RUFULUS.

Troglodytes rufulus, *Cab.*

S. America (Guiana).

b. *Thryothorus*, *Vieill.* 1816.

1770. TROGLODYTES LUDOVICIANUS.

B. M.

Sylvia ludoviciana, *Lath.* (150). *Pl. enl.* 730, f. 1. *Certhia caroliniana*, *Wils. Amer. Orn.* pl. 12, f. 3. *Thryothorus littoralis*, *Vieill.* *T. ludovicianus*, *Steph.* *Troglodytes ludovicianus*, *Licht.* *Audub. B. of Amer.* pl. 78.

N. America.

1771. TROGLODYTES ARUNDINACEUS.

B. M.

Certhia palustris, *Wils. Amer. Orn.* pl. 12, f. 4. *Troglodytes arundinaceus*, *Vieill. Ois. de l'Amer. Sepr.* t. 108. *T. palustris*, *Licht.* *Thryothorus arundineus*, *Vieill.* *T. palustris*, *Pr. B. Audub. B. of Amer.* pl. 100.

S. America.

1772. ?TROGLODYTES EIDOUXI.

Thryothorus Eidouxi, *Pr. B. Voy. au Pole Sud, Ois.* t. 19, f. 6. *Troglodytes*, No. 15. *G. R. Gr.*

America.

1773. TROGLODYTES BEWICKII.

Troglodytes Bewicki, *Audub. B. of Amer.* pl. 18. *T. spilurus*, *Vig. Beechey's Voy. Zool.* pl. 4, f. 1. *Thryothorus Bewicki*, *Pr. B.*

N. and N.-W. America.

1774. TROGLODYTES STELLARIS.

Troglodytes stellaris, *Licht.*

Carolina?

1775. TROGLODYTES MACULIPECTUS.

B. M.

Thryothorus maculipectus, *Lafr.* *Troglodytes maculipectus*, *G. R. Gr.*

Central America (Mexico, Honduras).

1776. TROGLODYTES LEUCOTIS.

Thryothorus leucotis, *Lafr.* Troglodytes leucotis, *G. R. Gr.*
S. America (Columbia? Mexico?).

1777. TROGLODYTES RUFALBUS.

B. M.

Thryothorus rufalbus, *Lafr.* Troglodytes rufalbus, *G. R. Gr.*
Central America (Mexico).

1778. TROGLODYTES LEUCOGASTER.

Troglodytes leucogastra, *Gould.* Troglodytes (Thryothorus)
leucogastra, *Lafr.*
Central America (Mexico).

1779. TROGLODYTES MEXICANUS.

B. M.

Thryothorus mexicanus, *Sw. Zool. Illustr. n. s. pl.* . T. gut-
tulatus, *Lafr.* Troglodytes guttatus, *Hartl.* T. albicollis,
Cuv. T. mexicanus, *G. R. Gr.*

Central America (Mexico).

1780. TROGLODYTES ERYTHROPHTHALMUS.

Troglodytes erythrophthalmus, *Licht.*
Central America (Mexico).

1781. TROGLODYTES DEFLEXUS.

Troglodytes deflexus, *Licht.*
Central America (Mexico).

1782. TROGLODYTES ALBINUCHA.

Troglodytes albinucha, *Cabot.*
Central America.

1783. TROGLODYTES RUTILUS.

B. M.

Thryothorus rutilus, *Vieill.* Troglodytes rutilans, *Sw. B. of*
Braz. pl. 15. T. rutilus, *G. R. Gr.*
S. America.

1784. TROGLODYTES MELANOS.

Thryothorus melanos, *Vieill.* Troglodytes melanos, *G. R. Gr.*
S. America.

1785. TROGLODYTES POLYGLOTTUS.

Thryothorus polyglottus, *Vieill.* Troglodytes polyglottus, *G. R. Gr.* T. omnisomus, *Licht.*
S. America (Paraguay).

1786. TROGLODYTES CORAYA.

B. M.
Turdus coraya, *Gm. Pl. enl.* 701, f. 1. Sphenura coraya, *Licht.* Myiothera coraya, *Spix, Av. Bras.* t. 73, f. 2. Troglodytes coraya, *G. R. Gr.* Thryothorus coraya, *Hartl.*
S. America (Brazil).

1787. TROGLODYTES MODULATOR.

Thryothorus modulator, *D'Orb.* Troglodytes coraya, *D'Orb. & Lafr.*
S. America (Bolivia).

1788. TROGLODYTES FASCIATIVENTRIS.

Thryothorus fasciatoventris, *Lafr.* Troglodytes fasciiventris, *G. R. Gr.*
S. America (New Granada).

1789. TROGLODYTES ROSACEUS.

Thryothorus rosaceus, *Less. Vieill. Ois. de l'Amer. Sept.* t. 107? Troglodytes rosaceus, *G. R. Gr.*
S. America (La Plata, Chili).

1790. TROGLODYTES GENIBARBIS.

Thryothorus genibarbis, *Sw.* Troglodytes genibarbis, *G. R. Gr.*
S. America (Brazil).

1791. TROGLODYTES STRIATULUS.

Thryothorus striatulus, *Lafr.* Troglodytes striatulus, *G. R. Gr.*
S. America (New Granada).

1792. TROGLODYTES INTERSCAPULARIS.

Troglodytes interscapularis, *Licht.* Thryothorus interscapularis, *Pr. B.*

S. America.

1793. TROGLODYTES LONGIROSTRIS.

B. M.

Thryothorus longirostris, *Vieill.* Troglodytes longirostris et T. striolatus, *G. R. Gr. Gal. des Ois.* t. 168. T. striolatus, *Sw. B. of Braz.* pl. 16. Campylorhynchus striolatus, *Spix, Av. Bras.* t. 79, f. 2.

S. America (Brazil).

1794. TROGLODYTES ALBIPECTUS.

Thryothorus albipectus, *Cab.*

S. America (Guiana).

c. Salpinctes, *Cab.* 1847.

1795. TROGLODYTES OBSOLETUS.

Troglodytes obsoletus, *Say.* T. latifasciatus, *Licht.* Myiothera vel Thryothorus obsoletus, *Pr. B. Amer. Orn.* pl. 1, f. 2. *Audub. B. of Amer.* pl. 360, f. 4. Salpinctes obsoletus, *Cab.*

N.-W. America.

1796. TROGLODYTES MEXICANUS.

Thryothorus mexicanus, *Sw.* Troglodytes mexicanus, *G. R. Gr.* T. murarius, *Licht.* Salpinctes mexicanus, *Cab.*

Central America.

d. Ramphocænus, *Vieill.* 1818.

Acontistes, *Sundev.* 1835.

Scolopacinus, *Pr. B.* 1837.

1797. TROGLODYTES MELANURUS.

B. M.

Ramphocænus melanurus, *Vieill. Gal. des Ois.* t. 128. Troglodytes rectirostris, *Sw. Zool. Illustr.* pl. 140. T. gladiator, *Pr. B.* Thryothorus? rectirostris, *Steph.*

S. America (Brazil).

1798. TROGLODYTES RUFIVENTRIS. B. M.
Scolopacinus rufiventris, *Pr. B.* *Ramphocænus rufiventris*,
G. R. Gr. & Mitch. Gen. of B. pl. 47, low. fig.

S. America.

1799. TROGLODYTES TRINITATIS.
Ramphocænus trinitatis, *Less.*

Antilles.

1800. TROGLODYTES VIRIDIS.
Ramphocænus viridis, *Less.*

S. America (Brazil).

CHAMÆA.

Chamæa, *Gamb.* 1847.

1801. CHAMÆA FASCIATA.
Parus fasciatus, *Gamb. Journ. Acad. Nat. Sc. Philad.* 1845,
 pl. 8, f. 5. *Chamæa fasciata*, *Gamb.*

N.-W. America.

10. CAMPYLORHYNCHUS.

- a. *Campylorhynchus*, *Spix*, 1824.
Cichla, *Wagl.* 1827.
Ramphocinclus, *Lafr.* 1843. *Pr. B.* 1850.
L'Herminierus, *Less.*

1802. CAMPYLORHYNCHUS VARIEGATUS. B. M.
Turdus variegatus, *Gm.* *T. scolopaceus*, *Licht.* *Campylo-*
rhynchus scolopaceus, *Spix, Av. Bras.* t. 79, f. 1. *C. varie-*
gatus, *G. R. Gr.* *Opetiorhynchus turdinus*, *Pr. Max. ?*
Ramphocinclus tremulus, *Lafr.* *R. variegatus*, *Pr. B.* *Her-*
minierus guadelupensis et *H. infaustus*, *Less.* *Picolaptes sco-*
lopaceus, *Lafr. Mag. de Zool.* 1833. *Ois.* t. 46. *Formicarius*
tremulus, *G. R. Gr.* *Anumbius scolopaceus*, *D'Orb.* *Trog-*
lodytes longirostris, p. *Less.*

S. America (Brazil).

1803. CAMPYLORHYNCHUS GUTTURALIS.

Thryothorus gutturalis, *Less.* *Ramphocinclus gutturalis*,
Lafr. *Formicarius gutturalis* et *Campylorhynchus gutturalis*,
G. R. Gr.

W. Indies.

1804. CAMPYLORHYNCHUS BRACHYURUS.

Turdus brachyurus, *Vieill.* *Ramphocinclus brachyurus*, *Lafr.*
Formicarius brachyurus et *Campylorhynchus brachyurus*, *G.*
R. Gr.

W. Indies (Guadeloupe).

b. *Campylorhynchus*, *Pr. B.* 1850.

1805. CAMPYLORHYNCHUS NUCHALIS.

Campylorhynchus nuchalis, *Cab.*

S. America (Venezuela).

1806. CAMPYLORHYNCHUS ZONATUS.

B. M.

Picolaptes zonatus, *Less. Cent. de Zool.* t. 70. *Campylorhynchus* *zonatus*, *Lafr.*

S. America (California).

1807. CAMPYLORHYNCHUS ZONATOIDES.

Campylorhynchus zonatoïdes, *Lafr.*

S. America.

1808. CAMPYLORHYNCHUS MEGALOPTERUS.

Campylorhynchus megalopterus, *Lafr. O. Des Murs, Iconogr. Ornith.* pl. 54.

Central America (Mexico).

1809. CAMPYLORHYNCHUS BRUNNEICAPILLUS.

B. M.

Picolaptes brunneicapillus, *Lafr. Mag. de Zool.* 1833. *Ois.* t. 54. *Campylorhynchus brunneicapillus*, *Lafr.*

S. America.

1810. *CAMPYLORHYNCHUS GUTTATUS.*

Thryothorus guttatus, *Gould.* *Campylorhynchus guttatus.*
Lafr.

Central America (Mexico).

1811. *CAMPYLORHYNCHUS CAPISTRATUS.*

Picolaptes capistratus, *Less.* *Campylorhynchus capistratus.*
G. R. Gr. *C. rufinucha*, *Lafr.* *O. Des Murs, Iconogr. Ornith.*
pl. 63.

Central America (Mexico).

1812. *CAMPYLORHYNCHUS BREVIROSTRIS.*

Campylorhynchus brevirostris, *G. R. Gr.*

S. America (New Granada).

1813. *CAMPYLORHYNCHUS CINNAMOMEUS.*

Picolaptes cinnamomeus, *Less.* *Campylorhynchus cinnamomeus*, *Lafr.*

S. America (Ecuador).

1814. *CAMPYLORHYNCHUS PALLESCENS.*

Campylorhynchus pallescens, *Lafr.*

S America (Mexico?).

1815. *CAMPYLORHYNCHUS UNICOLOR.*

Campylorhynchus unicolor, *Lafr.*

S. America.

1816. *CAMPYLORHYNCHUS UNICOLOROIDES.*

Campylorhynchus unicoloroides, *G. R. Gr.*

S. America (Bolivia).

Tribe 3. DENTIROSTRES.

- Passeres, p. *Linn.* 1735 ; *Mæhr.* 1752.
 Picæ, p. *Mæhr.* 1752.
 Accipitres, p. *Linn.* 1760.
 Plumipedes, p. *Schæff.* 1774.
 Fissipedes anisodactyles — Conico-convexirostres, p. — F. a. conico-subulirostres, p. *Schæff.* 1774.
 Anomalipedes, p. *Schæff.* 1774.
 Scutipedes, p. — Negliges, p. — Chanteurs, p. *Scop.* 1777.
 Crenirostres — Conirostres, p. — Subulirostres, *Cuv.* 1799—1800.
 Gregarii, p. — Canori — Passerini, p. — Serrati, *Illiger*, 1811.
 Canori — Passerini — Coraces, p. *Temm.* 1815.
 Egithali — Pericalles, p. — Textores, p. — Baccivori, p. — Myiotheres — Colluriones — Canori — Anerpontes, p. — Antriades, *Vieill.* 1816.
 Dentirostres — Conirostres, p. *Cuv.* 1817.
 Omnivores, p. — Insectivores — Granivores, p. *Temm.* 1820.
 Plereoramfi, p. — Ifanti, p. — Euristomi, p. — Piezoramfi, p. — Egitali — Rafioramfi — Metrioramfi, p. — Collurioni, *Ranz.* 1823.
 Dentirostres — Conirostres, p. — Scansores, p. *Vigors*, 1826.
 Volucres, p. — V. Oscines, *Sundev.* 1835.
 Oscines, p. *Keys. & Bl.* 1840.
 Excitrices, p. — Cantatrices, *Macgill.* 1840.
 Oscines — Clamatores, p. *Cabanis*, 1847.

I. LUSCINIDÆ.

- Lusciniidæ, *G. R. Gr.* 1841—48.
 Sylviadæ, *Vig.* 1825 ; *Sw.* 1827—31—37 ; *G. R. Gr.* 1840 ; *Cab.* 1847.
 Sylvidæ, *Pr. B.* 1831.
 Pipridæ, p. ; Meliphagidæ, p. *Vig.* 1825.
 Motacillidæ, *Gr.* 1842 ; *Bl.* 1849 ; *Pr. B.* 1849—50.
 Trochilidæ, p. 1831 ; Turdidæ, p. 1849—50. ; Menuridæ, p. 1849—50, *Pr. B.*
 Rhænemididæ, p. ; Sylvicolidæ, *Cab.* 1847.
 Paridæ, *Pr. B.* 1831—49—50 ; *Selys*, 1842.
 Sphenuridæ, p. ; et Brachyuridæ, p. *Bl.* 1849.
 Cantores, p. ; Parides ; Alaudides, p. ; Timalides, p. ; Anabates, p. ; Certhiades, p. *Sundev.* 1835.

i. MALURINÆ.

Malurinæ, *G. R. Gr.* 1840—41—48; *Cab.* 1847; *Pr. B.* 1849—50.

Sylviana, p. et Motacillina, p. *Vig.* 1825.

Turdinæ, p. et Sylvina, p. *Pr. B.* 1831.

Crateropodina, p. *Sw.* 1837.

Calamoherpinæ, p. *Pr. B.* 1850.

1. ORTHOTOMUS.

Orthotomus, *Horsf.* 1820.

Edela, *Less.* 1830.

1817. ORTHOTOMUS LONGICAUDUS.

B. M.

Motacilla longicauda et M. sutoria, *Gm.* Sylvia guzurata, *Lath.* Orthotomus longicaudus, *Bl.* O. Bennettii et O. Lingo, *Sykes.* O. sutoria et O. patia, *Hodgs.* O. sphenurus, *Sw.* Malurus longicaudus, *Steph.* Sylvia ruficapilla, *Hutt.* *Cent. de Zool.* f. 71. *Mag. de Zool.* 1836, t. 52, 53.

India (Nepal, Madras); Ceylon; Malayan Peninsula and Archipelago.

1818. ORTHOTOMUS CINERACEUS.

Orthotomus cineraceus, *Bl.*

Malacca.

1819. ORTHOTOMUS SEPIUM.

B. M.

Orthotomus sepium, *Horsf.* *Pl. col.* 599, f. 1. *Mag. de Zool.* 1836. *Ois.* t. 58.

Java.

1820. ORTHOTOMUS CUCULLATUS.

Orthotomus cucullatus, *Temm.* *Pl. col.* 599, f. 3.

Java and Sumatra.

1821. ORTHOTOMUS ATROGULARIS.

Orthotomus atrogularis, *Temm.* *Pl. col.* (with t. 599).

Malacca and Borneo.

1822. ORTHOTOMUS EDELA.

B. M.

Orthotoma edela, *Temm. Pl. col.* 599, f. 2. *Edela ruficeps*,
Less. Cent. de Zool. t. 71. *Motacilla sepium*, *Raffl.*

Malayan Peninsula and Archipelago.

1823. ORTHOTOMUS SERICEUS.

Orthotomus sericeus, *Temm.*

Borneo.

1824. ORTHOTOMUS (?) LONGIROSTRIS.

Orthotomus longirostris, *Sw.*

S.-W. Coast of Australia (?)

2. PRINIA.

Prinia, 1820.

Daseocharis, *Cab.* 1851.

1825. PRINIA FAMILIARIS.

B. M.

Prinia familiaris, *Horsf. Zool. Res.* pl. . *Orthotomus prinia*,
Temm. *Daseocharis familiaris*, *Cab. Sw. Zool. Illustr. n. s.*
 pl. 97.

Java.

1826. PRINIA OLIVACEA.

Motacilla olivacea, *Raffl.* *Prinia olivacea*, *Bl.*

Sumatra.

1827. PRINIA HODGSONI.

B. M.

Prinia Hodgsoni, *Bl.* *P. gracilis*, *Jerd.*

India (Nepal, Madras).

1828. PRINIA FLAVIVENTRIS.

Orthotomus flaviventris, *Deless.* *Prinia flaviventris*, *Bl.*

India and Malayan Peninsula.

1829. *PRINIA SOCIALIS*.

B. M.

Prinia socialis, *Sykes*.

India (Deccan).

1830. *PRINIA STEWARTII*.*Prinia Stewartii*, *Bl.* *Sylvia kalaphutki*, *B. Ham. MSS.*

India (Bengal).

1831. *PRINIA GRACILIS*.*Prinia gracilis*, *Frankl.*

India.

1832. *PRINIA RUFESCENS*.*Prinia rufescens*, *Bl.*

India (Arakan).

1833. *PRINIA PILEATA*.*Prinia pileata*, *Bl.*

India.

1834. *PRINIA ICTERICA*.*Prinia icterica*, *Strickl.*

Fernando Po.

3. *DRYMOICA*.a. *Drymoica*, *Swains.* 1827.*Drymœca*, *Cab.* 1851.1835. *DRYMOICA MACULOSA*.

B. M.

Motacilla maculosa, *Bodd. Pl. enl.* 752, f. 2. *M. macroura*, *Gm.* *M. macroura*, var. *ocellata*, *Burch.* *Drymoica maculosa*, *G. R. Gr.* *Sylvia macroura*, *Lath.* *Curruca macroura*, *Cur.* *Malurus capensis*, *Steph.* *Anabates macrourus*, *Licht.* *Drymœca macroura*, *Cab.* *Levaill. Ois. de l'Afr.* t. 129, 130, f. 1.

S. Africa.

1836. DRYMOICA CAPENSIS. B. M.
Drymoica capensis, *Smith, Ill. Zool. S. Afr.* pl. 76, f. 1.
 S. Africa.
1837. DRYMOICA SUBSTRIATA. B. M.
Drymoica substriata, *Smith, Ill. Zool. S. Afr.* pl. 72, f. 1.
 S. Africa.
1838. DRYMOICA PALLIDA. B. M.
Drymoica pallida, *Smith, Ill. Zool. S. Afr.* pl. 72, f. 2. *Dry-*
mœca pallida, *Cab. Sylvia limonella, Licht.*
 S. Africa.
1839. DRYMOICA AFFINIS. B. M.
Drymoica affinis, *Smith, Ill. Zool. S. Afr.* pl. 77, f. 1.
 S. Africa.
1840. DRYMOICA MYSTACEA.
Prinia mystacea, Rüpp. Drymoica mystacea, Rüpp. Syst.
Uebers. t. 10.
 N.-E. Africa.
1841. DRYMOICA SUPERCILIOSA.
Drymoica superciliosa, Swains. B. of W. Afr. ii. pl. 2.
 W. Africa.
1842. DRYMOICA SUBFLAVA.
Motacilla subflava, Gm. Pl. enl. 584, f. 2, 3. *Drymoica sub-*
flava, G. R. Gr. Sylvia subflava, Lath. S. flavicans, Vieill.
Curruea subflava, Cuv. Malurus subflavus, Steph. Levaill.
Ois. de l'Afr. t. 127.
 S. and W. Africa.
1843. DRYMOICA GRACILIS.
Malurus gracilis, Rüpp. Zool. Atlas, t. 2, f. b. *Pl. col.* 466, f.
 1. *Drymœca gracilis, Cab. Sylvia gracilis, Licht. S. textrix,*
Aud. Descr. de l'Egypte, Ois. t. 5, f. 4. *Cisticola gracilis,*
Less. Prinia vel Drymoica gracilis, Rüpp.
 N. Africa (Egypt).

1844. DRYMOICA CORIPHEA.

Drymoica coriphea, *G. R. Gr.* *Levaill. Ois. de l'Afr.* t. 120.
Sylvia coryphæus, *Vieill.* *Arundinaceus coryphæus*, *Less.*
Thamnobia coryphæa, *Cab.*

S. Africa.

1845. DRYMOICA DIOPHRYS.

Motacilla diophris, *Shaw, Nat. Misc.* pl. 973. *Levaill. Ois. de l'Afr.* t. 128. *Drymoica diophris*, *G. R. Gr.* *Malurus diophris*, *Steph.*

S. Africa.

1846. DRYMOICA PECTORALIS.

B. M.

Drymoica pectoralis, *Smith, Ill. Zool. S. Afr.* pl. 75, f. 2.

S. Africa.

1847. DRYMOICA THORACICA.

Motacilla thoracica, *Shaw, Nat. Misc.* pl. 969. *Gen. Zool.* x. pl. p. 562. *Drymoica thoracica*, *G. R. Gr.* *Apalis thoracica*, *Sw. Zool. Illustr. n. s.* pl. 119. *Sylvia gutturalis*, *Boie.* *Regulus?* *thoracica*, *Steph.* *Levaill. Ois. de l'Afr.* t. 123.

W. and S. Africa.

1848. DRYMOICA OCULARIUS.

B. M.

Drymoica ocularius, *Smith, Ill. Zool. S. Afr.* pl. 75, f. 1.

S. Africa.

1849. DRYMOICA ABERRANS.

B. M.

Drymoica aberrans, *Smith, Ill. Zool. S. Afr.* pl. 78.

S. Africa.

1850. DRYMOICA SMITHI.

B. M.

Drymoica Smithi, *Pr. B. D. ruficapilla*, *Smith, Ill. Zool. S. Afr.* pl. 73, f. 1. *Sylvia fulvicapilla*, *Vieill.?* *Smith.*

S. Africa.

1851. DRYMOICA FULVICAPILLA.

Sylvia fulvicapilla, Vieill. *Levaill. Ois. de l'Afr.* t. 124. Drymoica fulvicapilla, G. R. Gr.

S. Africa.

1852. DRYMOICA NIGRIROSTRIS.

B. M.

Drymoica ruficapilla aut *D. nigrirostris*, Fr.

W. Africa (River Nun).

1853. DRYMOICA LEVAILLANTII.

B. M.

Drymoica Levaillantii, Smith, *Ill. Zool. S. Afr.* pl. 73, f. 2.
Malurus tiniens, Licht. *Ædon tiniens*, G. R. Gr. *Cisticola Levaillantii*, Cab.

S. Africa.

1854. DRYMOICA LUGUBRIS.

Sylvia (*Cisticola*) *lugubris*, Rüpp. *Drymoica lugubris*, Rüpp. *Syst. Uebers.* t. 11.

N.-E. Africa.

1855. DRYMOICA ERYTHROGENYS.

Drymoica erythrogenis, Rüpp. *Sylvia* (*Cisticola*) *erythrogenis*, Rüpp. *Syst. Uebers.* t. 12.

N.-E. Africa.

1856. DRYMOICA ROBUSTA.

Drymoica robusta, Rüpp. *Syst. Uebers.* t. 13.

N.-E. Africa.

1857. DRYMOICA RUFICEPS.

Malurus ruficeps, Rüpp. *Zool. Atlas*, t. 36, f. a. *Prinia* (?) vel *Drymoica ruficeps*, Rüpp.

N.-E. Africa.

1858. DRYMOICA SUBRUFICAPILLA.

B. M.

Drymoica subruficapilla, Smith, *Ill. Zool. S. Afr.* pl. 76, f. 2.

S. Africa.

1859. DRYMOICA UNDATA.

Motacilla undata, *Gm. Pl. ent.* 582, f. 2. Sylvia undata,
Lath. Drymoica undata, G. R. Gr.

S. Africa.

1860. DRYMOICA STRANGEI.

B. M.

Drymoica Strangei, *Fr.*

W. Africa (Accra).

1861. DRYMOICA MENTALIS.

B. M.

Drymoica mentalis, *Fr. Jard. Contr. of Orn.* pl.

W. Africa (Accra).

1862. DRYMOICA LATERALIS.

B. M.

Drymoica lateralis, *Fr.*

W. Africa (Cape Palmas).

1863. DRYMOICA RUFIFRONS.

Prinia rufifrons, *Rüpp. Faun. Abyss.* t. 41, f. 1. Drymoica
rufifrons, *Rüpp.*

N.-E. Africa.

1864. DRYMOICA RUF.

B. M.

Drymoica rufa, *Fr.*

W. Africa (River Quorra).

1865. DRYMOICA ERYTHROPTERA.

Drymoica erythroptera, *Jard. Contr. of Ornith.* 1849, pl.

—— ?

1866. DRYMOICA NATALENSIS.

B. M.

Drymoica natalensis, *Smith, Ill. Zool. S. Afr.* pl. 80.

S. Africa.

1867. DRYMOICA CHINIANA.

B. M.

Drymoica chiniana, *Smith, Ill. Zool. S. Afr.* pl. 79.

S. Africa.

1868. DRYMOICA CHERINA. B. M.
Drymoica cherina, *Smith, Ill. Zool. S. Afr.* pl. 77, f. 2.
 S. Africa.
1869. DRYMOICA TERRESTRIS. B. M.
Drymoica terrestris, *Smith, Ill. Zool. S. Afr.* pl. 74, f. 2.
 S. Africa.
1870. DRYMOICA UROPYGIALIS. B. M.
Drymoica uropygialis, *Fr.*
 W. Africa (Accra).
1871. DRYMOICA INQUIETA. B. M.
Malurus inquietus, *Rüpp. Zool. Atlas*, t. 36, f. b. *Prinia* (?)
 vel *Drymoica inquieta*, *Rüpp.*
 Arabia.
1872. DRYMOICA CLAMANS. B. M.
Malurus clamans, *Rüpp. Pl. col.* 466, f. 2. *Prinia et Drymoica*
clamans, *Rüpp. Zool. Atlas*, t. 2, f. a. *Curruca clamans*, *Cuv.*
 N.-E. Africa.
1873. DRYMOICA PULCHELLA. B. M.
Malurus pulchellus, *Rüpp. Zool. Atlas*, t. 35, f. a. *Prinia* vel
Drymoica pulchella, *Rüpp.*
 N.-E. Africa.
1874. DRYMOICA STRICKLANDII. B. M.
Prinia Stricklandi, *Pr. B.* *Prinia olivacea*, *Strickl.*
 Fernando Po.
1875. DRYMOICA RUFOGULARIS. B. M.
Drymoica rufogularis, *Fr.*
 Fernando Po.
1876. DRYMOICA SUBCINNAMOMEA. B. M.
Drymoica subcinnamomea, *Smith, Ill. Zool. S. Afr.* pl. 111,
 f. 1.
 S. Africa.

Gray, George Robert

59.82:01

FEB 10 1976 ANYOT

12

AMNH LIBRARY



100101517

Wom

U

E